This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`



Ced
H76.4
c


HARVARD
UNIVERSITY
ARNOLD
ARBORETUM
PRESENTED BY
CHARLES SPRAGUE SARGENT
1892



1825.


19
21
20

A

CATALOGUE OF PLANTS

CONTAINED IN

The Royal Botanic Garden

OF

GLASGOW,

IN THE YEAR 1825;

ALPHABETICALLY ARRANGED.

ACCOMPANIED BY A PLAN OF THE GARDEN.

W. J. Hooker.

GLASGOW:

ANDREW AND JOHN M. DUNCAN,

PRINTERS TO THE UNIVERSITY.

1825.

9

Ced
H76.4
C

THE GLASGOW BOTANIC GARDEN, since elevated to a Royal Institution, was only founded in the year 1817; and it must be a source of high gratification to those individuals who have been instrumental in the formation and support of the establishment, to see in how short a time it has been made to contain a collection of Plants, which is surpassed by few in the kingdom.

With the view to increasing still further this collection, the following Catalogue is published. By means of it Botanists and Horticulturists may have the opportunity, as they see a list of what we possess, of ascertaining what we still want, and will be able likewise to form some idea of what it may be in our power to offer in return: for, where we possess duplicates, we have ever held it to be amongst our greatest pleasures to distribute to those who take an interest in the same pursuits with ourselves.

Upon this subject, letters and parcels may be addressed to MR. STEWART MURRAY, the *Superintendant of the Garden.*

Besides the Species mentioned in the present Catalogue, the Garden contains very many others, which are either entirely new and undescribed, or which, from the circumstance of their not having yet blossomed, cannot be accurately determined.

The alphabetical arrangement, as the most convenient for reference, is that which is here adopted; and, to avoid the necessity of giving synonyms, the generic and specific names are the same as those employed in the admirable NOMENCLATOR BOTANICUS of *Dr. Steudel*, a work which ought to be in the hands of every Botanist and of every cultivator of Plants. The only exceptions (unless it be in the case of the species published since the appearance of that work) are in the family of ORCHIDEÆ, in which the nomenclature of Brown has been preferred, as far superior to that of Steudel.

The FERNS alone are arranged systematically, and at the end of the Catalogue.

W. J. HOOKER, LL.D.

Regius Professor of Botany in the University of Glasgow.

Glasgow, July 1, 1825.

REFERENCE TO THE PLAN OF THE GARDEN.

No. 1. General Collection of Herbaceous Plants.
2. Grasses.
3. Collection, to illustrate the Linnæan System.
4. Collection, to illustrate the Natural Method of Jusseiu.
5. British Collection.
6. Medicinal Plants.
7. Plants used in Agriculture and Commerce.
8. Forest Trees.
9. Willows.
10. Borders for Annuals.
11. Biennial Collection.
12. Esculent Vegetables.
13. Grass and Shrubberies.
14. American Plants.
15. Aquarium.
16. Rock for Alpine Plants.
17. Collection of Roses.
18. Flower Borders.
19. Beds for Carnations, Auriculas, Anemones, &c.
20. Variegated Plants.
21. General Alpine Collection.
22. Summer station for the Greenhouse Collection.
23. Shrubs.
24. Forcing Beds, Frames, &c.
25. Greenhouse.
26. } Stoves.
27. }
28. Smaller Collection of Medicinal Plants.
29. Inclosure for cultivating Rare, and particularly North American, Plants.
30. } Borders for Duplicates to keep up the Collections.
31. }
32. North Entrance from Sandyford Road, Lodge, and Lecture Room.
33. Queen Mary's Yew.
34. South Entrance from the Dumbarton road.

CATALOGUE OF THE PLANTS

IN THE

ROYAL BOTANIC GARDEN

OF

GLASGOW.

A

ABROMA
augusta *L. fil.*
fastuosa *R. Br.*

ABRUS
precatorius *L.*

ACACIA
acanthocarpa *Willd.*
alata *R. Br.*
arabica *Lam.*
armata *Ait.*
brachyloba *Mühlenb.*
caffra *Thunb.*
calamifolia *Ker.*
Catechu *L.*
cornigera *L.*
daviesoides (*Kew.*)
decipiens *Koenig.*
decurrens *Donn.*
diffusa *Ker.*
discolor *Andr.*
falcata *Willd.*
farnesiana *L.*
frondosa *Klein.*
glandulosa *Mich.*
glauca *L.*
grandiflora *Herit.*
hispidula *Smith.*
Houstoni *Herit.*
impressa (*Kew.*)
Julibrissin *Scop.*
juniperina *Willd.*
latisiliqua *L.*

ACACIA
latispinosa *Lam.*
Lebbeck *L.*
leucocephala *Lam.*
linifolia *Vent.*
longifolia *Andr.*
lophantha *Pers.*
melanoxylon *Ait.*
myrtifolia *Smith.*
nigricans *Labill.*
odoratissima *L.*
pedunculata *Willd.*
peregrina *L.*
pubescens *Vent.*
pulchella *R. Br.*
pulcherrima *Willd.*
saligna *Labil.*
scandens *L.*
Sereesa *Roxb.*
Sophoræ *Labil.*
speciosa *Jacq.*
stricta *Andr.*
suaveolens *Smith.*
taxifolia *Willd.*
trichodes *Jacq.*
undulata *Willd.*
vera *Willd.*
verticillata *Herit.*
vestita *Kew.*

ACÆNA
adscendens *Vahl.*
argentea *R. et P.*
latebrosa *Ait.*

ACÆNA
lucida *Vahl.*
ovalifolia *R. et P.*
sericea *Jacq. fil.*

ACALYPHA
caroliniana *Walt.*
virgata *L.*

ACANTHUS
mollis *L.*
spinosus *L.*

ACER
campestre *L.*
creticum *L.*
dasycarpum *Ehrh.*
laciniatum *Hort.*
monspessulanum *L.*
Negundo *L.*
Opulus *Ait.*
platanoides *L.*
Pseudoplatanus *L.*
rubrum *L.*
saccharinum *L.*
striatum *Lam.*
tataricum *L.*

ACHANIA
Malvaviscus *Ait.*
mollis *Ait.*

ACHILLÆA
abrotanifolia *L.*

ACHILLÆA
ægyptiaca *L.*
Ageratum *L.*
alpina *L.*
anthemoides *Willd.*
asplenifolia *Vent.*
aurea *Lam.*
biserrata *Bbrst.*
Clavennæ *L.*
compacta *Willd.*
cristata *Retz.*
crithmifolia *W. et K.*
decumbens *Lam.*
distans *W. et K.*
dubia *Fisch.*
Eupatorium *Bbrst.*
filipendula *Lam.*
grandiflora *Bbrst.*
herba rota *All.*
heterophylla *Spreng.*
holosericea *Sib. et Sm.*
impatiens *L.*
lanata *Spreng.*
leptophylla *Bbrst.*
ligustica *All.*
macrophylla *L.*
magna *L.*
micrantha *Willd.*
Millefolium *L.*
mongolica *F.*
montana *Schkeich.*
moschata *Jacq.*
myriophylla *Willd.*
nana *L.*
nobilis *L.*
odorata *L.*
pectinata *Willd.*
ptarmica *L.*
pubescens *L.*
rosea *W. et K.*
santolina *L.*
serrata *Retz.*
setacea *W. et K.*
speciosa *Spreng.*
tanacetifolia *All.*
tomentosa *L.*

ACHIMENES
coccinea *Pers.*

ACHNODONTON
Bellardi *Beauv.*

ACHRAS
mammosa *L.*
sapota *L.*

ACHYRANTHES
argentea *Lam.*
aspera *L.*

ACHYRANTHES
porrigens *Jacq.*
virgata *Poir.*

ACMELLA
buphthalmoides *Rich.*

ACONITUM
albidum *Bernh.*
album *Ait.*
Anthora *L.*
barbatum *Juss.*
Camarum *Jacq.*
cernuum *Koelle.*
decorum *Rchb.*
elatum *Sabsb.*
Halleri *Rchb.*
japonicum *Thunb.*
Koehleri *Rchb.*
Lycoctonum *L.*
nasutum *Fisch.*
nemorosum *Bbrst.*
neubergense *Dec.*
ochroleucum *Willd.*
Ottonianum *Rchb.*
paniculatum *Lam.*
pyramidale *Mill.*
pyrenaicum *Lam.*
rectum *Bernh.*
rostratum *Bernh.*
Schleicheri *Rchb.*
septentrionale *Koell.*
Sprengelii *Rchb.*
Stoerkianum *Rchb.*
tauricum *Wulf.*
uncinatum *L.*
variegatum *L.*
venustum *Rchb.*
virgatum *Rchb.*
volubile *Pall.*
vulgare *Dec.*
Vulparia *Rchb.*
Willdenovii *Rchb.*

ACORUS
Calamus *L.*
gramineus *Ait.*

ACTÆA
brachypetala *Dec.*
Cimicifuga *L.*
palmata *Dec.*
podocarpa *Dec.*
racemosa *L.*
spicata *L.*

ACYNOS
alpinus *L.*
rotundifolius *Poir.*
vulgaris *Pers.*

ADANSONIA
digitata *L.*

ADENANDRA
alba *R. et S.*
fragrans *R. et S.*
umbellata *Willd.*
uniflora *Willd.*

ADENANTHERA
pavonia *L.*

ADONIS
æstivalis *L.*
autumnalis *L.*
flammea *Jacq.*
vernalis *L.*

ADOXA
moschatellina *L.*

ÆGILOPS
cylindriaca *Host.*
ovata *L.*
squarrosa *L.*
triaristata *Willd.*
triuncialis *L.*

ÆGIPHILA
martinicensis *L.*

ÆGLE
Marmelos *Correa.*

ÆRUA
lanata *Juss.*

ÆSCHYNOMENE
americana *L.*
sensitiva *Sw.*

ÆSCULUS
Hippocastanum *L.*
lutea *Wangenh.*
macrostachys *Mich.*
Pavia *L.*

ÆTHUSA
Ammi *Spreng.*
cynapioides *Bieberst.*
Cynapium *L.*
elata *Fisch.*

AGAPANTHUS
ensifolius *Willd.*
præcox *Willd.*
umbellatus *Herit.*
β minor *Desf.*

AGASYLLIS
Galbanum *Spreng.*

AGAVE
americana *L.*
β variegata
angustifolia *Haw.*
fœtida *L.*

AGERATUM
cœlestinum *Sims.*
cœruleum *Desf.*
conyzoides *L.*
latifolium *Cav.*

AGRIMONIA
agrimonoides *L.*
Eupatorium *L.*
odorata *Mill.*
repens *L.*

AGROSTEMMA
Cœli-rosa *L.*
coronaria *L.*
flos Jovis *L.*
Githago *L.*
nicæensis *Willd.*

AGROSTIS
alba *L.*
capillaris *L.*
Cinna *Lam.*
decumbens *Nutt.*
diandra *Retz.*
diffusa *Host.*
dubia *Leers.*
dulcis *Sibth.*
Forsteri *R. et S.*
interrupta *L.*
retrofracta *Willd.*
Spica-venti *L.*
stolonifera *L.*
tenacissima *L. fil.*
tenuifolia *Willd.*
varia *Host.*
versicolor *Steven.*
verticillata *Vill.*
vulgaris *Schrad.*

AILANTHUS
glandulosa *Desf.*

AIRA
aquatica *L.*
arundinacea *L.*
atropurpurea *Wahlenb.*
bottnica *Wahlenb.*
cæspitosa *L.*
canescens *L.*
caryophyllea *L.*

AIRA
discolor *Thuil.*
flexuosa *Lin.*
glabrata *Brot.*
lævigata *Smith.*
media *Gouan.*
montana *L.*
semineutra *W. et K.*

AITONIA
capensis *L. fil.*

AJUGA
alpina *L.*
Chamæpitys *L.*
genevensis *L.*
orientalis *L.*
pyramidalis *L.*
reptans *L.*

AKEESIA
africana *Tuss.*

ALANGIUM
hexapetulum *Lam.*

ALBUCA
fastigiata *Thunb.*
major *L.*
minor *L.*
vittata *Gaud.*

ALCHEMILLA
alpina *L.*
montana *Willd.*
pentaphylla *L.*
pubescens *Bieberst.*
vulgaris *L.*

ALETRIS
arborea *Willd.*
farinosa *L.*
fragrans *L.*

ALEURITES
triloba *Forst.*

ALISMA
Damasonium *L.*
natans *L.*
Plantago *L.*
ranunculoides *L.*

ALLAMANDA
cathartica *L.*

ALLIONIA
nyctaginea *Mich.*

ALLIUM
acutangulum *Willd.*

ALLIUM
acutum *Spreng.*
album *Deslong.*
Ampeloprasum *L.*
angulosum *L.*
arenarium *L.*
ascalonicum *L.*
baicalense *Willd.*
canadense *L.*
carinatum *L.*
caucasicum *Poir.*
Cepa *L.*
cernuum *Roth.*
Chamæmoly *L.*
danubiale *Spreng.*
deflexum *Willd.*
descendens *L.*
desertorum *Rœusch.*
fistulosum *L.*
flavum *L.*
fœtidum *Biebrst.*
foliosum *Dec.*
fragrans *Vent.*
glaucum *Schrad.*
gracile *Ait.*
illyricum *Jacq.*
lacteum *Sib. et Sim.*
lineare *L.*
Moly *L.*
nigrum *L.*
nutans *L.*
obliquum *L.*
ochroleucum *W. et K.*
odorum *L.*
oleraceum *L.*
pallens *L.*
paniculatum *L.*
Porrum *L.*
roseum *L.*
rotundum *L.*
sativum *L.*
saxatile *Bieberst.*
Schœnoprasum *L.*
Scorodoprasum *L.*
senescens *L.*
serotinum *Schleich.*
sibiricum *L.*
sphærocephalum *L.*
spirale *Willd.*
striatum *Jacq.*
strictum *Schrad.*
subhirsutum *L.*
tataricum *L. fil.*
triquetrum *L.*
ursinum *L.*
Victoriale *L.*
vineale *L.*

ALNUS
glutinosa *Gœrt.*

ALNUS
ncana *Willd.*
oblongata *Willd.*
serrulata *Willd.*
undulata *Willd.*

ALOE*
(*Aloe Haw.*)
plicatilis.
purpurascens.
soccotrina.
africana.
arborescens.
frutescens.
angustifolia.
ferox.
flavispina.
mitriformis.
nobilis.
distans.
barbadensis.
β chinensis.
macra.
glauca.
depressa.
brevifolia.
variegata.
serrulata.
obscura.
latifolia.
saponaria.
virens.
acuminata.
tuberculata.
humilis.
incurva.
(*Gasteria Haw.*)
obliqua.
pulchra.
nigricans.
acinacifolia.
candicans.
glabra.
carinata.
latifolia.
angustifolia.
longifolia.
brevifolia.
intermedia.
verrucosa.
(*Haworthia Haw.*)
viscosa.
aspera.
ortuosa

ALOE
expansa.
albicans.
maxima.
major.
minor.
minima.
attenuata.
Radula.
cymbiformis.
reticulata.
recurva.
retusa.
pumila.
pellucens.
arachnoides.
spiralis.
spirella.
pentagona.
imbricata.
foliolosa.
turgida.
semimargaritifera.
asperiuscula.
bicarinata.

ALOPECURUS
agrestis *L.*
alpinus *Smith.*
bulbosus *L.*
geniculatus *L.*
nigricans *Hornem.*
pratensis *L.*
utriculatus *Schrad.*

ALPINIA
Allughas *Rosc.*
calcarata *Rosc.*
mutica *Roxb.*
nutans *Rosc.*

ALSINE
media *L.*

ALSTRŒMERIA
Ligtu *L.*
Pelegrina *L*
pulchella *Hooker*
tricolor *Hooker*

ALTERNANTHERA
sessilis *R. Br.*

ALTHÆA
cannabina *L.*
ficifolia *Willd*
Ludwigii *L.*

ALTHÆA
narbonensis *Cav.*
officinalis *L.*
pallida *W. et K.*
rosea *L.*

ALYSSUM
alpestre *L.*
arenarium *Gmel.*
argenteum *Willd.*
campestre *L.*
creticum *L.*
deltoideum *L.*
edentulum *W. et K.*
hirsutum *Bbrst.*
incanum *L.*
linifolium *Steph.*
maritimum *Lam.*
montanum *L.*
rostratum *Steven.*
saxatile *L.*
sinuatum *L.*
tortuosum *W. et K.*
utriculatum *L.*
Vesicaria *L.*

AMARANTHUS
albus *L.*
bicolor *Nocca.*
Blitum *L.*
caudatus *L.*
flavus *L.*
hybridus *L.*
hypochondriacus *L.*
lætus *Willd.*
melancholicus *L.*
polygamus *L.*
polygonoides *L.*
retroflexus *L.*
sanguineus *L.*
spinosus *L.*
strictus *Willd.*
tricolor *L.*
viridis *L.*

AMARYLLIS
Atamasco *L.*
aurea *Herit.*
Belladonna *L.*
blanda *Gawl.*
calyptrata *Ker.*
crispa *Jacq.*
crocata *Ker.*
curvifolia *Jacq.*
equestris *Ait.*
falcata *Herit.*
formosissima *L.*

* The *Aloes* are here arranged in their respective Genera, according to Mr. Haworth's "*Synopsis Plantarum Succulentarum.*"

AMARYLLIS
fulgida *Ker.*
gigantea *Aiton.*
humilis *Jacq.*
hyacinthina *Ker.*
longifolia *Ait.*
lutea *L.*
miniata *R. et P.*
orientalis *L.*
ornata *Ait.*
psittacina *Ker.*
radiata *Herit.*
Reginæ *L.*
reticulata *Herit.*
sarniensis *L.*
solandræflora *Lindl.*
speciosa *Herit.*
tubispatha *Herit.*
undulata *L.*
vittata *Herit.*

AMERIMNUM
scandens *Willd.*

AMETHYSTEA
cœrulea *L.*

AMMANNIA
ægyptiaca *Willd.*
baccifera *L.*
caspica *Bbrst.*
diffusa *Schwæg.*
latifolia *L.*
octandra *L. fil*
sanguinolenta *w.*

AMMI
acaule *Spreng.*
Bœberi *Hellen.*
majus *L.*

AMMOBIUM
alatum *Sims.*

AMOMUM*
sylvestre *Sw.*

AMORPHA
fruticosa *L.*

AMPELOPSIS
bipinnata *Mich.*
quinquefolia *Mich.*

AMPHILOBIUM
paniculatum *H. et B.*

AMSONIA
angustifolia *Mich.*
latifolia *Mich.*

AMSONIA
salicifolia *Pursh.*

AMYGDALUS
communis *L.*
incana *Pall.*
nana *L.*
persica *L.*
sibirica *Hortul. Gmel.*

ANABASIS
aphylla *L.*

ANACARDIUM
occidentale *L.*

ANACYCLUS
clavatus *Pers.*
divaricatus *Cav.*

ANAGALLIS
arvensis *L.*
cœrulea *Schreb.*
collina *Schousb.*
latifolia *L.*
Monelli *L.*
tenella *L.*

ANAGYRIS
fœtida *L.*

ANARRHINUM
bellidifolium *L.*

ANCHUSA
arvensis *Bbrst.*
Barrelieri *Dec.*
capensis *Thunb.*
hispida *Forsk.*
hybrida *Tenor.*
lutea *Bbrst.*
maculata *Horn.*
ochroleuca *Bbrst.*
officinalis *L.*
ovata *Lehm.*
procera *Bess.*
sempervirens *L.*
verrucosa *Lam.*
versicolor *Steven.*

ANDERSONIA
sprengelioides *R. Br.*

ANDROMEDA
acuminata *Ait.*
arborea *L.*
axillaris *Ait.*
calyculata *L.*
α ventricosa
β latifolia

ANDROMEDA
floribunda *Pursh.*
marginata *Duham.*
mariana *L.*
pilulifera *Fisch.*
polifolia *L.*
α latifolia
β media
γ angustifolia
δ oleifolia
pulverulenta *Mich.*
racemosa *L.*
serratifolia *H. Cels.*
speciosa *Mich.*
α nitida
β pulverulenta
Walteri *Willd.*

ANDROPOGON
argenteus *Dec.*
laxus *Willd.*
muricatus *Retz.*
Schœnanthus *L.*
strictus *W. et K.*

ANDROSACE
chamæjasme *Wulf.*
filiformis *Retz.*
lactea *L.*
lactiflora *Fisch.*
nana *Hornem.*
septentrionalis *L.*
villosa *L.*
Vitalliana *Lapeyr.*

ANDRYALA
cheiranthifolia *Herit.*
runcinata *Pour.*

ANEMONE
acutipetala *Schleich.*
alpina *L.*
appenina *L.*
baldensis *L.*
capensis *Lam.*
coronaria *L.*
dichotoma *L.*
Halleri *All.*
Hepatica *L.*
narcissiflora *L.*
nemorosa *L.*
Ochotensis *Fisch.*
patens *L.*
Pavonina *Lam.*
pennsylvanica *L.*
pratensis *L.*
Pulsatilla *L.*
ranunculoides *L.*
stellata *Lam.*
sylvestris *L.*

ANEMONE
vernalis *L.*

ANGELICA
Archangelica *L.*
pyrenaica *Spreng.*
Razoulii *Gouan.*
sylvestris *L.*

ANGELONIA
salicarifolia *W. et B.*

ANGRÆCUM
maculatum *Lindl.*

ANISACANTHA
divaricata *R. Br.*

ANNONA
mucosa *Jacq.*
muricata *L.*
palustris *L.*
reticulata *L.*
squamosa *L.*
tripetala *Ait.*

ANREDERA
spicata *Juss.*

ANTHEMIS
arabica *L.*
arvensis *L.*
austriaca *L.*
Chamomilla *Willd.*
Cota *L.*
Cotula
discoidea *Willd.*
fuscata *Brot.*
maritima *L.*
montana *L.*
nobilis *L.*
punctata *Desf.*
Pyrethrum *L.*
rigescens *Willd.*
ruthenica *Bbrst.*
tinctoria *L.*

ANTHERICUM
alvoides *L.*
annuum *L.*
filiforme *Ait.*
frutescens *L.*
Liliago *L.*
Liliastrum *Willd.*
paniculatum *Andr.*
pugioniforme *Jacq.*
ramosum *L.*
rostratum *Jacq.*
semibarbatum
serotinum *L.*

ANTHOCERIS
littorea *Labil.*

ANTHOLYZA
æthiopica *L.*
cunonia *L.*

ANTHOXANTHUM
odoratum *L.*

ANTHRISCUS
fumarioides *Spr.*
nemorosa *Spreng.*
vulgaris *Pers.*

ANTHYLLIS
barba Jovis *L.*
cornicina *L.*
Erinacea *L.*
Hermanniæ *L.*
Vulneraria *L.*

ANTIDESMA
paniculata *Rosb.*

ANTIRRHINUM
angustifolium *Poir.*
Asarina *L.*
majus *L.*
molle *L.*
Orontium *L.*
Siculum *Willd.*

ANYCHIA
dichotoma *Mich.*

APARGIA
autumnalis *L.*
caucasica *Bbrst.*
coronopifolia *Desf.*
crispa *Vill.*
hastilis *L.*
Taraxaci *Willd.*
Villarsii *Deslong.*

APHANIS
arvensis *L.*

APHELANDRA
cristata *Ait.*

APHYLLANTHIS
monspeliensis *L.*

APIUM
graveolens *L.*
Petroselinum *L.*

APLUDA
aristata *L.*

APOCYNUM
androsæmifolium *L.*
cannabinum *L.*
hypericifolium *Ait.*
venetum *L.*

APONOGETUM
distachyum *Thunb.*
monostachyum *Thunb.*

AQUILEGIA
atropurpurea *Willd.*
canadensis *L.*
glandulosa *Fisch.*
hybrida *Sims.*
sibirica *Lam.*
speciosa *Dec.*
viridiflora *Pall.*
vulgaris *L.*

ARABIS
alpina *L.*
arenosa *Scop.*
aspera *All.*
bellidifolia *L.*
caucasica *Willd.*
collina *Tenor.*
crispata *Willd.*
grandiflora *L.*
lucida *L. fil.*
lyrata *L.*
nutans *Mœnch.*
pendula *L.*
petræa *Stern. et Hop.*
præcox *W. et K.*
procurrens *W. et K.*
saxatilis *All.*
serpyllifolia *Vill.*
stricta *Huds.*
Thaliana *L.*
Turrita *L.*

ARACHIS
hypogæa *L.*

ARALIA
arborea *L.*
capitata *Sw.*
hispida *Mich.*
racemosa *L.*
Sciodaphyllum *Willd.*
umbraculifer *Kew.*

ARAUCARIA
excelsa *Ait.*
imbricata *Pavon.*

ARBUTUS
alpina *L.*
Andrachne *L.*

ARBUTUS
pumila *L. fil.*
Unedo *L.*
Uva ursi *L.*

ARCTIUM
Lappa *Thuil.*
majus *Thuil.*
minus *Pers.*
tomentosum *Pers.*

ARCTOPUS
echinatus *L.*

ARCTOTIS
acaulis *L.*
argentea *Ait.*
aspera *L.*
dentata *L.*

ARDISIA
acuminata *Willd.*
crenulata *Vent.*
excelsa *Ait.*
lateriflora *Sw.*
solanacea *Roxb.*
umbellata *Roth.*

ARECA
Catechu *L.*
montana *Donn.*
oleracea *L.*
spicata *Lam.*

ARENARIA
austriaca *Jacq.*
balearica *L.*
cephalotes *Bbrst.*
cherlerioides *Vill.*
fasciculata *L.*
fastigiata *Smith.*
filifolia *Vahl.*
graminifolia *Willd.*
grandiflora *L.*
lanceolata *All.*
laricifolia *L.*
macrocarpa *Pursh.*
marginata *Bbrst.*
marina *Smith.*
montana *L.*
multicaulis *L.*
peploides *L.*
polygonoides *Wulf.*
ramosissima *Willd.*
rostrata *W. et K.*
rubra *L.*
serpyllifolia *L.*
triflora *L.*

ARENARIA
trinervis *L.*
verna *L.*

ARETHUSA
bulbosa *L.*
ophioglossoides *L.*

ARGEMONE
mexicana *L.*

ARISTEA
capitata *Gawl.*
cyanea *Ait.*

ARISTIDA
divaricata *H. et B.*

ARISTOLOCHIA
acuminata *Lam.*
Clematitis *L.*
glauca *Desf.*
labiosa *Ker.*
pentagona (*Brasil*)
Pistolochia *L.*
sempervirens *L.*
Sipho *Herit.*

ARISTOTELIA
Macqui *Herit.*

ARNICA
Bellidiastrum *Vill.*
montana *L.*
scorpioides *L.*

ARTEMISIA
Abrotanum *L.*
Absinthium *L.*
arborescens *L.*
argentea *Herit.*
biennis *Willd.*
caucasica *Willd.*
desertorum *Willd.*
Dracunculus *L.*
fasciculata *Bbrst.*
gallica *Willd.*
glauca *Pall.*
indica *Willd.*
inodora *Bbrst.*
integrifolia *L.*
judaica *L.*
maritima *L.*
neglecta *Spreng.*
paniculata *Lam.*
pontica *L.*
santonica *L.*
scoparia *W. et K.*
siversiana *Ehrh.*
spicata *Jacq.*

ARTEMISIA
tanacetifolia *L.*
vulgaris *L.*

ARTHROPODIUM
cirratum *Sims.*

ARTOCARPUS
incisa *L. fil.*
integrifolia *L.*

ARUM
Arisarum *L.*
Colocasia *L.*
divaricatum *L.*
Dracontium *L.*
Dracunculus *L.*
indicum *Lour.*
italicum *Mill.*
macrorhizum *L.*
maculatum *L.*
orientale *Bbrst.*
orixense *R. Br.*
pedatum *Fisch.*
pictum *L. fil.*
spirale *Retz.*
tenuifolium *L.*
ternatum *Thunb.*
triphyllum *L.*
virginicum *L.*

ARUNDO
arenaria *L.*
calamagrostis *L.*
Donax *L.*
Epigejos *L.*
littorea *Schrad.*
Phragmites *L.*
Pseudophragmites *Schr.*
speciosa *Schrad.*
stricta *Timm.*
sylvatica *Schrad.*
varia *Schrad.*

ASARUM
arifolium *Mich.*
canadense *L.*
europæum *L.*
virginicum *L.*

ASCLEPIAS
amœna *L.*
curassavica *L.*
fuscata *Willd.*
linifolia *H. Madr.*
mexicana *Cav.*
nivea *L.*
syriaca *L.*
tuberosa *L.*

ASYCRUM
hypericoides *L.*

ASPARAGUS
amarus *Dec.*
officinalis *L.*
racemosus *Willd.*
scandens *Thunb.*

ASPERUGO
procumbens *L.*

ASPERULA
aristata *L. fil.*
crassifolia *L.*
cynanchica *L.*
hirsuta *Desf.*
incana *Sib. et Sm.*
lævigata *L.*
longiflora *W. et K.*
longifolia *Sib. et Sm.*
montana *W. et K.*
odorata *L.*
rivalis *Sib. et Sm.*
taurina *L.*
tinctoria *L.*

ASPHODELUS
clavatus *Roxb.*
creticus *Lam.*
fistulosus *L.*
luteus *L.*
ramosus *L.*
tauricus *Bbrst.*

ASTER
adulterinus *Willd.*
æstivus *Ait.*
alpinus *L.*
altaicus *Willd.*
altissimus *Mill.*
Amellus *L.*
argophyllus *Labill.*
bellidiflorus *Willd.*
bifidus *Nees.*
chinensis *L.*
cordifolius *L.*
corymbosus *Ait.*
cymbalariæ *Ait.*
diffusus *Ait.*
divaricatus *L.*
divergens *Ait.*
dracunculoides *Willd.*
elegans *Willd.*
ericoides *L.*
ferrugineus *Wend.*
foliolosus *Ait.*
fragilis *Willd.*
grandiflorus *L.*
heterophyllus *Willd.*

ASTER
hyssopifolius *L.*
incisus *Fisch.*
junceus *Ait.*
lævis *L.*
lanceolatus *Willd.*
ledifolius *Pursh.*
linifolius *L.*
longifolius *Lam.*
lucidus *Mœnch.*
Miser *L.*
multiflorus *Ait.*
Novæ Angliæ *L.*
Novi Belgii *L.*
paludosus *Ait.*
paniculatus *Ait.*
patens *Ait.*
pendulus *Ait.*
phlogifolius *Mhlbg.*
puniceus *L.*
Radula *Ait.*
reflexus *L.*
rigidus *Mœnch.*
sagittifolius *Wedem.*
salicifolius *Ait.*
serotinus *Willd.*
spectabilis *Ait.*
tardiflorus *L.*
tataricus *L. fil.*
tenuifolius *L.*
Tradescanti *L.*
Tripolium *L.*
undulatus *L.*
versicolor *Willd.*

ASTRAGALUS
alopecias *Pall.*
alopecuroides *L.*
Ammodytes *L.*
aristatus *Herit.*
asper *Jacq.*
bœticus *L.*
Buceras *Willd.*
campestris *L.*
canadensis *L.*
Cicer *L.*
contortuplicatus *L.*
cruciatus *H.*
dahuricus *Pall.*
deflexus *Pall.*
depressus *L.*
diffusus *Willd.*
exscapus *L.*
falcatus *Lam.*
galegiformis *L.*
glysyphyllus *L.*
grandiflorus *Pall.*
hamosus *L.*
hypoglottis *L.*
Laxmanni *L. fil.*

ASTRAGALUS
leontinus *Jacq.*
leucophæus *Smith.*
longiflorus *Pall.*
melilotoides *Pall.*
micranthus *Desv.*
microphyllus *L.*
monspessulanus *L.*
Onobrychis *L.*
oxyglottis *Stev.*
oxyphyllus *Pall.*
pilosus *L.*
purpureus *Lamauk.*
sesameus *L.*
sulcatus *L.*
Tragacantha *L.*
uliginosus *L.*
uralensis *L.*
vimineus *Pall.*

ASTRANTIA
carniolica *Jacq.*
Epipactis *L.*
heterophylla *Willd.*
major *L.*
minor *L.*

ASTROLOMA
humifusa *R. Br.*

ATHAMANTHA
cretensis *L.*
Libanotis *L.*
Matthioli *Wulf.*
rigida *Bernh.*

ATHANASIA
annua *L.*

ATRAPHAXIS
spinosa *L.*
undulata *Willd.*

ATRIPLEX
angustifolia *Smith.*
hastata *L.*
hortensis *L.*
laciniata *L.*
littoralis *L.*
obtusa *Willd.*
patula *L.*
portulacoides *L.*
sibirica *L.*
sulcata *Schrad.*
verticillata *Lag.*

ATROPA
Belladonna *L.*
Mandragora *L.*

AUCUBA
japonica *Thunb.*

AULAX
pinifolia *R. Br.*

AVENA
brevis *Roth.*
fatua *L.*
fragilis *L.*
hirsuta *Roth.*
nuda *L.*
orientalis *Schreb.*
planiculmis *Schrad.*
præcox *Beauv.*
pratensis *L.*

AVENA
sativa *L.*

AVERRHOA
Bilimbi *L.*

AXYRIS
amaranthoides *L.*

AYENIA
pusilla *L.*

AZALEA
calendulacea *Mich.*
α flammea

AZALEA
glauca *Lam.*
indica *L.*
nudiflora *L.*
α coccinea
β rutilans
γ carnea
δ alba
ε papilionacea
ζ partita
pontica *L.*
procumbens *L.*
viscosa *L.*
α odorata
γ fissa

B

BACCHARIS
ivæfolia *L.*
nereifolia *L.*
scoparia *Sw.*

BACTRIS
major *Jacq.*

BÆCKEA
virgata *Ait.*

BALBISIA
elongata *Willd.*

BALLOTA
alba *L.*
nigra *L.*

BALSAMITA
ageratifolia *Desf.*
flabelliformis *Pers.*
suaveolens *Pers.*

BALTIMORA
recta *L.*

BAMBUSA
arundinacea *Retz.*

BANISTERIA
chrysophylla *Lam.*
fulgens *L.*
laurifolia *L.*
purpurea *L.*

BANKSIA
æmula *R. Br.*

BANKSIA
dentata *L. fil.*
ericæfolia *L.*
integrifolia *L. fil.*
latifolia *R. Br.*
littoralis *R. Br.*
marcescens *R. Br.*
marginata *R. Br.*
nutans *R. Br.*
oblongifolia *Cav.*
paludosa *R. Br.*
quercifolia *R. Br.*
repens *Labil.*
serrata *L. fil.*
spinulosa *Smith.*
verticillata *R. Br.*

BARCLAYA
chinensis (*Hort.*)

BARLERIA
cœrulea *Roxb.*
cristata *L.*
dichotoma *Roxb.*
flava *Jacq.*

BARTSIA
alpina *L.*
viscosa *L.*

BASELLA
alba *L.*
cordifolia *Lam.*
rubra *L.*

BAUERA
humilis (*Breit.*)

BAUERA
rubioides *Andr.*

BAUHINIA
aculeata *L.*
acuminata *L.*
candida *Ait.*
divaricata *L.*
grandiflora *Juss.*
guianensis *Lam.*
inermis *Pers.*
parviflora *Vahl.*
porrecta *Ait.*
purpurea *L.*
racemosa *Lam.*
retusa *Poir.*
scandens *L.*
tomentosa *L.*
variegata *L.*

BEAUFORTIA
decussata *R. Br.*

BECKMANNIA
erucæformis *Host.*

BEGONIA
argyrostigma *Link.*
acuminata *Dryand.*
dichotoma *Jacq.*
Evansiana *Haw.*
hirsuta *Aubl.*
humilis *Dryan.*
nitida *Ait.*
odorata *Willd.*
scandens *Dryand.*
spathulata *Hort.*

BEGONIA
ulmifolia *Willd.*

BELLINIA
umbellata *R. et S.*

BELLIS
hybrida *Tenor.*
perennis *L.*
sylvestris *Cyril.*

BELLIUM
minutum *L.*

BERBERIS
aristata *D. C.*
canadensis *Mill.*
caroliniana *Nutt. MSS.*
heterophylla *Juss.*
ilicifolia *Forst.*
vulgaris *L.*

BERCKHEYA
ciliaris *Thunb.*
squarrosa *Thunb.*

BESLERIA
incarnata *Aubl.*
lutea *L.*
melittifolia *L.*
mollis

BETA
Cicla *L.*
vulgaris *L.*

BETONICA
alopecuros *L.*
grandiflora *Steph.*
hirsuta *L.*
incana *Mill.*
officinalis *L.*
orientalis *L.*
stricta *Ait.*

BETULA
alba *L.*
carpinifolia *Ehrh.*
excelsa *Ait.*
lenta *L.*
lutea *Mich.*
nana *L.*
nigra *L.*
papyracea *Ait.*
populifolia *Ait.*
pumila *L.*

BIDENS
bipinnata *L.*
bullata *L.*

BIDENS
cernua *L.*
grandiflora *Balb.*
heterophylla *Orteg.*
leucantha *Willd.*
pilosa *L.*
tripartita *L.*

BIGNONIA
æquinoctialis *L.*
alba *Aubl.*
Catalpa *L.*
chelonoides *L. fil.*
crucigera *L.*
grandiflora *Thunb.*
grandifolia *Jacq.*
incarnata *Aubl.*
indica *Tour.*
Leucoxylon *L.*
longissima *Sw.*
pubescens *L.*
radicans *L.*
serratifolia *Vahl.*
stans *L.*
tomentosa *Thunb.*
uncata *Sims.*
venusta *Her.*

BILLARDIERA
longiflora *Labill.*
mutabilis *Sims.*
scandens *Smith.*

BISCUTELLA
apula *L.*
auriculata *L.*
ciliata *Dec.*
depressa *Willd.*
hispida *Dec.*
lævigata *L.*
lyrata *L.*
maritima *Tenor.*
raphanifolia *Poir.*
saxatilis *Dec.*

BISERRULA
Pelecinus *L.*

BIVONÆA
lutea

BIXA
Orellana *L.*

BLAKEA
trinervia *L.*

BLANDFORDIA
nobilis *Smith.*

BLÆRIA
ericoides *L.*

BLETIA
hyacinthina *R. Br.*

BLITUM
capitatum *L.*
chenopodioides *Lam.*
virgatum *L.*

BOCCONIA
cordata *Willd.*
frutescens *L.*

BOERHAVIA
scandens *L.*

BOLTONIA
asteroides *Mich.*
glastifolia *Herit*

BOMBAX
Ceiba *L.*
heptaphyllum *L.*
pentandrum *L.*

BONAPARTEA
juncea *R. et P.*

BORAGO
cretica *Willd.*
laxiflora *Dec.*
officinalis *L.*

BORASSUS
Hystrix

BORBONIA
cordata *L.*
lanceolata *L.*

BORONIA
pinnata *Andr.*

BOSEA
Yervamora *L.*

BOSSIÆA
heterophylla *Smith.*
ovata *Smith.*
prostrata *R. Br.*
Scolopendrium *Ait.*

BOSWELLIA
thurifera *Roxb.*

BOUVARDIA
triphylla *Salisb.*

BRACHYSEMA
latifolium *R. Br.*

BRASSICA
alpina *L.*
arvensis *L.*
campestris *L.*
Chieranthus *Vill.*
elongata *Ehrh.*
Erucastrum *L.*
fruticulosa *Cyril.*
montana *Dec.*
Napus *L.*
oleracea *L.*
orientalis *L.*
pinnatifida *Desf.*
polymorpha *Murr.*
Rapa *L.*
sempervirens *Schrank.*
Tournefortii *Gouan.*

BRAYA
alpina *Sternb. et Hop.*

BRIZA
maxima *L.*
media *L.*
minor *L.*
rubens *Lam.*
virens *L.*

BROMELIA
Ananas *L.*
karatas *L.*
melantha *Ker.*
pallida *Ker.*
Pinguin *L.*
pyramidalis
sylvestris *Ker.*

BROMUS
alopecuroides *Poir.*
arvensis *L.*
asper *L.*
commutatus *Schrad.*
confertus *Börst.*
erectus *Smith.*
festucoides *Link.*
giganteus *L.*
hirsutissimus *Cyril.*
inermis *L.*
longiflorus *Willd.*
madritensis *L.*
maximus *Desf.*
mollis *L.*
parviflorus *Desf.*
pendulinus *Sesse.*
pilosus *Dietr.*

BROMUS
pubescens *Mhlbg.*
purgans *L.*
racemosus *L.*
rigidus *Roth.*
secalinus *L.*
squarrosus *L.*
sterilis *L.*
velutinus *Schrad.*
wolgensis *Spreng.*

BROSIMUM
spurium *Sw.*

BROWALLIA
demissa *L.*
elata *L.*

BROWNEA
coccinea *L.*

BRUCEA
ferruginea *Herit.*
sumatrensis *Spreng.*

BRUNFELSIA
americana *L.*
undulata *Sw.*

BRUNIA
abrotanoides *L.*
lanuginosa *Thunb.*
nodiflora *L.*
superba *Donn.*
verticillata *Thunb.*

BRYONIA
alba *L.*
dioica *Jacq.*

BUBON
buchtormensis *Thunb.*
glaucus *Spreng.*
rigidior *L.*
Siculus *Spreng.*

BUBROMA
Guazuma *Willd.*

BUCCO
acuminata *Desf.*
crenata *L.*
hispida *Thunb.*
ovata *Thunb.*
pulchella *Thunb.*
rubra *L.*
serratifolia
tetragona *Tuhnb.*

BUCHNERA
cuneifolia *L. fil.*

BUDDLEJA
globosa *Lam.*
madagascariensis *Lam.*
salvifolia *Lam.*

BUFFONIA
perennis *Lam.*

BULBOCODIUM
vernum *L.*

BUNIAS
orientalis *L.*

BUPTHALMUM
cordifolium *W. et K.*
frutescens *L.*
grandiflorum *L.*
maritimum *L.*
procumbens *Desf.*
salicifolium *L.*

BUPLEURUM
angulosum *L.*
aureum *Fisch.*
baldense *Host.*
caricifolium *Willd.*
fruticosum *L.*
junceum *L.*
longifolium *L.*
petroselinoides *Spreng.*
Pollichii *Gmel.*
ranunculoides *L.*
rotundifolium *L.*

BURSARIA
spinosa *Cav.*

BUTEA
frondosa *Roxb.*

BUTOMUS
umbellatus *L.*

BUXUS
balearica *Lam.*
chinensis *Links.*
sempervirens *L.*
α v. arborescens
β angustifolia
γ suffruticosa
δ myrtifolia

BYSTROPOGON
canariense *Herit.*

C

CACALIA
albifrons *L.*
anteuphorbium *L.*
articulata *L.*
atriplicifolia *L.*
coccinea *Sims.*
ficoides *L.*
hastata *L.*
Kleinia *L.*
repens *L.*
sonchifolia *L.*
suaveolens *L.*
tomentosa *L.*

CACHRYS
dichotoma *Spreng.*
Libanotis *L.*
maritima *Spreng.*
taurica *Willd.*
triquetra *Spreng.*

CACTUS
abnormis *Willd.*
gibbosus *Haw.*
Melocactus *L.*
nobilis *L.*
stellatus *Willd.*
viviparus *Pursh.*

CÆSALPINIA
crista *L.*
elata *Sw.*
pulcherrima *Sw.*
Sappan *L.*
vesicaria *Lam.*

CAKILE
ægyptiaca *Willd.*
maritima *Scop.*

CALADIUM
auritum *L.*
bicolor *Ait.*
cucullatum *Laur.*
esculentum *L.*
helleborifolium *Jacq.*
sagittæfolium *L.*
Seguinum *L.*

CALANCHOE
laciniata *L.*

CALANCHOE
pinnata *Lam.*

CALANCHOE
spathulata *Poir.*
Verea *Pers.*

CALCEOLARIA
corymbosa *R. et P.*
Fothergillii *Ait.*
pinnata *L.*
rugosa *R. et P.*

CALEA
Amellus *L.*
lobata *Gært.*
oppositifolia *L.*

CALENDULA
arvensis *L.*
dentata
fruticosa *L.*
hybrida *L.*
incana *Willd.*
pluvialis *L.*
Tragus *Ait.*

CALLA
æthiopica *L.*
palustris *L.*

CALLICARPA
cana *L.*
lanata *Vahl.*
sinensis (*Nois.*)

CALLICOMA
serratifolia *Andr.*

CALLISACE
dahurica *Fisch.*

CALLISTACHYS
lanceolata *Vent.*
ovata

CALLITRICHE
autumnalis *L.*
verna *L.*

CALODENDRUM
capense *Thunb.*

CALOMERIA
amaranthoides *Vent.*

CALOPHYLLUM
Inophyllum *L.*

CALOPOGON
pulchéllum *R. Br.*

CALOTHAMNUS
gracilis *R. Br.*
quadrifida *R. Br.*
villosa *R. Br.*

CALOTROPIS
gigantea *R. Br.*

CALTHA
ficarioides *Pursh.*
palustris *L.*
radicans *Forst*

CALYCANTHUS
floridus *L.*
glaucus *Willd.*
lævigatus *Willd.*
præcox *L.*

CALYTRIX
floribunda *Hort. Lod.*
glabra *Ker.*

CALYPSO
borealis *Sal.*

CALYXHYMENIA
corymbosa *Pers.*

CAMARIDIUM
ochroleucum *Lindl.*

CAMELLIA
japonica *L.*
myrtifolia *Nois.*
Sasanqua *Thunb.*

CAMPANULA
aggregata *Willd.*
alpina *L.*
Alpini *L.*
aurea *L. fil.*
azurea *Banks.*
barbata *L.*
betonicæfolia *Sib. et Sm.*
bononiensis *L.*
cæspitosa *Scop.*
capensis *L.*

CAMPANULA
carpathica *L. fil.*
caucasica *Bbrst.*
cernua *Thunb.*
Cervicaria *L.*
collina *Bbrst.*
divergens *Willd.*
Erinoides *L.*
Erinus *L.*
foliosa *Tenor.*
glomerata *L.*
gracilis *Forst.*
grandiflora *L.*
hederacea *L.*
hybrida *L.*
laciniata *L.*
lactiflora *Bbrst.*
lamiifolia *Bbrst.*
latifolia *L.*
lilifolia *L.*
lingulata *W. et K.*
linifolia *Jacq.*
lobelioides *L. fil.*
Lorei *Pollin.*
Lychnites *Hornem.*
macrantha *Fisch.*
marsupiiflora *Fisch.*
Medium *L.*
obliquifolia *Tenor.*
patula *L.*
pentagona *L.*
peregrina *L.*
perfoliata *L.*
persicifolia *L.*
planiflora *Lam.*
prismatocarpus *Ait.*
pubescens *Schmidt.*
pumila *Curt.*
punctata *Lam.*
pusilla *Hænk.*
pyramidalis *L.*
Rapunculoides *L.*
Rapunculus *L.*
rhomboidea *L.*
rotundifolia *L.*
ruthenica *Bbrst.*
siberica *L.*
spatulata *Sib. et Sm.*
speciosa *Hornem.*
Speculum *L.*
spicata *L.*
stylosa *Lam.*
suaveolens *Willd.*
thyrsoidea *L.*
trachelioides *Bbrst.*
Trachelium *L.*
ucranica *Spreng.*
urticæfolia *Schmidt.*
versicolor *Andr.*
virgata *Schmaltz.*

CAMPHOROSMA
monspeliaca *L.*

CANARINA
campanula *L. fil.*

CANELLA
alba *Murr.*

CANNA
angustifolia *L.*
coccinea *Rosc.*
flaccida *Salisb.*
gigantea *Desf.*
glauca *L.*
indica *L.*
Lamberti *Ker.*
iridiflora *R. et P.*
latifolia *Mill.*
lutea *Ait.*
limbata *Ker.*
patens *Rosc.*
speciosa *Rosc.*

CANNABIS
sativa *L.*

CANTHIUM
chinensis *Pers.*
coronatum *Lam.*

CANTUA
ligustrifolia *Juss.*
thyrsoideum *R et S.*

CAPPARIS
ægyptia *Lam.*
cynophallophora *L.*
frondosa *L.*
herbacea *Bbrst.*
linearis *L.*
Mariana *Jacq.*
ovata *Desf.*
spinosa *L.*

CAPRARIA
lanceolata *L.*
undulata *L. fil.*

CAPSICUM
angulosum *Mill.*
annuum *L.*
baccatum *L.*
cerasiforme *Willd.*
frutescens *L.*
grossum *L.*

CARDAMINE
amara *L.*
asarifolia *L.*

CARDAMINE
hirsuta *L.*
impatiens *L.*
pratensis *L.*
resedifolia *L.*
trifolia *L.*

CARDIOSPERMUM
Halicacabum *L.*

CARDUUS
acanthoides *L.*
acaulis *L.*
Afer *Jacq.*
arachnoideus *Bbrst.*
argentatus *L.*
arvensis *Smith.*
candicans *W. et K.*
carlinæfolius *Lam.*
carniolicus *Hoppe.*
Casabonæ *L.*
cernuus *L.*
cichoraceus *Rœusch.*
ciliatus *Murr.*
defloratus *L.*
echinocephalus *Willd.*
eriophorus *L.*
Erisithales *L.*
ferox *L.*
hamulosus *Ehrh.*
helenioides *L.*
heterophyllus *L.*
lanceolatus *L.*
laniflorus *Bbrst.*
leucocephalus *Willd.*
Marianus *L.*
mitis *Zeyh.*
monspessulanus *L.*
munitus *Bbrst.*
neglectus *Zeyh.*
ochroleucus *Willd.*
orgyalis *Willd.*
palustris *L.*
Personata *Jacq.*
polyanthemus *L.*
pratensis *Smith.*
radiatus *W. et K.*
rivularis *Jacq.*
serratuloides *L.*
strictus *Sebast.*
strigosus *Bbrst.*
tenuiflorus *Smith.*
uliginosus *Bbrst.*

CAREX
acuta *Willd.*
agastachys *L.*
ambleocarpa *Willd.*
ampullacea *Good.*

CAREX
arenaria *L.*
atrata *L.*
axillaris *Good.*
binervis *Smith.*
brachystachys *Schkr.*
cæspitosa *L.*
capillaris *L.*
clandestina *Smith.*
curta *Willd.*
cyperoides *L.*
digitata *L.*
dioica *L.*
distans *L.*
divisa *Huds.*
divulsa *Good.*
extensa *Good.*
ferruginea *Schkr.*
filiformis *L.*
flava *L.*
fœna *Willd.*
Fraseri *Andr.*
fulva *Good.*
glomerata *Host.*
granularis *Schkr.*
hirta *L.*
hordeiformis *Whlbg.*
intermedia *Good.*
juncea *Willd.*
juncifolia *All.*
lævigata *Smith.*
lagopodioides *Schkr.*
leucoglochin *L. fil.*
limosa *L.*
Michelii *Host.*
Mielichhoferi *Schkr.*
multiflora *Schkr.*
muricata *L.*
Œderi *Schkr.*
ovalis *Good.*
pallescens *L.*
paludosa *Good.*
panicea *L.*
paniculata *L.*
pendula *Mœnch.*
pilulifera *L.*
præcox *Schreb.*
Pseudocyperus *L.*
pulicans *L.*
pulla *Good.*
rariflora *Smith.*
recurva *Schkr.*
remota *L.*
rigida *Good.*
riparia *Good.*
rosea *Schkr.*
schœnoides *Host.*
secalina *Whlbg.*
stellulata *Good.*
straminea *Willd.*

CAREX
stricta *Good.*
sylvatica *Huds.*
tenuis *Willd.*
teretiuscula *Gaud.*
tomentosa *L.*
triflora *Willd.*
vesicaria *L.*
vulpina *L.*

CARICA
cauliflora *Jacq.*
Papaya *L.*

CARISSA
Arduina *Lam.*
spinarum *L.*

CARLINA
acanthifolia *All.*
acaulis *L.*
aggregata *W. et K.*
Echinus *Bbrst.*
vulgaris *L.*

CAROLINEA
Princeps *L.*

CAROXYLON
Salsola *Thunb.*

CARPESIUM
cernuum *L.*

CARPINUS
americana *Mich.*
Betulus *L.*

CARTHAMUS
creticus *L.*
lanatus *L.*
tauricus *Bbrst.*
tinctorius *L.*

CARUM
Carvi *L.*

CARYOPHYLLUS
aromaticus *L.*

CARYOTA
mites *Lour.*
urens *L.*

CASSIA
Absus *L.*
alata *L.*
arborescens *Vahl.*
auriculata *L.*
bacillaris *L.*

CASSIA
bicapsularis *L.*
biflora *L.*
bracteata *L.*
capensis *Thunb.*
chamæcrista *L.*
corymbosa *Lam.*
emarginata *L.*
Fistula *L.*
floribunda *Cav.*
glandulosa *L.*
glauca *Lam.*
grandis *L. fil.*
hirsuta *L.*
lanceolata *Lam.*
ligustrina *L.*
marginata *Willd.*
marylandica *L.*
obtusifolia *L.*
occidentalis *L.*
planisiliqua *L.*
procumbens *L.*
Senna *L.*
Sophora *L.*
tomentosa *L.*
Tora *L.*
viminea *L.*

CASSINE
capensis *L.*
Maurocenia *L.*

CASTANEA
pumila *Mill.*
Vesca *Gært.*

CASUARINA
distyla *Vent.*
equisetifolia *L. fil.*
nodiflora *Forst.*
torulosa *Ait.*

CATANANCHE
cœrulea *L.*
lutea *L.*

CATASETUM
tridentatum *Hook.*
Claveringi *Lindl.*
floribundum *Hook.*
Hookeri *Lindl.*

CATESBÆA
spinosa *L.*

CATTLEYA
labiata *Lindl.*

CAUCALIS
daucoides *L.*

CAUCALIS
hispida *Desf.*
leptophylla *L.*
mauritiana *L.*
orientalis *L.*
platycarpos *Roth.*

CAULOPHYLLUM
thalictroides *Mich.*

CEANOTHUS
africanus *L.*
americanus *L.*
cœruleus *Lagas.*

CECROPIA
peltata *L.*

CEDRELA
odorata *L.*
Toona *Rottl.*

CELASTRUS
buxifolius *L.*
lucidus *L.*
pyracanthus *L.*
scandens *L.*
verticillatus *R. et P.*

CELOSIA
argentea *L.*
cernua *Andr.*
coccinea *L.*
comosa *Retz.*
cristata *L.*
margaritacea *L.*

CELSIA
Arcturus *L.*
coromandelina *Vahl.*
cretica *L.*

CELTIS
occidentalis *L.*

CENCHRUS
echinatus *L.*
tribuloides *L.*

CENTAUREA
Adami *Willd.*
alba *L.*
alpina *L.*
altaica *Spreng.*
arachnoides *Vivian.*
atropurpurea *W. et K.*
aurea *Ait.*
austriaca *Willd.*
Benedicta *L.*
calcitrapa *L.*

CENTAUREA
calophylla *Willd.*
centauroides *L.*
cicutæfolia *Hornem.*
coriacea *W. et K.*
crocodylium *L.*
cruenta *Willd.*
Crupina *L.*
Cyanus *L.*
dealbata *Willd.*
elongata *Desf.*
eriophora *L.*
ferox *Desf.*
Fischeri *Willd.*
flosculosa *Willd.*
glastifolia *L.*
glauca *Muss.*
Jacea *L.*
intybacea *Desf.*
macrocephala *Muss.*
montana *L.*
muricata *L.*
napifolia *L.*
nervosa *Willd.*
nigra *L.*
nigrescens *Willd.*
nitens *Bbrst.*
ochroleuca *Muss.*
orientalis *L.*
ovina *Pall. in Willd.*
paniculata *L.*
parviflora *Desf.*
pectinata *L.*
pratensis *Thuil.*
pubescens *Willd.*
ragusina *L.*
reflexa *Lam.*
rupestris *L.*
ruthenica *Lam.*
salicifolia *Bbrst.*
Scabiosa *L.*
sempervirens *L.*
seridis *L.*
sibirica *L.*
Sicula *L.*
spinosa *L.*
splendens *Willd.*
Stœbe *L.*
transalpina *Schleich.*
Verutrum *L.*
vochirensis *Bernk.*

CENTRANTHUS
angustifolius *Dec.*
ruber *Dec.*

CEPHALANTHUS
occidentalis *L.*

CEPHALARIA
alpina *L.*

CEPHALARIA
centauroides *Lam.*
corniculata *W. et K.*
cretacea *Bbrst.*
leucantha *L.*
tatarica *L.*
uralensis *Murr.*

CERASTIUM
alpinum *L.*
arvense *L.*
Bieberstinii
brachypetalum *Pers.*
conatum *Willd.*
davuricum *Fisch.*
dioicum *Ait.*
latifolium *L.*
pennsylvanicum *Hornem.*
perfoliatum *L.*
repens *L.*
semidecandrum *L.*
strictum *Dec.*
tomentosum *L.*
viscosum *L.*
vulgatum *L.*

CERATONIA
Siliqua *L.*

CERATOPHYLLUM
submersum *L.*

CERBERA
Ahovai *L.*
fruticosa *Curt.*
Munghas *L.*
Thevetia *L.*

CERCIS
Siliquastrum *L.*

CEREUS
cylindricus *Lam.*
flagelliformis *L.*
grandiflorus *L.*
griseus *Haw.*
heptagonus *L.*
hexagonus *L.*
lanuginosus *L.*
peruvianus *L.*
quadrangularis *Haw.*
repandus *L.*
Royeni *L.*
speciosissimus *Desf.*
tetragonus *L.*
triangularis *L.*
trigonus *Haw.*

CERINTHE
maculata *All.*

CERINTHE
major *L.*
minor *L.*

CEROPEGIA
aphylla *Haw.*

CESTRUM
diurnum *L.*
fœtidissimum *Jacq.*
laurifolium *Herit.*
Parqui *Herit.*
venenatum *Thunb.*

CHÆROPHYLLUM
angulatum *Kit.*
nitidum *Whlbg.*
sativum *Gært.*
tenuifolium *Steven.*
tuberculosum *Desf.*

CHAMÆDOREA
gracilis *Willd.*

CHAMÆROPS
excelsa *Thunb.*
humilis *L.*
Palmetto *Mich.*

CHARA
flexilis *L.*
vulgaris *L.*

CHEIRANTHUS
Cheiri *L.*
contortuplicatus *Steph.*
cuspidatus *Bbrst.*
decumbens *Schleich.*
dubius *Suter.*
fenestralis *L.*
firmus *Schleich.*
frutescens *Vent.*
fruticulosus *L.*
ibericus *Adam.*
incanus *L.*
mutabilis *Ait.*
odoratissimus *Pall.*
scoparius *Brouss.*
tristis *L.*

CHELIDONIUM
majus *L.*
β laciniatum *Mill.*

CHELONE
barbata *Cav.*
campanulata *Cav.*
glabra *L.*
lævigata *Willd.*
Lyoni *Pursh.*

CHELONE
obliqua *L.*
pubescens *Willd.*

CHENOPODIUM
album *L.*
altissimum *Schrad.*
ambrosioides *L.*
anthelminticum *L.*
bonus Henricus *L.*
crassifolium *Desf.*
hirsutum *L.*
maritimum *L.*
murale *L.*
opulifolium *Schrad.*
rubrum *L.*
suffruticosum *Willd.*
urbicum *L.*

CHERLERIA
sedoides *L.*

CHIOCOCCA
racemosa *L.*

CHIRONIA
baccifera *L.*
decussata *Vent.*
frutescens *L.*
Jasminoides *L.*
linoides *L.*

CHLORA
perfoliata *L.*

CHLORANTHUS
inconspicuus *Sw.*

CHLORIS
ciliata *Sw.*
dolichostachya *Lag.*
petræa *Sw.*
polydactyla *Sw.*
radiata *Sw.*

CHONDRILLA
Decandollei *Spreng.*
graminea *Bbrst.*
juncea *L.*

CHORIZANDRA
sphærocephala *R. Br.*

CHORYZEMA
nanum *Sims.*

CHRYSANTHEMUM
Achilleæ *L.*
alpinum *L.*
anomalum *Lag.*

CHRYSANTHEMUM
arcticum *L.*
argenteum *Willd.*
atratum *L.*
Balsamita *L.*
bipinnatum *L.*
breviradiatum *Ledeb.*
carinatum *Schous.*
ceratophylloides *All.*
daucifolium *Pers.*
frutescens *L.*
indicum *L.*
indicum *Sims.*
lanceolatum *Pers.*
Leucanthemum *L.*
macrophyllum *W. et K.*
maritimum *Smith.*
maximum *Dec.*
millefoliatum *L.*
montanum *L.*
Myconis *L.*
palustre *Willd.*
Parthenium *Smith.*
pinnatifidum *L.*
ptarmicæfolium *Muss.*
pulverulentum *Lag.*
purpureum *Pers.*
segetum *L.*
serotinum *L.*
tenuifolium *Willd.*
uliginosum *W. et K.*

CHRYSOCOMA
cernua *L.*
Linosyris *L.*
villosa *L.*

CHRYSOPHYLLUM
argenteum *Jacq.*
Cainito *L.*
fuscum *Fisch.*

CHRYSOSPLENIUM
alternifolium *L.*
oppositifolium *L.*

CHRYSURUS
echinatus *Beauv.*

CICCA
disticha *L.*

CICER
arietinum *L.*
punctatum *H. Vind.*

CICHORIUM
Endivia *L.*
Intybus *L.*

CICUTA
bulbifera *L.*
virosa *L.*

CINCHONA
caroliniana *Poir.*

CINERARIA
amelloides *L.*
campestris *Retz.*
canescens *Wendl.*
caucasica *Bbrst.*
cordifolia *L.*
cruenta *Herit.*
discolor *Sw.*
geifolia *L.*
lactea *Willd.*
lanata *Herit.*
lobata *Herit.*
maritima *L.*
Petasites *Sims.*
sibirica *L.*

CIRCÆA
alpina *L.*
Lutetiana *L.*

CISSUS
acida *L.*
antarctica *Vent.*
capensis *Thunb.*
sicyoides *L.*
trifoliata *L.*
vitiginea *L.*

CISTUS
albidus *L.*
algarvensis *Sims.*
canus *L.*
creticus *L.*
crispus *L.*
elongatus *Vahl.*
guttatus *L.*
Helianthemum *L.*
incanus *L.*
ladaniferus *L.*
lævipes *L.*
ledifolius *L.*
Libanotis *L.*
marifolius *L.*
mutabilis *Jacq.*
populifolius *L.*
salvifolius *L.*
stæchadifolius *Brot.*
Tuberaria *L.*
vaginatus *Ait.*

CITHAREXYLON
cinereum *L.*
quadrangulare *L.*

CITRUS
Aurantium *L.*
decumana *L.*
Medica *L.*
nobilis *Lour.*

CLADIUM
germanicum *Schrad.*

CLAYTONIA
alsinoides *Sims.*
perfoliata *Don.*
sibirica *L.*
virginica *L.*

CLEMATIS
alpina *Lam.*
angustifolia *Jacq.*
balearica *Lam.*
chinensis *Lour.*
cirrhosa *L.*
crispa *L.*
erecta *All.*
flammula *L.*
florida *Thunb.*
integrifolia *L.*
ochroleuca *Ait.*
orientalis *L.*
sibirica *Mill.*
triternata *Dec.*
verticillaris *Dec.*
Viorna *L.*
virginiana *L.*
Vitalba *L.*
Viticella *L.*

CLEOME
arabica *L.*
Chelidonii *L.*
gigantea *L.*
monophylla *L.*
pentaphylla *L.*
spinosa *L.*
viscosa *L.*

CLERODENDRUM
fragrans *Willd.*

CLETHRA
alnifolia *L.*
arborea *Ait.*
ferruginea *Kew.*
paniculata *Ait.*
pubescens *Willd.*

CLIFFORTIA
cuneata *Ait.*
ilicifolia *L.*
obcordata *Thunb.*
ruscifolia *L.*

CLIFFORTIA
tridendata *Willd.*
trifoliata *L.*

CLINOPODIUM
vulgare *L.*

CLITORIA
brasiliana *L.*
heterophylla *Lam.*
multiflora *Sw.*
Plumieri *Turp.*
Ternatea *L.*
virginiana *L.*

CLUSIA
flava *L.*

CLUTIA
alaternoides *L.*
tomentosa *L.*

CNEORUM
tricoccum *L.*

CNIDIUM
alsaticum *Spreng.*
Silaus *Spr.*

COBÆA
scandens *Cav.*

COCCOCYPSILUM
repens *Sw.*

COCCOLOBA
barbadensis *L.*
excoriata *L.*
pubescens *L.*
punctata *L.*
uvifera *L.*

COCHLEARIA
anglica *L.*
Armoracea *L.*
danica *L.*
glastifolia *L.*

COCOS
aculeata *Jacq.*
nucifera *L.*

COFFEA
arabica *L.*

COIX
Lacryma *L.*

COLCHICUM
autumnale *L*

COLCHICUM
byzantinum *Gawl.*
variegatum *L.*
umbrosum *Steph.*

COLLINSONIA
canadensis *L.*

COLUMNEA
hirsuta *Sw.*
scandens *L.*

COLUTEA
arborescens *L.*
frutescens *L.*
herbacea *L.*
orientalis *Lam.*
perennans *Jacq.*
Pocockii *Ait.*

COMARUM
palustre *L.*

COMBRETUM
purpureum *Vahl.*
comosum *Don.*

COMMELINA
africana *L.*
angustifolia *Mich.*
cœlestis *Willd.*
communis *L.*
erecta *L.*
pallida *H. et B.*
parviflora *Zea.*
tuberosa *L.*

COMMERSONIA
echinata *Forst.*

COMOCLADIA
ilicifolia *Sw.*

COMPTONIA
asplenifolia *Gært.*

CONANTHERA
binifolia *Sims.*

CONIUM
Arracacha *Hook.*
croaticum *W. et K.*
maculatum *L.*

CONOBEA
verticillaris *Spreng.*

CONVALLARIA
bifolia *L.*
japonica *L.*

CONVALLARIA
majalis *L.*
multiflora *L.*
oppositifolia *Lodd.*
Polygonatum *L.*
racemosa *L.*
stellata *L.*
umbellata *Mich.*
verticillata *L.*

CONVOLVULUS
arvensis *L.*
althæoides *L.*
bryoniæfolius *Sims.*
canariensis *L.*
Cneorum *L.*
dentatus *Vahl.*
farinosus *L.*
glaber *Mill.*
guianensis *Aubl.*
linearis *Curt.*
lineatus *L.*
maximus *L.*
Medium *L.*
multifidus *Thunb.*
quinquefolius *L.*
sagittifolius *Mich.*
Scammonia *L.*
Sepium *L.*
Sibthorpii *R. et S.*
Soldanella *L.*
Stans *Mich.*
tricolor *L.*
vitifolius *L.*

CONYZA
bifrons *L.*
chinensis *L.*
fastigiata *Willd.*
saxatilis *L.*
squarrosa *L.*
thapsoides *Bbrst.*
viscosa *Mill.*

COPAIFERA
officinalis *L.*

COPTIS
trifolia *Salisb.*

CORALLORRHIZA
innata *R. Br.*
multiflora *Nutt.*

CORCHORUS
americanus *Schrank.*
capsularis *L.*
hirtus *L.*
olitorius *L.*
siliquosus *L.*

CORCHORUS
trilocularis *L.*

CORDIA
angustifolia *West.*
Collococca *L.*
flavescens *Aubl.*
Geraschanthus *L.*
macrophylla *L.*
Sebestena *L.*

COREOPSIS
aurea *Ait.*
auriculata *L.*
coronata *L.*
lanceolata *L.*
procera *Ait.*
tenuifolia *Ehrh.*
tinctoria *Nutt.*
tripteris *L.*
verticillata *L.*

CORIANDRUM
sativum *L.*
testiculatum *L.*

CORIARIA
myrtifolia *L.*

CORNUCOPIÆ
cucullatum *L.*

CORNUS
alba *L.*
alternifolia *L.*
canadensis *L.*
circinata *Herit.*
florida *L.*
mascula *L.*
paniculata *Herit.*
sanguinea *L.*
sericea *Herit.*
stricta *Herit.*
suecica *L.*

CORONILLA
coronata *L.*
Emerus *L.*
glauca *L.*
iberica *Bbrst.*
minima *L.*
securidaca *L.*
valentina *L.*
varia *L.*

CORREA
alba *Andr.*
speciosa *Dietr.*
virens *Smith.*

CORRIGIOLA
littoralis *L.*

CORTUSA
Matthioli *L.*

CORYLUS
Avellana *L.*
Colurna *L.*

CORYPHA
umbraculifera *L.*

COSMOS
bipinnatus *Cav.*
parviflorus *Willd.*
sulphureus *Cav.*

COSSINIA
pinnata *Lam.*

COSTUS
speciosus *Smith.*
spiralis *Rosc.*

COTULA
coronopifolia *L.*
latifolia *Desf.*

COTYLEDON
coccinea *Cav.*
coruscans *Kew.*
hemisphærica *L.*
lutea *Smith.*
orbiculata *Haw.*
ovata *Haw.*
papillaris *Thunb.*
ramosissima *Mill.*
tuberculosa *Lam.*
Umbilicus *L.*
undulata *Lam.*

CRAMBE
aspera *Bbrst.*
maritima *L.*
tatarica *Jacq.*

CRASSULA
acutifolia *Lam.*
arborescens *L.*
canescens *Haw.*
ciliata *L.*
columnaris *L.*
coccinea *L.*
cordata *Thunb.*
cultrata *L.*
falcata *Willd.*
glomerata *L.*
jasminea *Haw.*
imbricata *Ait.*

CRASSULA
lactea *Ait.*
linguæfolia *Haw.*
marginalis *Ait.*
mollis *Thunb.*
obliqua *Ait.*
obvallata *L.*
odoratissima *Andr.*
pellucida *L.*
perfilata *Scop.*
perfoliata *L.*
punctata *L.*
scabra *L.*
tetragona *L.*
undulata *Haw.*
versicolor *Burch.*

CRATÆGUS
arbutifolia *Ait.*
coccinea *L.*
cordata *Ait.*
Crusgalli *L.*
flava *Ait.*
glabra *Thunb.*
glandulosa *Mœnch.*
indica *L.*
melanocarpa *Bbrst.*
monogyna *Jacq.*
odorata *Bosc.*
Oxyacantha *L.*
pyracantha *Pers.*
pyrifolia *Ait.*
tanacetifolia *Poir.*

CREPIS
alpina *L.*
aspera *L.*
cernua *Tenor.*
fœtida *L.*
Gmelini *Schult.*
hieracioides *W. et K.*
hispida *W, et K.*
intybacea *Brot.*
latifolia *Balb.*
nemaurensis *Gouan.*
purpurea *Biv.*
raphanifolia *Willd.*
rhœadifolia *Bbrst.*
rigida *W. et K.*
rubra *L.*
tectorum *L.*

CRESCENTIA
cucurbitina *Sw.*
Cujute *L.*

CRESSA
cretica *L.*

CRINUM
amabile *Ker.*
americanum *L.*
angustifolium *R. Br.*
asiaticum *L.*
cruentum *Ker.*
defixum *Ker.*
ensifolium *Ker.*
erubescens *Ait.*
longifolium *Ker.*
lorifolium *Ker.*
moluccanum *Ker.*
pedunculatum *R. Br.*
scabrum *Ker.*
sumatranum *Ker.*

CROCUS
autumnalis *Bbrst.*
biflorus *Mill.*
luteus *Lam.*
nudiflorus *Sm.*
reticulatus *Bbrst.*
sativus *Sm.*
serotinus *Salisb.*
sulphureus *Ker.*
vernus *Smith.*
versicolor *Ker.*

CROTALARIA
angulata *Mill.*
arborescens *Lam.*
argentea *Jacq.*
bialata *Schrank.*
bracteata *Roxb.*
chinensis *L.*
elegans *Kew.*
fruticosa *Mill.*
fulva *Roxb.*
hirsuta *Willd.*
hirta *Willd.*
juncea *L.*
laburnifolia *L.*
longifolia *Lam.*
lotifolia *L.*
microphylla *Vahl.*
pallida *Ait.*
perfoliata *L.*
purpurea *Vent.*
quinquefolia *L.*
retusa *L.*
rubiginosa *Willd.*
sagittalis *L.*
sericea *Retz.*
tetragona *Andr.*
verrucosa *L.*
villosa *Thunb.*

CROTON
angustifolium (*Nois.*)
argenteum *L.*

CROTON
Cascarilla *L.*
digitatum *Fisch.*
glabellum *L.*
lineare *Jacq.*
lobatum *L.*
penicellatum *Vent.*
pictum (*Nois.*)
Tiglium *L.*
variegatum *L.*

CROWEA
saligna *Smith.*

CRUCIANELLA
anomala *Bbrst.*
ciliata *Lam.*
moluginoides *Bbrst.*
monspeliaca *L.*

CUCUBALUS
angustifolius *Tenor.*
bacciferus *L.*
Behen *L.*
fimbriatus *Bbrst.*
glaucus *Schrad.*
littoralis *Pers.*
stellatus *L.*
wolgensis *Willd.*

CUCUMIS
acutangulus *L.*
Colocynthis *L.*
deliciosus *Roth.*
flexuosus *L.*
Melo *L.*
Prophetarum *L.*
sativus *L.*

CUCURBITA
Citrullus *L.*
Melopepo *L.*
Pepo *L.*

CUMINUM
cyminum *L.*

CUNILA
mariana *Nutt.*

CUNONIA
capensis *L.*

CUPHEA
parviflora *Hook.*
procumbens *Cav.*
viscosissima *Jacq.*

CUPRESSUS
australis *Pers.*

CUPRESSUS
lusitanica *Mill.*
sempervirens *L.*

CURCULIGO
brevifolia *Sims.*
latifolia *Sims.*
orchioides *Roxb.*

CURCUMA
Amada *Roxb.*
cæsia *Roxb.*
comosa *Roxb.*
ferruginea *Roxb.*
leucorrhiza *Roxb.*
longa *L.*
rubescens *Roxb.*
Zedoaria *Roxb.*
Zerumbet *Roxb.*

CURTISIA
faginea *Thunb.*

CUSCUTA
Epithymum *L.*
europæa *L.*
reflexa *Roxb.*

CUSSONIA
spicata *Thunb.*
thyrsiflora *Thunb.*

CYATHODES
acerosa *R. Br.*

CYANANTHES
Pallasii *Fisch.*

CYCAS
circinnalis *L.*
revoluta *Thunb.*

CYCLAMEN
Coum *Mill.*
europæum *L.*
hederæfolium *Ait.*
persicum *Mill.*

CYDONIA
japonica *Pers.*
vulgaris *Pers.*

CYLISTA
scariosa *Roxb.*

CYMBIDIUM
aloides *L.*
aloifolium *L.*
altum *L.*
ensifolium *L.*

CYMBIDIUM
sinense *Andr.*

CYNANCHUM
nigrum *Pers.*
pilosum *R. Br.*
Vincetoxicum *Pers.*

CYNARA
Cardunculus *L.*
horrida *Ait.*
Scolymus *L.*

CYNODON
Dactylon *Rich.*
linearis *Willd.*

CYNOGLOSSUM
canescens *Willd.*
cheirifolium *L.*
clandestinum *Desf.*
Dioscoridis *Vill.*
lævigatum *L.*
officinale *L.*
pictum *Ait.*
sylvaticum *R. Br.*
umbellatum *W. et K.*

CYNOSURUS
cristatus *L.*

CYPERUS
brizæus *Rich.*
conglomeratus *Rottb.*
cruentus *Rottb.*
distans *L.*
Dives *Delil.*
esculentus *L.*
fastigiatus *Rottb.*
longus *L.*
monandrus *Roth*
Pangorei *Rottb.*
Papyrus *L.*
Paramatta *Martius.*
strigosus *L.*

CYPHIA
volubilis *L.*

CYPRIPEDIUM
arietinum *Ait.*
Calceolus *L.*
humile *Sw.*
insignis *Wall.*
parviflorum *Salisb.*
pubescens *Willd.*
spectabile *Salisb.*
venustum *Wall.*

CYRTANTHUS
angustifolius *Ait.*
obliquus *Ait.*

CYTISUS
alpinus *Willd.*
austriacus *L.*
biflorus *L.*

CYTISUS
Cajan *L.*
capitatus *Jacq.*
falcatus *W. et K.*
foliolosus *Herit.*
hirsutus *L.*
Laburnum *L.*

CYTISUS
nigricans *L.*
proliferus *L.*
purpureus *Scop.*
sessiliflorus *Poir.*
sessilifolius *L.*
Wolgaricus *L.*

D

DACTYLIS
cylindracea *Brot.*
cynosuroides *Roth*
glomerata *L.*
maritima *Schrad.*

DACTYLOCTENIUM
ægyptiacum *Willd.*

DAIS
cotinifolia *L.*

DALBERGIA
Barclayi *Hort. Glasg.*
domingensis *Turpin*
Telfairii *Hort. Burcl.*

DALEA
bicolor *H. et B.*
Lagopus *L.*

DALECHAMPIA
scandens *L.*

DALIBARDA
fragarioides *Mich.*
repens *L.*

DAPHNE
alpina *L.*
altaica *Pall.*
Cneorum *L.*
collina *Smith.*
Gnidium *L.*
Laureola *L.*
Mezereum *L.*
odora *Thunb.*
pontica *L.*
sericea *Vahl.*
Tartonraira *L.*

DATISCA
cannabina *L.*

DATURA
fastuosa *L.*
ferox *L.*
lævis *L.*
Metel *L.*
Stramonium *L.*
suaveolens *H. et B.*

DAUCUS
Carota *L.*
Gingidium *L.*
hispidus *Desf.*
muricatus *L.*
polygamus *Goum.*

DAVIESIA
acicularis *Smith.*
ericoides *Pers.*
latifolia *R. Br.*
mimosoides *R. Br.*
ulicifolia *Andr.*

DELPHINIUM
Ajacis *L.*
albiflorum *Dec.*
azureum *Mich.*
cheilanthum *Fisch.*
cuneatum *Steven.*
dyctiocarpum *Dec.*
exaltatum *Ait.*
flexuosum *Bbrst.*
grandiflorum *L.*
hybridum *Steph.*
intermedium *Ait.*
junceum *Dec.*
laxiflorum *Dec.*
montanum *Dec.*
palmatifidum *Dec.*
pictum *Willd.*
pseudoperegrinum *Fisch.*
puniceum *Pall.*
revolutum *Desf.*
speciosum *Bbrst.*
spurium *Fisch.*

DELPHINIUM
Staphysagria *L.*
urceolatum *Jacq.*
villosum *Stev.*
virgatum *Poir.*

DENDROBIUM
album *Hook.*
cornutum *Hook. mss.*
Pierardi *Roxb.*
pubescens *Hook.*
squalens *Ker.*

DENTARIA
bulbifera *L.*
diphylla *Mich.*
pentaphylla *L.*

DESMANTHUS
cinereus *L.*
natans *Vahl.*
virgatus *L.*

DESMOCHÆTA
atropurpurea *Dec.*

DIANELLA
cœrulea *Sims.*
divaricata *R. Br.*
nemorosa *Lam.*

DIANTHUS
alpestris *Balb.*
alpinus *L.*
arboreus *L.*
arenarius *L.*
Armeria *L.*
atrorubens *All.*
barbatus *L.*
bicolor *Bbrst.*
Bisigniana *Tenor.*
cæsius *Smith.*
campestris *Bbrst.*
capitatus *Poir.*
Carthusianorum *L.*
Caryophyllus *L.*
caucasicus *Sims.*

DIANTHUS
chinensis *L.*
collinus *W. et K.*
deltoides *L.*
diutinus *Kit.*
dubius *Hornem.*
ferrugineus *L.*
fimbriatus *Bbrst.*
fragrans *Bbrst.*
fruticosus *L.*
glaucus *L.*
hortensis *Schrad.*
japonicus *Thunb.*
juniperinus *Smith.*
nitidus *W. et K.*
petræus *W. et K.*
plumarius *L.*
precox *Kit.*
prolifer *L.*
pseudarmeria *Bbrst.*
pulchellus *Pers.*
pungens *L.*
serotinus *W. et K.*
squarrosus *Bbrst.*
Sternbergii *Sibth.*
superbus *L.*
sylvestris *Wolff.*
tataricus *Fisch.*
virgineus *L.*
umbellatus *Dec.*

DICHONDRA
repens *Forst.*
sericea *Sw.*

DICLIPTERA
assurgens *L.*
peruviana *Lam.*

DICTAMNUS
albus *L.*

DIERVILLA
canadensis *Willd.*

DIGITALIS
aurea *Desf.*
canariensis *L.*
ferruginea *L.*
intermedia *Roth.*
lævigata *W. et K.*
lanata *Ehrh.*
lutea *L.*
minor *L.*
micrantha *Schrad.*
obscura *L.*
ochroleuca *Jacq.*
parviflora *Jacq.*
purpurascens *Roth.*
purpurea *L.*

DIGITALIS
Sceptrum *L.*
Thapsi *L.*
tomentosa *Hoffmsg.*

DIGITARIA
biformis *Willd.*
sanguinalis *L.*

DILLENIA
speciosa *Thunb.*

DILLWYNIA
ericifolia *Smith.*
floribunda *Smith.*
glaberrima *Smith.*

DIODIA
verticillata *Vahl.*
virginica *L.*

DIONÆA
muscipula *L.*

DIOSCOREA
bulbifera *L.*
villosa *L.*

DIOSMA
ambigua *B. C.*
angustifolia *Hort. Gmel.*
capitata *L.*
ciliata *L.*
cordata *Hortul.*
cupressina *L.*
ericoides *L.*
fumosa *Lindley.*
glandulosa *Thunb.*
hirsuta *L.*
lanceolata *L.*
oppositifolia *L.*
orbicularis *Thunb.*
reclinata *Donn.*
tenuifolia *Willd.*

DIOSPYROS
cordifolia *Roxb.*
Embryopteris *Pers.*
virginiana *L.*

DIPHYLLEIA
cymosa *Mich.*

DIPSACUS
ferox *Deslong.*
Fullonum *L.*
Gmelini *Bbrst.*
laciniatus *L.*
pilosus *L.*
sylvestris *L.*

DIRCA
palustris *L.*

DISANDRA
prostrata *L.*

DODARTIA
orientalis *L.*

DODECATHEON
Meadia *L.*

DODONÆA
angustifolia *L.*
cuneata *Rudg.*
triquetra *Wendl.*
viscosa *L.*

DOLICHOS
albus *Lour.*
capensis *L.*
cultratus *Thunb.*
hirsutus *Thunb.*
Lablab *L.*
lignosus *L.*
minimus *L.*
purpureus *L.*
roseus *Sw.*
rotundifolius *Vahl.*
sanguineus *Jacq.*
scarabæoides *L.*
sinensis *L.*
violaceus *Hort. Ber.*

DOMBEYA
ferruginea *Cav.*
Melanoxylon

DORONICUM
austriacum *Willd.*
caucasicum *Bbrst.*
macrophyllum *H.*
Pardalianches *L.*
plantagineum *L.*

DORSTENIA
arifolia *Lam.*
Contrayerva *L.*

DORYANTHES
excelsa *Correa*

DORYCNIUM
fruticosum *Pers.*
latifolium *Willd.*

DRABA
aizoides *L.*
helvetica *Schleich.*
hirta *L.*

DRABA
incana *L.*
lasiocarpa *Rochel.*
stellata *Jacq.*
verna *L.*

DRACÆNA
borealis *Ait.*
dentata *Pers.*
Draco *L.*
ensifolia *Haw.*
ferrea *L.*
reflexa *Lam.*
terminalis *L.*

DRACOCEPHALUM
argunense *Lodd.*
austriacum *L.*

DRACOCEPHALUM
canariense *L.*
canescens *L.*
denticulatum *Ait.*
grandiflorum *L.*
peregrinum *L.*
Ruyschiana *L.*
sibiricum *L.*
thymiflorum *L.*
virginianum *L.*

DRACONTIUM
fœtidum *L.*
pertusum *L.*

DRIMIA
elata *Jacq.*
altissima *Sims.*

DRIMIA
lanceæfolia *Gawl.*

DROSERA
anglica *Smith.*
longifolia *L.*
rotundifolia *L.*

DRYAS
octopetala *L.*
spinosa *L.*

DUCHESNEA
fragiformis *Smith.*

DURANTA
Ellisia *L.*
Mutisii *L.*
Plumieri *L.*

E

ECHINOPS
horridus *Desf.*
paniculatus *Jacq. fil.*
Ritro *L.*
sphærocephalus *L.*
strigosus *L.*
tauricus *Willd.*

ECHITES
caryophyllata *Roxb.*
nutans *Andr.*
paniculata *Poir.*
suberecta *L.*
umbellata *L.*

ECHIUM
australe *Lam.*
bifrons *Dec.*
candicans *L.*
fastuosum *Jacq.*
fruticosum *L.*
longiflorum *Dum.*
macrophyllum *Lehm.*
plantagineum *L.*
pyrenaicum *L.*
rubrum *Jacq.*
tenue *Roth.*
violaceum *L.*
vulgare *L.*

ECLIPTA
erecta *L.*
prostrata *L.*

EHRETIA
buxifolia *Roxb.*
serrata *Roxb.*

EHRHARTA
panicea *Smith.*

ELÆAGNUS
argentea *Pursh*

ELÆOCARPUS
cyaneus *C.*

ELÆODENDRUM
australe *Vent.*
orientale *Jacq.*

ELEGIA
juncea *L.*

ELEOCHARIS
acicularis *L.*
palustris *L.*

ELEPHANTHOPUS
carolinianus *Willd.*
scaber *L.*
spicatus *Lam.*

ELEUSINE
coracana *Pers.*
filiformis *Pers.*
indica *Mich.*

ELICHRYSUM
argenteum *Thunb.*
bracteatum *Vent.*
fulgidum *L.*
proliferum *L.*
retortum *L.*
sesamoides *L.*
speciosissimum *L.*
spirale *Andr.*
splendens *Breit.*
Stæhelina *L.*
vestitum *L.*

ELSHOLTZIA
cristata *Willd.*

ELYMUS
arenarius *L.*
canadensis *L.*
Caput Medusæ *L.*
crinitus *Schreb.*
geniculatus *Delil.*
giganteus *Vahl.*
glaucifolius *Mühlenb.*
junceus *Fisch.*
sabulosus *Bbrst.*
sibiricus *L.*
tener *L.*
villosus *Mühlenb.*
virginicus *L.*

EMPETRUM
album *L.*
nigrum *L.*

ENKIANTHUS
quinqueflora *Lour.*

EPACRIS
attenuata *Lod.*
longiflora *Cav.*
obtusifolia *Smith.*
pulchella *Cav.*
purpurascens *R. Br.*
rosea (*Nois.*)

EPHEDRA
distachya *L.*
monostachya *L.*

EPIDENDRUM
bifidum *Sw.*
ciliare *L.*
cochleatum *L.*
diffusum *Lodd.*
elongatum *Sw.*
fragrans *Sw.*
fuscatum *Smith.*
umbellatum *Sw.*

EPIGÆA
repens *L.*

EPILOBIUM
alpinum *L.*
angustifolium
angustissimum *Ait.*
coloratum *Muhlb.*
hirsutum *L.*
incanum *Pers.*
latifolium *L.*
montanum *L.*
nutans *Hornem.*
origanifolium *Lam.*
palustre *L.*
pubescens *Roth.*
spicatum *Lam.*
tetragonum *L.*

EPIMEDIUM
alpinum *L.*

EPIPACTIS
ensifolia *Br.*
latifolia *Br.*
pallens *Br.*
palustris *Br.*

EPIPHYLLUM
alatum *Haw.*
Phyllanthus *Haw.*
truncatum *Haw.*

ERANTHEMUM
bicolor *Schrank.*
nervosum *Vahl.*

ERANTHIS
hyemalis *Salisb.*

ERICA
abietina *Andr.*
absinthoides *L.*
acuminata *Andr.*
aggregata *Wendl.*
Aitonia *Andr.*
albens *L.*
alveiflora *Salisb.*
amœna *Wendl.*
ampullacea *Curt.*
andromedæflora *Andr.*
arborea *L.*
Archeria *Andr.*
ardens *Andr.*
aristata *Andr.*
articularis *L.*
australis *L.*
baccans *L.*
Bandonia (*Nois.*)
Banksii *Andr.*
barbata *Andr.*
Bergiana *L.*
bibax *Salisb.*
bicolor *Thunb.*
blanda *Andr.*
Blandfordiana *Andr.*
Bowii
Brunioides *L.*
calamiformis *Salisb.*
calycina *L.*
campanularis *Salisb.*
canescens *Ait.*
capitata *L.*
cerinthoides *L.*
cernua *L.*
cinerea *L.*
clavæflora *Salisb.*
Cliffortiana *Lod.*
coccinea *L.*
cœrulea *Willd.*
comosa *L.*
complanata (*Nois.*)
concinna *Ait.*
conferta *Andr.*
congesta *Andr.*
conspicua *Ait.*
conventria *Nois.*
corifolia *L.*
costata *Andr.*
cristæflora *Salisb.*
cruenta *Ait.*
cubica *L.*
curviflora *L.*
curvirostris *Salisb.*

ERICA
cylindrica *Thunb.*
daphnæflora *Salisb.*
decolorans *Willd.*
decora *Andr.*
denticulata *L.*
depressa *L.*
discolor *Andr.*
echiiflora *Andr.*
elegans *Andr.*
empetrifolia *L.*
empetroides *Andr.*
epistonnia (*Nois.*)
erubescens *Andr.*
Everana *Ait.*
expansa *Hortul.*
exsurgens *Andr.*
fascicularis *L.*
ferruginea *Andr.*
filamentosa *Andr.*
filiformis *Salisb.*
flexuosa *Salisb.*
follicularis *Salisb.*
formosa *Thunb.*
fragrans *Andr.*
gemmifera *Nois.*
gilva *Wendl.*
glabra (*Retusch.*)
glauca *Salisb.*
globosa *Willd.*
gnaphalodes *L.*
gracilis *Wendl.*
grandiflora *L.*
Halicacaba *L.*
herbacea *L.*
β carnea
Hibbertia *Andr.*
hirta *Thunb.*
hispida *H. Cels.*
hispidula *L. fil.*
hyacinthoides *Andr.*
hybrida *H. cels.*
jasminiflora *Andr.*
ignescens *Andr.*
imbecilla *Hortul.*
imbricata *L.*
incana *Wendl.*
incarnata *Thunb.*
inflata *Thunb.*
Juliana (*Nois.*)
lachneæfolia *Salisb.*
lævis *Spreng.*
lagenæformis *Salisb.*
Lambertia *Andr.*
lanata *Wendl.*
Lawsoni *Sims.*
laxa *Andr.*
Leea *Andr.*
Leucanthera *L.*
Linnæana *Ait.*

ERICA
linoides (*Nois.*)
longiflora *Salisb.*
lutea *L.*
mammosa *L.*
margaritacea *Ait.*
marifolia *Ait.*
Massoni *L.*
mediterranea *L.*
melanthera *L.*
metulæflora *Sims.*
mitræformis *Salisb.*
monadelpha *Andr.*
Monsonia *L. fil.*
montana (*Nois.*)
multiflora *L.*
munda *Salisb.*
Muscari *Andr.*
muscoides (*Nois.*)
muscosa (*Nois.*)
mutabilis *Andr.*
nigrita *L.*
nolæflora *Salisb.*
nudiflora *L.*
obbata *Andr.*
obcordata (*Nois.*)
obliqua *Thunb.*
odorata *Andr.*
palustris *Andr.*
paniculata *L.*
Parmentiera (*Nois.*)
Pattersonia *Andr.*
pendula *Wendl.*
persoluta *L.*
perspicua *Wendl.*
petiolaris *Lam.*
Pettiverii *L.*
physodes *L.*
picta (*Nois.*)
pilulifera *L.*
pinea *Thunb.*
Pluckenetii *L.*
præstans (*Nois.*)
princeps *Andr.*
propendens *Andr.*
pubescens *L.*
pulchella *Salisb.*
purpurea *Andr.*
pyramidalis *Ait.*
quadriflora *Salisb.*
ramentacea *L.*
reflexa *Wendl.*
regerminans *L.*
resinosa *Smith.*
retorta *L.*
rosea *Andr.*
rubella *Lodd.*
rubens *Thunb.*
sanguinolenta *Lodd.*
Savilliana (*Nois.*)

ERICA
scoparia *L.*
Sebana *Ait.*
sexfaria *Ait.*
Solandra *Andr.*
sordida *Andr.*
Sparmanni *L. fil.*
speciosa *Andr.*
spiralis (*Nois.*)
splendens *Wendl.*
spuria *Andr.*
stellaris (*Nois.*)
stricta *Donn.*
suaveolens *Lodd.*
sulphurea *Dietr.*
taxifolia *Ait.*
tenella *Andr.*
tenuis *Salisb.*
tetragona *L. fil.*
Tetralix *L.*
Thunbergii *L. fil.*
togata *Sims.*
transparens *Thunb.*
triceps *Wendl.*
tricolor (*Nois.*)
triflora *L.*
tubiflora *L.*
turgida *Salisb.*
umbellata *L.*
urceolaris *Ait.*
vagans *L.*
ventricosa *Thunb.*
versicolor *Andr.*
verticillata *Andr.*
vestita *Thunb.*
α alba *Andr.*
β incarnata *Andr.*
γ purpurea *Andr.*
δ rosea *Andr.*
ε fulgida *Andr.*
ζ coccinea *Andr.*
viridipurpurea *L.*
viscaria *L.*
vulgaris *L.*
Walkeria *Andr.*
Zannonia *Nois.*

ERIGERON
acre *L.*
alpinum *L.*
atticum *Vill.*
bellidifolium *Mh.*
canadense *L.*
caucasicum *Stev.*
delphinifolium *H. et B.*
glaucum *Ker.*
graveolens *L.*
gramineum *L.*
linifolium *Willd.*
purpureum *Ait.*

ERIGERON
uniflorum *L.*

ERIGONUM
longifolium *Nutt.*

ERINUS
alpinus *L.*
hispanicus *Pers.*
Lychnidea *L. fil.*

ERIOCAULON
septangulare *With.*

ERIOCEPHALUS
africanus *L.*

ERIOPHORUM
alpinum *L.*
angustifolium *Roth.*
gracile *Roth.*
latifolium *Hoppe.*
vaginatum *L.*

ERITHALIS
fruticosa *L.*

ERODIUM
Botrys *Cav.*
chamædrioides *Cav.*
cicutarium *L.*
glaucophyllum *L.*
gruinum *L.*
hirtum *Vahl.*
hymenodes *Andr.*
incarnatum *L.*
maritimum *L.*
melanostigma *Martius.*
moschatum *L.*
pimpinellifolium *Willd.*
romanum *L.*

ERVUM
Camelorum *Spreng.*
dispermum *Roxb.*
hirsutum *L.*
Lens *L.*

ERYNGIUM
alpinum *L.*
amethystinum *L.*
aquaticum *L.*
Bourgati *Gouan.*
campestre *L.*
cœruleum *Bbrst.*
corniculatum *Lam.*
fœtidum *L.*
giganteum *Bbrst.*
maritimum *L.*
planum *L.*
tricuspidatum *L.*

ERYSIMUM
Alliaria *L.*
Barbarea *L.*
cheiranthoides *L.*
cuspidatum *Dec.*
diffusum *Ehrh.*
junceum *Willd.*
officinale *L.*
polyceratum *Pall.*
quadricorne *Steph.*
virgatum *Roth.*

ERYTHRÆA
Centaurium *Rich.*
pulchella *Fries.*

ERYTHRINA
Caffra *Thunb.*
Corallodendron *L.*
Cristagalli *L.*
fulgens *Hortul.*
glauca *Willd.*
indica *Lam.*
mitis *Jacq.*
picta *L.*

ERYTHRONIUM
americanum *Ait.*
dens canis *L.*

EUCALYPTUS
cornuta *Labil.*
corymbosa *Smith.*
obliqua *Herit.*
perfoliata *Nois.*
piperata *Smith.*
resinifera *Smith.*
scabra (*Nois.*)

EUCHILUS
obcordatus *R. Br.*

EUCLEA
racemosa *Thunb.*
undulata *Thunb.*

EUCOMIS
punctata *Herit.*
undulata *Ait.*
vittata *Nutt. MSS.*

EUGENIA
aquea *Rœu.*
australis *Wendl.*
caryophyllifolia *Lam.*
elliptica *Lam.*
fragrans *Willd.*
Jambos *L.*
malaccensis *L.*
pedunculata *Rœusch.*
uniflora *L.*

EUONYMUS
americanus *L.*
angustifolius *Pursh.*
atropurpureus *L.*
europæus *L.*
Japonicus *L. fil.*
latifolius *L.*
obovatus *Nutt.*
sarmentosus *Nutt.*
verrucosus *L.*

EUPATORIUM
ageratoides *L. fil.*
altissimum *L.*
canescens *Vahl.*
cannabinum *L.*
cœlestinum *L.*
coronopifolium *Willd.*
macrophyllum *Vahl.*
perfoliatum *L.*
purpureum *L.*
repandum *Willd.*
sessilifolium *L.*
urticifolium *L.*
verticillatum *Mühlb.*

EUPHORBIA
affinis *Dec.*
agraria *Bbrst.*
aleppica *L.*
amygdaloides *Smith.*
Anacantha *Ait.*
antiquorum *L.*
atropurpurea *Bronss.*
bupleurifolia *Jacq.*
cæspitosa *Tenor.*
Caput Medusæ *L.*
corallioides *L.*
cotinifolia *L.*
cyathophora *Jacq.*
Cyparissias *L.*
dendroides *L.*
dentata *Mich.*
dulcis *L.*
emarginata *Ait.*
epithymoides *L.*
exigua *L.*
falcata *L.*
fructus pini *Mill.*
geniculata *Orteg.*
genistoides *L.*
glareosa *Pall.*
glaucescens *Willd.*
helioscopia *L.*
heptagona *L.*
Humboldtii *Willd.*
humifusa *Willd.*
hyberna *L.*
hypericifolia *L.*
hyssopifolia *L.*

EUPHORBIA
imbricata *Vahl.*
juncea *Ait.*
lactea *Haw.*
Lathyris *L.*
laurifolia *Lam.*
lucida *W. et K.*
mammillaris *L.*
marginata *H. et B.*
mellifera *Ait.*
meloformis *Ait.*
minima *Hortul.*
myrsinites *L.*
neapolitana *Tenor.*
nereifolia *L.*
nicæensis *Jacq.*
nummularifolia *Willd.*
officinarum *L.*
palustris *L.*
Paralias *L.*
Peplis *L.*
Peplus *L.*
picta *Jacq.*
polygona *Haw.*
procera *Bbrst.*
punicea *Sw.*
rigida *Bbrst.*
terracina *L.*
toxicaria (*Nois.*)
uncinata *Dec.*
undulata *Bbrst.*
valentina *Orteg.*
villosa *W. et K.*
virgata *Desf.*

EUPHORIA
punicea *Lam.*

EUPHRASIA
Odontites *L.*
officinalis *L.*

EURYALA
ferox *Salisb.*

EUSTREPHUS
latifolius *Br.*

EUTAXIA
myrtifolia *R. Br.*

EVOLVULUS
gangeticus *L.*
linifolius *L.*

EXACUM
filiforme *L.*
verticillatum *L.*
viscosum *Ait.*

F

FABRICIA
lævigata *Smith.*
sericea (*Nois.*)

FAGUS
sylvatica *L.*
β sanguinea
γ americana
δ asplenifolia

FALKIA
repens *L. fil.*

FEDIA
cornucopiæ *Gært.*
dentata *Vahl.*
discoidea *Vahl.*
echinata *Vahl.*
eriocarpa *Desv.*
olitoria *L.*
pumila *Willd.*

FERRARIA
punctata *Pers.*

FERULA
Assafœtida *L.*
caspica *Bbrst.*
communis *L.*
Ferulago *L.*
glauca *L.*
graveolens *Spreng.*
Meoides *L.*
nodiflora *L.*
Opoponax *Spr.*
orientalis *L.*
tatarica *Fisch.*
thyrsiflora *Sib.*
tingitana *L.*

FESTUCA
amethystina *Host.*
bromoides *L.*
bulbosa *Biv.*
cæspitosa *Desf.*
calamaria *Smith.*
calycina *L.*
capillata *Lam.*
cinerea *Vill.*
delicatula *Lagas.*
distachya *Roth.*
duriuscula *L.*
elatior *L.*
flavescens *Bellardi.*
glauca *Lam.*

FESTUCA
gracilis *Schrad.*
heterophylla *Host.*
lævigata *Gaud.*
loliacea *Smith.*
Myurus *L.*
nutans *Host.*
ovina *L.*
pallens *Host.*
pannonica *Host.*
phœnicoides *L.*
pinnata *Schrad.*
poæformis *Host.*
pratensis *Huds.*
rubens *Pers.*
rubra *L.*
spadicea *L.*
stipoides *R. et S.*
uniglumis *Smith.*
unoloides *Willd.*
vaginata *W. et K.*
valesiaca *Gaud.*
vivipara *Smith.*
Xanthina *R. et S.*

FICARIA
ranunculoides *Mœnch.*

FICUS
aurantiaca *Hort. Lodd.*
benghalensis *L.*
Carica *L.*
elastica (*Nois.*)
exasperata *Vahl.*
glabrata *H. et B.*
glomerata *Roxb.*
heterophylla *L.*
indica *L.*
infectoria *Willd.*
nymphæifolia *L.*
religiosa *L.*
rubiginosa *Desf.*
stipulata *Thunb.*
tinctoria *Forst.*

FILAGO
arvensis *L.*
germanica *L.*
pyramidata *L.*

FLACOURTIA
cataphracta *Roxb.*

FLAVERIA
angustifolia *Cav.*

FLEMINGIA
congesta *Roxb.*
semialata *Roxb.*
stricta *Roxb.*

FONTANESIA
phillyræoides *Labil.*

FORSKOHLEA
tenacissima *L.*

FOTHERGILLA
alnifolia *L.*

FRAGARIA
chiloensis *Ehrh.*
collina *Ehrh.*
elatior *Ehrh.*
grandiflora *Ehrh.*
monophylla *Duch.*
vesca *L.*
virginiana *Ehrh.*

FRANKÆNIA
lævis *L.*
pulverulenta *L.*

FRAXINUS
acuminata *Lam.*
excelsior *L.*
floribunda *Roxb.*
heterophylla *Vahl.*
juglandifolia *Lam.*
Ornus *L.*
oxycarpa *Willd.*
pubescens *Lam.*
rotundifolia *Ait.*
sambucifolia *Lam.*

FRITILLARIA
imperialis *L.*
latifolia *Willd.*
leucantha *Fisch.*
lutea *Bbrst.*
Meleagris *L.*
persica *L.*
pyrenaica *L.*
tulipifolia *Bbrst.*
verticillata *Willd.*

FUCHSIA
coccinea *Ait.*
decussata *R. et P.*
excorticata *L. fil.*
gracilis *Ker.*

FUCHSIA
lycioides *Andr.*
macrostema *R. et P.*
serratifolia *R. et P.*
venusta.

FUMARIA
aurea *Mühlenb.*
bracteata *Steph.*
bulbosa *L.*

FUMARIA
capnoides *L.*
capreolata *L.*
claviculata *L.*
Cucullaria *L.*
digitata *Pers.*
eximia *Ker.*
formosa *Dryand.*
fungosa *Ait.*
lutea *L.*

FUMARIA
media *Desfon.*
nobilis *L.*
officinalis *L.*
parviflora *Lam.*
sempervirens *L.*
speciosa (*Nois.*)
spicata *L.*
tenuifolia *Pursh.*
vesicaria *L.*

G

GÆRTNERA
racemosa *Roxb.*

GALACTIA
pendula *Pers.*
sericea *Pers.*

GALANTHUS
nivalis *L.*
plicatus *Steven.*

GALARDIA
bicolor *Lam.*

GALAX
aphylla *L.*

GALAXIA
ixiæflora *Dec.*
ramosa *Ramond.*

GALEGA
cinerea *L.*
grandiflora *Vahl.*
Heynii *Willd.*
officinalis *L.*
orientalis *Lam.*
pentaphylla *Roxb.*
purpurea *L.*
toxicaria *Sw.*

GALEORDALON
luteum *Smith.*

GALEOPSIS
angustifolia *Pers.*
Ladanum *L.*
ochroleuca *Lam.*
pubescens *Bess.*
Tetrahit *L.*
versicolor *Curt.*

GALINSOGA
parviflora *Cav.*
trilobata *Cav.*

GALIUM
Aparine *L.*
austriacum *Jacq.*
boreale *L.*
caucasicum *Lag.*
corrudæfolium *Vill.*
cruciata *Scop.*
divaricatum *Lam.*
ellipticum *Willd.*
fruticosum *Willd.*
glabrum *Thunb.*
glaucum *L.*
Halleri *R. et S.*
humifusum *Rudolph.*
infestum *W. et K.*
linifolium *Dec.*
lucidum *All.*
maritimum *L.*
Mollugo *L.*
palustre *L.*
parisiense *L.*
pedemontanum *All.*
pubescens *Schrad.*
rubioides *L.*
saxatile *L.*
tenuissimum *Bieberst.*
trifidum *L.*
tyrolense *Willd.*
uliginosum *L.*
verum *L.*

GARCINIA
cornea *L.*

GARDENIA
armata *Sw.*
campanulata *Hortul.*
florida *L.*
Pavetta *Fisch.*
radicans *Thunb.*
Rothmannia *L. fil.*
Thunbergia *L. fil.*
uliginosa *Retz.*

GARIDELLA
Nigellastrum *L.*

GARUGA
pinnata *Roxb.*

GASTROLOBIUM
bilobum *R. Br.*

GAULTHERIA
procumbens *L.*

GAURA
biennis *L.*

GAZANIA
Pavonia *Andr.*
rigens *Gært.*

GELONIUM
bifarium *Roxb.*
lanceolatum *Willd.*

GENIPA
americana *L.*

GENISTA
anglica *L.*
canariensis *L.*
decumbens *Willd.*
florida *L.*
germanica *L.*
hispanica *L.*
humifusa *L.*
januensis *Bertol.*
ovata *W. et K.*
sagittalis *L.*
sibirica *L.*
tinctoria *L.*
triquetra *Lam.*

GENTIANA
acaulis *L.*
alpina *Vill.*

GENTIANA
Amarella *L.*
asclepiadea *L.*
barbata *Frœl.*
campestris *L.*
Catesbæi *Walt.*
cruciata *L.*
lutea *L.*
macrophylla *Pall.*
nivalis *L.*
Pneumonanthe *L.*
pratensis *Frœl.*
punctata *L.*
purpurea *L.*
quinqueflora *Lam.*
Saponaria *L.*
septemfida *Pall.*
verna *L.*

GEOFFRÆA
inermis *Sw.*

GEORGINA
coccinea *Willd.*
variabilis *Willd.*

GERANIUM
aconitifolium *Herit.*
anemonifolium *Herit.*
angulatum *Willd.*
argenteum *L.*
bohemicum *L.*
collinum *Steph.*
columbinum *L.*
dissectum *L.*
ibericum *Cav.*
lividum *Herit.*
lucidum *L.*
macrorhizum *L.*
molle *L.*
nepalense *Sweet.*
nodosum *L.*
palustre *L.*
phæum *L.*
pratense *L.*
pusillum *L.*
pyrenaicum *L.*
reflexum *L.*
robertianum *L.*
rotundifolium *L.*
sanguineum *L.*
striatum *L.*
sylvaticum *L.*
umbrosum *W. et K.*
Wallichianum *Sweet.*

GERARDIA
flava *L.*

GEROPOGON
glabrum *L.*

GESNERIA
aggregata *Ker.*
bulbosa *Ker.*
corymbosa *Sw.*
tomentosa *L.*

GETHYLLIS
plicata *Jacq.*
spiralis *L. fil.*

GEUM
album *Gmel.*
atlanticum *Desf.*
canadense *Murr.*
heterophyllum *H. Pablosky.*
hirsutum *Mhlbg.*
intermedium *Willd.*
macrophyllum *Willd.*
montanum *L.*
potentilloides *Ait.*
pyrenaicum *Willd.*
radiatum *Mich.*
reptans *L.*
rivale *L.*
urbanum *L.*
virginicum *L.*

GINKO
biloba *L.*

GLADIOLUS
aletroides *Vahl.*
byzantinus *Mill.*
cardinalis *Curt.*
communis *L.*
edulis *Ker.*
iridifolius *Jacq.*
laccatus *Jacq.*
marginatus *Thunb.*
Marianellus *Thunb.*
Marianus *Jacq.*
papilionaceus *Lichtst.*
plicatus *Thunb.*
roseus *Jacq.*
rubro-cyaneus *Vahl.*
speciosus *Thunb.*
spicatus *L.*
strictus *Ait.*
tenuis *Bbrst.*
trimaculatus *Lam.*
villosus *Vahl.*

GLAUCIUM
corniculatum *Pers.*
fulvum *Smith.*
luteum *Scop.*

GLAUX
maritima *L.*

GLECHOMA
hederacea *L.*

GLEDITSCHIA
monosperma *Walt.*
horrida *Willd.*
triacanthos *L.*

GLOBBA
Marantina *L.*

GLOBULARIA
Alypum *L.*
cordifolia *L.*
longifolia *Ait.*
nudicaulis *L.*
vulgaris *L.*

GLORIOSA
superba *L.*

GLOXYNIA
maculata *Herit.*
speciosa *Ker.*

GLYCINE
Apios *L.*
bituminosa *L.*
monoica *L.*
picta *Vahl.*
precatoria *W. et B.*
Sinensis *Curt.*
viscida *Pers.*

GLYZIRRHIZA
echinata *L.*
fœtida *Desf.*
glabra *L.*
glandulifera *W. et K.*

GMELINA
parviflora *Roxb.*

GNAPHALIUM
arenarium *L.*
argenteum *Poir.*
cephaloideum *Willd.*
coarctatum *Willd.*
congestum *Lam.*
cymosum *L.*
dioicum *L.*
ericoides *L.*
fruticans *L.*
grandiflorum *L.*
graveolens *Bbrst.*
ignescens *L.*
Leyseroides *Desf.*
luteo-album *L.*
orientale *L.*
patulum *L.*
plantaginifolium *L.*
sphæricum *Willd.*
supinum *L.*

GNAPHALIUM
sylvaticum *Auctor.*

GNIDIA
imberbis *Ait.*
pinifolia *Thunb.*
radiata *L.*
sericea *L.*
simplex *L.*
tomentosa *L.*

GOMPHOCARPUS
arborescens *R. Br.*
fruticosus *R. Br.*

GOMPHOLOBIUM
grandiflorum *Smith.*
polymorphum *R. Br.*
tomentosum *Labil.*

GOMPHRENA
globosa *L.*

GOODENIA
calendulacea *Willd.*
grandiflora *Sims.*
ovata *Smith.*

GOODIA
lotifolia *Smith.*
pubescens *Sims.*

GOODYERA
discolor *Br.*
repens *Br.*
pubescens *Br.*

GORDONIA
Lasianthus *L.*

GOSSYPIUM
arboreum *L.*
barbadense *L.*
herbaceum *L.*
micranthum *Cav.*

GRATIOLA
officinalis *L.*
veronicæfolia *Retz.*

GREVILLEA
buxifolia *R. Br.*
juniperina *R. Br.*
linearis *R. Br.*
sericea *R. Br.*

GREWIA
asiatica *L.*
carpinifolia *Juss.*
occidentalis *L.*

GRIAS
cauliflora *L.*

GRIMALDIA
assurgens *Schrank.*
decumbens *Schrank.*

GRINDELIA
glutinosa *Martius.*
inuloides *Willd.*
Sibirica *Spreng.*

GRISLEA
tomentosa *Roxb.*

GROWONIA
scandens *L.*

GUAJACUM
officinale *L.*

GUATTERIA
suberosa *Dun.*

GUILANDINA
Bonduc *L.*
β Bonducella *L.*

GUNNERA
perpensa *L.*

GUSTAVIA
augusta *L.*

GYMNADENIA
Conopsea *Br.*

GYMNOCLADUS
canadensis *Lam.*

GYMNOSTYLES
anthemifolia *Juss.*

GYPSOPHILA
acutifolia *Fisch.*
adscendens *Jacq.*
altissima *L.*
elegans *Bbrst.*
fastigiata *L.*
paniculata *L.*
prostrata *L.*
Saxifraga *L.*
Steveni *Fisch.*
viscosa *Murr.*

H

HABENARIA
albida *Br.*
bifolia *Br.*
bracteata *Br.*
ciliaris *Br.*
dilatata *Br.*
fimbriata *Br.*
flava (*Orch. Pursh.*)
orbiculata (*Orch. L.*)
tridentata *Br.*
viridis *Br.*

HABRANTHUS
gracilifolius *Sims.*

HÆMANTHUS
albiflos *Jacq.*
ciliaris *L.*
coccineus *L.*
pubescens *L.*
puniceus *L.*
tigrinus *Jacq.*
toxicarius *Ait.*

HÆMATOXYLON
campechianum *L.*

HAKEA
acicularis *Smith.*

HAKEA
amplexicaulis *R. Br.*
cinerea *R. Br.*
dactyloides *Cav.*
elliptica *Smith.*
florida *R. Br.*
gibbosa *Cav.*
marginata *R. Br.*
microcarpa *R. Br.*
nitida *R. Br.*
oleifolia *Smith.*
pugioniformis *Cav.*
saligna *R. Br.*
suaveolens *R. Br*

HAKEA
undulata *R. Br.*

HALESIA
tetraptera *L.*

HALLERIA
lucida *L.*

HALLIA
imbricata *Thunb.*

HALORAGIS
Cercodia *Ait.*

HAMAMELIS
virginica *L.*

HAMELIA
patens *L.*

HARTOGIA
capensis *Thunb.*

HEBENSTREITIA
albiflora *Zeyh.*
cordata *L.*
dentata *Thunb.*

HEDERA
Helix *L.*
hibernica *Nois.*

HEDYCHIUM
angustifolium *H. Belved.*
coccineum *Link.*
coronarium *Kœnig.*
elatum *Ker.*
flavescens *Rosc.*
Gardnerianum *Don.*
spicatum *Sims.*
thyrsiforme *Sm.*

HEDYOTIS
biflora *L.*

HEDYSARUM
acuminatum *Mich.*
alatum *H. Monac.*
alpinum *L.*
asperum *Poir.*
brasilianum *Poir.*
canadense *L.*
candidum *Bbrst.*
capitatum *Desf.*
coronarium *L.*
crinitum *L.*
crinitum *Desf.*
elongatum.
flexuosum *L.*

HEDYSARUM
gangeticum *L.*
gramineum *Retz.*
guianense (*Ræusch.*)
gryoides *Spreng.*
gyrans *L.*
heterophyllum *Willd.*
latifolium *Roxb.*
maculatum *L.*
Pallasii *Willd.*
paniculatum *Mill.*
petræum *Bbrst.*
pictum *Jacq.*
purpureum *Roxb.*
saxatile *L.*
sennoides *Willd.*
styracifolium *L.*
tomentosum *Thunb.*
triquetrum *L.*
vespertilionis *L.*

HELENIUM
pumilum *Willd.*
quadridentatum *Labill.*

HELIANTHUS
altissimus *L.*
annuus *L.*
atrorubens *L.*
decapetalus *L.*
divaricatus *L.*
giganteus *L.*
multiflorus *L.*
prostratus *Willd.*
strumosus *L.*
villosus *Nutt.*

HELICONIA
Bihai *Willd.*

HELICTERES
Isora *L.*

HELIOPHILA
integrifolia *L.*
pendula *Willd.*

HELIOTROPIUM
corymbosum *R. et P.*
curassavicum *L.*
europæum *L.*
maroccanum *Lehm.*
parviflorum *L.*
peruvianum *L.*

HELLEBORUS
fœtidus *L.*
lividus *Ait.*

HELLEBORUS
niger *L.*
viridis *L.*

HELMINTHIA
echioides *Gært.*

HELONIAS
latifolia *Mich.*

HEMEROCALLIS
alba *Andr.*
cœrulea *Andr.*
flava *L.*
fulva *L.*
graminea *Andr.*

HEMIMERIS
linearis *Pers.*
urticifolia *Willd.*

HERACLEUM
angustifolium *L.*
asperum *Fisch.*
elegans *Jacq.*
giganteum *Fisch.*
graveolens *Spreng.*
laciniatum *Desf.*
lanatum *Mich.*
ligusticifolium *Bbrst.*
longifolium *Bbrst.*
Panaces *L.*
pimpinellifolium *Spreng.*
pyrenaicum *Lam.*
speciosum *Weinm.*
Sphondilium *L.*
tauricum *Fisch.*
villosum *Fisch.*

HERMANNIA
alnifolia *L.*
althæifolia *L.*
decumbens *Willd.*
denudata *L. fil.*
flammea *Jacq.*
hyssopifolia *L.*
lavendulæfolia *L.*
micans *Schr.*
plicata *Ait.*
salvifolia *L.*
trifurcata *L.*

HERMAS
depauperata *L.*

HERMINIUM
monorchio *Br.*

HERNANDIA
sonora *L.*

HERNIARIA
alpina *Vill.*
glabra *L.*
hirsuta *L.*

HERPESTIS
amplexicaulis *Mich.*
Brownei *Pers.*

HESPERIS
africana *L.*
matronalis *L.*
runcinata *W. et K.*
tristis *L.*
verna *L.*

HETEROSPERMUM
pinnatum *Cav.*

HEUCHERA
americana *L.*
villosa *Mich.*

HIBBERTIA
dentata *R. Br.*
grossulariefolia *Salisb.*
volubilis *Andr.*

HIBISCUS
Abelmoschus *L.*
cannabinus *L.*
esculentus *L.*
ficulneus *L.*
heterophyllus *Vent.*
Lampas *Cav.*
longifolius *Willd.*
mutabilis *L.*
phœniceus *L.*
populneus *L.*
quinquefolius *Hort. Belv.*
radiatus *Cav.*
rigidus *L.*
rosa Sinensis *L.*
Sabdariffa *L.*
syriacus *L.*
tiliaceus *L.*
tricuspis *Cav.*
Trionum *L.*
vitifolius *L.*

HIERACIUM
alpinum *L.*
angustifolium *Hopp.*
aurantiacum *L.*
aureum *Vill.*
Auricula *L.*
Bauhini *Schult.*
bifidum *Kit.*
bifurcum *Bbrst.*
calcareum *Hornem.*
cerinthoides *L.*
ciliatum *Willd.*
collinum *Bernh.*
compositum *Lapeyr.*
corymbosum *Pers.*
crassifolium *Schult.*
croaticum *W. et K.*
dubium *L.*
echioides *W. et K.*
elongatum *Lapeyr.*
eriophyllum *Willd.*
fallax *Willd.*
flexuosum *W. et K.*
foliosum *W. et K.*
glaucum *All.*
Halleri *Schleich.*
humile *Host.*
incanum *Bbrst.*
incisum *Hoppe.*
intybaceum *Jacq.*
lævigatum *Willd.*
lanatum *W. et K.*
Lawsonii *Vill.*
maculatum *Ait.*
molle *Jacq.*
murorum *L.*
nigrescens *Willd.*
ovatum *Schleich.*
pallescens *W. et K.*
paludosum *L.*
paniculatum *L.*
pictum *Pers.*
Pilosella *L.*
piloselloides *Vill.*
pilosum *Willd.*
prælatum *Vill.*
præmorsum *L.*
prenanthoides *Vill.*
prostratum *Dec.*
pulmonarium *Smith.*
racemosum *W. et K.*
ramosum *W. et K.*
rotundatum *Horn.*
sabaudum *L.*
sibiricum *Lam.*
speciosissimum *Hornem.*
sudeticum *Sternb.*
sylvaticum *Gouan.*
umbellatum *L.*
undulatum *Ait.*
verbascifolium *Pers.*
villosum *L.*
virescens *Schleich.*
virgatum *Pursh.*

HILLIA
longiflora *Sw.*

HIPPOCREPIS
balearica *Jacq.*
biflora *Spreng.*
ciliata *Willd.*
comosa *L.*
multisiliquosa *L.*
unisiliquosa *L.*

HIPPOMANE
Manicella *L.*

HIPPOPHAE
argentea *Pursh.*
canadensis *L.*
rhamnoides *L.*

HIPPURIS
vulgaris *L.*

HOFFMANSEGGIA
falcaria *Cav.*

HOLCUS
avenaceus *Thunb.*
borealis *Schrad.*
bulbosus *Schrad.*
elongatus *R. Br.*
lanatus *L.*
mollis *L.*
Sorghum *L.*

HOLMSKIOLDIA
rubra *Pers.*

HORDEUM
bulbosum *L.*
distychum *L.*
hexastichum *L.*
Hystrix *Roth.*
jubatum *L.*
maritimum *Smith.*
murinum *L.*
nigrum *W.*
pratense *Huds.*
vulgare *L.*
Zeocriton *L.*

HORMINUM
pyrenaicum *L.*

HORNEMANNIA
bicolor *Willd.*

HOTTONIA
palustris *L.*

HOUSTONIA
cœrulea *L.*

HOVEA
lanceolata *Sims.*

HOVEA
linearis *Smith.*
longifolia *R. Br.*

HOVENIA
dulcis *Thunb.*

HOYA
carnosa *R. Br.*
crassifolia.
lanceolata.

HUMULUS
Lupulus *L.*

HURA
crepitans *L.*

HYACINTHUS
amethystinus *L.*
botryoides *L.*
ciliatus *Bbrst.*
comosus *L.*
lividus *Pers.*
maritimus *Desf.*
Muscari *L.*
nonscriptus *L.*
orientalis *L.*
parviflorus *Desf.*
racemosus *L.*
romanus *L.*

HYDRANGEA
arborescens *L.*
hortensis *Smith.*
nivea *Mich.*
quercifolia *Bartr.*

HYDROCHARIS
morsus ranæ *L.*

HYDROCOTYLE
americana *L.*
asiatica *L.*
nepalensis *Hook.*
nitidula *Hook.*
repanda *Pers.*
Sibthorpioides *Lam.*

HYDROCOTYLE
vulgaris *L.*

HYDROLEA
Zeylanica *Vahl.*

HYDROPHYLLUM
Aldea *R. et S.*
canadense *L.*
magellanicum *Lam.*
virginicum *L.*

HYMANÆA
Courbaril *L.*

HYOSCYAMUS
albus *L.*
aureus *L.*
niger *L.*
nuticus *L.*
orientalis *Bbrst.*
pallidus *W. et K.*
physalodes *L.*
pusillus *L.*
Scopolia *L.*
Senecionis *Juss.*

HYOSERIS
arenaria *Schousb.*
lucida *L.*
pendula *Balb.*

HYPECOUM
procumbens *L.*

HYPERANTHERA
Moringa *Vahl.*

HYPERICUM
ægyptiacum *L.*
Androsæmum *L.*
ascyroides *Willd.*
Ascyrum *L.*
balearicum *L.*
barbatum *L.*
calycinum *L.*
canariense *L.*
Coris *L.*
dubium *Lecrs.*
elatum *Ait.*

HYPERICUM
elegans *Steph.*
elodes *L.*
empetrifolium *Willd.*
frondosum *Mich.*
glandulosum *Ait.*
hircinum *L.*
hirsutum *L.*
humifusum *L.*
Kalmianum *L.*
Kohlianum *Spreng.*
monogynum *L.*
montanum *L.*
mutilum *L.*
nudiflorum *Mich.*
olympicum *L.*
perforatum *L.*
prolificum *L.*
pulchrum *L.*
pyramidatum *Ait.*
quadrangulare *L.*
Richeri *Vill.*
veronense *Schrank.*
virgatum *Pursh.*

HYPOCHÆRIS
Balbisii *Nocca.*
hispida *Willd.*
radicata *L.*

HYPOXIS
erecta *L.*
sobolifera *Jacq.*
stellata *L. fil.*
villosa *L. fil.*

HYPTIS
brevipes *Poit.*
capitata *Jacq.*
pectinata *Poit.*
Persica *Poit.*
radiata *Willd.*
spicata *Poit.*

HYSSOPUS
Lophanthus *L.*
nepetoides *L.*
officinalis *L.*
orientalis *Adam.*
scrophulariæfolius *Willd.*

I & J

JACARANDA
filicifolia

JACKSONIA
spinosa *R. Br.*

JACQUINIA
armillaris *L.*

JACQUINIA
aurantiaca *Ait.*

JAMBOLIFERA
pedunculata *L.*

JANIPHA
Manihot *H. et B.*

IANTHA
pallidiflora *Hook.*

JASIONE
montana *L.*
perennis *Lam.*

JASMINUM
angustifolium *L.*
azoricum *L.*
fruticans *L.*
gracile *Andr.*
grandiflorum *L.*
humile *L.*
odoratissimum *L.*
officinale *L.*
revolutum *Sims.*
Sambac *L.*
simplicifolium *Forst.*
trinerve *Vahl.*
undulatum *L.*

JATROPHA
Curcas *L.*
gossypifolia *L.*
multifida *L.*
panduræfolia *Andr.*
urens *L.*

IBERIS
amara *L.*
ciliata *Willd.*
contracta *Juss.*
gibraltarica *L.*
nana *All.*
odorata *L.*
pubescens *Willd.*
saxatilis *L.*
sempervirens *L.*

JEFFERSONIA
Bartonis *Mich.*

ILEX
aquifolium *L.*
Cassine *L.*
crocea *Thunb.*
Dahoon *Walt.*
latifolia *Thunb.*
prinoides *Ait.*
serrata *Thunb.*

ILLECEBRUM
alsinefolium *L*
capitatum *L.*
echinatum *Poir.*
lanatum *Lam.*
verticillatum *L.*

ILLICIUM
anisatum *L.*
floridanum *L.*
parviflorum *Mich.*

IMPATIENS
Balsamina *L.*
biflora *Walt.*
coccinea *Sims.*
noli tangere *L.*

IMPERATORIA
caucasica *Spreng.*
Chabræi *Spreng.*
Ostruthium *L.*
palustris *Besser.*
verticillaris *Desf.*

INDIGOFERA
amœna *Ait.*
Anil *L.*
argentea *L.*
atropurpurea *Hort. Belv.*
australis *Smith.*
cœrulea *Roxb.*
cytisoides *L.*
eneaphylla *L.*
filifolia *Thunb.*
fragrans *Retz.*
frutescens *Thunb.*
glabra *L.*
hirsuta *L.*
juncea *Kew.*
linifolia *Vahl.*
sarmentosa *Thunb.*
sericea *L.*
tinctoria *L.*
viscosa *Lam.*

INGA
comosa *Sw.*
dulcis *Roxb.*
purpurea *L.*
unguis cati *L.*

INULA
bifrons *L.*
britannica *L.*
Bubonium *Murr.*
crithmifolia *L.*
dysenterica *L.*
ensifolia *L.*

INULA
glandulosa *Muss.*
Helenium *L.*
hirta *L.*
oculus Christi *L.*
squarrosa *L.*
suaveolens *Jacq.*
tuberosa *Lam.*
villosa *Vahl.*
viscosa *Desf*

JOSEPHIA
armata *R. Br.*
Baxteri
cuneata *R. Br.*
floribunda *R. Br.*
formosa *R. Br.*
longifolia *R. Br.*
nervosa
nivea *R. Br.*

IPOMÆA
angularis *Willd.*
bona nox *L.*
brasiliensis *L.*
Catesbæi *Meyer.*
coccinea *L.*
cœrulea *Ker.*
dissecta *Willd.*
filiformis *Jacq.*
grandiflora *L.*
hederacea *L.*
insignis *Ait.*
longiflora *H. et B.*
macrorhiza *L.*
muricata *L.*
paniculata *L.*
pes tigridis *L.*
pilosa *Cav.*
polyanthes *R. et S*
pubescens *Lam.*
purpurea *Lam.*
Quamoclit *L.*
repanda *L.*
reptans *L.*
sanguinea *Vahl.*
sibirica *L.*
sinuata *Orteg.*
tridentata *L.*
triquetra *Vahl.*
tuberculata *Ker.*
tuberosa *L.*
Turpethum *L.*
umbellata *L.*
violacea *L.*

IRESINE
celosioides *L.*
elatior *Rich.*

IRIS
arenaria *W. et K.*
biflora *L.*
chinensis *Curt.*
crispa *Thunb.*
cristata *Ait.*
cuprœa *Pursh.*
flexuosa *Murr.*
florentina *L.*
fœtidissima *L.*
furcata *Bbrst.*
germanica *L.*
graminea *L.*
Gueldenstædtii *Lepech.*
halophila *Pall.*
hungarica *W. et K.*
lurida *Ait.*
lusitanica *Ker.*
lutescens *Lam.*
martinicensis *L.*
ochroleuca *L.*
pallida *Lam.*
persica *L.*
prismatica *Pursh.*
Pseudacorus *L.*
pumila *L.*
ruthenica *Ait.*
sambucina *L.*
sanguinea *Hornem.*
sibirica *L.*
sordida *Retz.*
spathacea *Thunb.*
spathulata *Willd.*
spuria *L.*
squalens *L.*
stenogyna *Dec.*
subbiflora *Brot.*
susiana *L.*
tridentata *Pursh.*
tristis *L. fil.*
tuberosa *L.*
variegata *L.*
verna *L.*
versicolor *L.*
virginica *L.*
Xiphioides *Ehrh.*
Xiphium *L.*

ISATIS
orientalis *Willd.*
præcox *Kit.*
tinctoria *L.*

ISOCHILUS
prolifer *Ker.*

ISOLEPIS
complanata *Vahl.*
fluitans *L.*
Holoschœnus *L.*
setacea *L.*

ISOPOGON
anemonefolius *Salisb.*
formosus *R. Br.*

ISOPYRUM
fumarioides *L.*
Thalictroides *L.*

ITEA
virginiana *L.*

JUGLANS
alba *L.*
amara *Mich.*
cinerea *L.*
Pekan *Walt.*
porcina *Mich.*
regia *L.*
tomentosa *Poir.*

JUNCUS
acutus *L.*
arcticus *Willd.*
biglumis *L. Amœn.*
bufonius *L.*
bulbosus *L.*
campestris *L.*
communis *E. Meyer.*
glaucus *Ehrh.*
maritimus *Smith.*
maximus *Retz.*
niveus *L.*
pediformis *Vill.*
pilosus *L.*
spicatus *L.*
squarrosus *L.*
tenuis *Willd.*
trifidus *L.*
triglumis *L.*

JUNIPERUS
bermudiana *L.*
capensis *Lam.*
communis *L.*
excelsa *Bbrst.*
Lycia *L.*
Oxycedrus *L.*
prostrata *Mich.*
Sabina *L.*

JUNIPERUS
suecica *Mill.*
virginiana *L.*

JUSSLÆA
erecta *L.*
grandiflora *Mich.*
hirta *Vahl.*
octovalvis *Sw.*
suffruticosa *L.*

JUSTICIA
Adhatoda *L.*
Betonica *L.*
bicolor *Sims.*
geniculata *Curt.*
hyssopifolia *L.*
orchioides *L. fil.*
pectoralis *Jacq.*
pedunculosa *Mich.*
periplocifolia *Jacq.*
peruviana *Cav.*
quadrifida *Vahl.*
salicina *Juss.*

IXIA
bulbifera
Bulbocodium *L.*
cinnamomea *Thunb.*
crocata *L.*
deusta *Ait.*
erecta *Berg.*
flexuosa *L.*
grandiflora *Delar.*
hyalina *L.*
maculata *L.*
quadrangula *Delar.*
scillaris *L.*
squalida *Ait.*
tricolor *Curt.*
viridiflora *Lam.*

IXODIA
achilleoides *R. Br.*

IXORA
alba *L.*
coccinea *L.*
parviflora *Vahl.*
rosea *B. M.*
undulata *Roth.*

K

KÆMPFERIA
angustifolia *Roxb.*
Galanga *L.*
ovata *Rosc.*
pandurata *Roxb.*
rotunda *L.*

KALMIA
angustifolia *L.*
glauca *Ait.*
latifolia *L.*

KAULFUSSIA
amelloides *Nees.*

KENNEDIA
coccinea *Vent.*
monophylla *Vent.*

KENNEDIA
prostrata *R. Br.*
rubicunda *Curt.*

KERRIA
japonica *Dec.*

KIGGELARIA
africana *L.*

KITAIBELIA
vitifolia *Willd.*

KLEINIA
ruderalis *Sw.*

KNAUTIA
orientalis *L.*

KNOWLTONIA
vesicatoria *Dum.*

KŒLERIA
cristata *Pers.*
glauca *Dec.*
phleoides *Pers.*
setacea *Dec.*
vallesiaca *Dec.*

KŒLREUTERIA
paniculata *Laxm.*

KYLLINGIA
monocephala *L. fil.*
odorata *Vahl.*

L

LACHENALIA
albida *Tratt.*
angustifolia *Jacq.*
contaminata *Ait.*
fragrans *Jacq.*
maculata *Tratt.*
orchioides *Ait.*
pendula *Ait.*
purpurea *Jacq.*
pustulata *Jacq.*
quadricolor *Jacq.*
racemosa *Ait.*
tricolor *Ait.*

LACHNÆA
buxifolia *Lam.*
conglomerata *L.*
eriocephala *L.*
purpurea *Andr.*

LACTUCA
altissima *Bbrst.*
augustana *All.*
elongata *Mhlbg.*
intybacea *Jacq.*

LACTUCA
perennis *L.*
quercina *L.*
sagittata *W. et K.*
sativa *L.*
stricta *W. et K.*
virosa *L.*

LAGASCA
mollis *Cav.*

LAGERSTRŒMIA
indica *L.*
parviflora *Roxb.*
Reginæ *Roxb.*

LAGURUS
ovatus *L.*

LAHAYA
diffusa *Willd.*

LAMBERTIA
formosa *Smith.*

LAMIUM
album *L.*
amplexicaule *L.*

LAMIUM
garganicum *L.*
incisum *Willd.*
maculatum *L.*
Orvala *L.*
purpureum *L.*
rugosum *Ait.*

LANTANA
aculeata *L.*
annua *L.*
Camara *L.*
nivea *Vent.*
odorata *L.*
purpurea *Hornem.*
salvifolia *Jacq*
trifolia *L.*
violacea *Desf.*

LAPEYROUSEA
juncea *Ker.*

LAPSANA
communis *L.*
grandiflora *Bbrst.*
lyrata *Willd.*

LAPSANA
pubescens *H. Erf.*

LASERPITIUM
Archangelica *Jacq.*
gallicum *L.*
hispidum *Bbrst.*
latifolium *L.*
peucedanoides *L.*
pilosum *Willd.*
Siler *L.*
trilobum *L.*

LASIOPETALUM
angustifolium *Hort.Kew.*
arborescens *Ait.*
ferrugineum *Smith.*
purpureum *Ait.*
quercifolium *Andr.*
triphyllum *Smith.*

LATHRÆA
squamaria *L.*

LATHYRUS
amphicarpos *L.*
angulatus *L.*
Aphaca *L.*
axillaris *Lam.*
Cicera *L.*
clymenum *L.*
cornutus *Spreng.*
grandiflorus *Sib.*
heterophyllus *L.*
incurvus *Willd.*
latifolius *L.*
myrtifolius *Mhlb.*
Nissolia *L.*
odoratus *L.*
palustris *L.*
pisiformis *L.*
sativus *L.*
setifolius *L.*
sphæricus *Dec.*
spurius *Willd.*
sylvestris *L.*
tingitanus *L.*
tuberosus *L.*
tumidus *Willd.*

LAURUS
Benzoin *L.*
Camphora *L.*
Cassia *L.*
Cinamomum *L.*
fœtens *Ait.*
glauca *Thunb.*
indica *L.*
nobilis *L.*

LAVANDULA
dentata *L.*
Spica *L.*
Stœchas *L.*

LAVATERA
arborea *L.*
cretica *L.*
Empedoclis *Rœusch.*
hispida *Desf.*
micans *L.*
Olbia *L.*
punctata *All.*
thuringiaca *L.*

LAWSONIA
alba *Lam.*

LEDUM
buxfolium *Ait.*
latifolium *Lam.*
palustre *L.*
β decumbens *Ait.*

LEEA
hirta *Hornem.*
macrophylla *Roxb.*
sambucina *Willd.*

LEMNA
gibba *L.*
minor *L.*
trisulca *L.*

LEONTODON
lividus *W. et K.*
nigricans *W. et K.*
serotinus *W. et K.*
Taraxacum *L.*

LEONURUS
Cardiaca *L.*
condensatus *W. et K.*
lanatus *Pers.*
marrubiastrum *L.*
multifidus *Desf.*
neglectus *Schult.*
sibiricus *L.*
tataricus *L.*
villosus *Desf.*

LEPIDIUM
divaricatum *Thunb.*
latifolium *L.*
lyratum *L.*
petræum *L.*
procumbens *L.*
ruderale *L.*
sativum *L.*
spinosum *L.*

LEPIDIUM
virginicum *L.*

LEPTOSPERMUM
ambiguum *Smith.*
baccatum *Smith.*
Juniperinum *Smith.*
lanigerum *Ait.*
scoparium *Smith.*

LESPEDEZA
juncea *L.*

LESTIBOUDESIA
paniculata *L.*
virgata *Jacq.*

LEUCADENDRON
adscendens *R. Br.*
æmulum *R. Br.*
argenteum *R. Br.*
concolor *R. Br.*
grandiflorum *R. Br.*
Levisanum *Bong.*
ovale *R. Br.*
plumosum *R. Br.*
sericeum *R. Br.*
strictum *R. Br.*

LEUCOIUM
æstivum *L.*
autumnale *L.*
vernum *L.*

LEUCOSPERMUM
conocarpum *Thunb.*
puberum *L.*

LIATRIS
elegans *Willd.*
pilosa *Willd.*
pycnostachya *Mich.*
scariosa *Willd.*
spicata *Willd.*
squarrosa *Willd.*

LIGUSTICUM
alatum *Spreng.*
athamantoides *Spreng.*
austriacum *L.*
cervaria *Spreng.*
condensatum *Spreng.*
Levisticum *L.*
nodiflorum *Vill.*
peloponense *L.*
Scoticum *L.*
trilobum *Link.*
vaginatum *Spreng.*

LIGUSTRUM
lucidum *Ait.*
vulgare *L.*

LILIUM
bulbiferum *L.*
camtschacense *L*
canadense *L.*
candidum *L.*
Catesbæi *Mich.*
chalcedonicum *L.*
concolor *Salisb.*
japonicum *Thunb.*
longiflorum *L.*
Martagon *L.*
monadelphum *Bbrst.*
pensylvanicum *Gawl.*
philadelphicum *L.*
pomponicum *L.*
superbum *L.*
tenuifolium *Fisch.*
tigrinum *Gawl.*

LIMODORUM
altum *Sw.*
falcatum *Ker.*
Tankervilliæ *Sw.*

LIMONIA
arborea *Roxb.*
citrifolia *Willd.*
trifoliata *L.*

LINARIA
alpina *L.*
bipartita *Vent.*
bipunctata *L.*
chalepensis *L.*
Cymballaria *L.*
dalmatica *L.*
frutescens *Thunb.*
genistifolia *L.*
glauca *L.*
Juncea *L.*
linifolia *L.*
littoralis *Bernh.*
macroura *Bbrst.*
micrantha *Cav.*
minor *L.*
origanifolia *L.*
pilosa *L.*
purpurea *L.*
reflexa *L.*
repens *L.*
silenefolia *Hffmsg.*
simplex *Willd.*
Spartea *L.*
spuria *L.*
supina *L.*
triornithophora *L.*
triphylla *L.*
tristis *L.*
versicolor *Jacq.*
virgata *Poir.*

LINARIA
viscosa *L.*
vulgaris *Mill.*

LINNÆA
borealis *L.*

LINUM
alpinum *L.*
angustifolium *Huds.*
arboreum *Schreb.*
austriacum *L.*
catharticum *L.*
flavum *L.*
maritimum *L.*
narbonnense *L.*
nervosum *W. et K.*
perenne *L.*
quadrifolium *L.*
squamulosum *Rudol.*
tauricum *Willd.*
trigynum *Smith.*
usitatissimum *L.*

LIPARIA
hirsuta *Thunb.*
lævigata *Thunb.*
sericea *L.*
sphærica *L.*
villosa *L.*

LIQUIDAMBAR
styraciflua *L.*

LIRIODENDRUM
Tulipifera *L.*

LISIANTHUS
angustifolius *H. et B.*
longifolius *L.*

LISTERA
cordata *Br.*
Nidus Avis *Br.*

LITHOSPERMUM
arvense *L.*
latifolium *Mich.*
officinale *L.*
purpureo-cœruleum *L.*
tenuiflorum *L. fil.*

LITSÆA
apetala *Pers.*

LITTORELLA
lacustris *L.*

LOBELIA
alata *Labil.*
assurgens *L.*

LORELIA
bellidiflora *L. fil.*
bicolor *Sims.*
campanuloides *Thunb.*
cardinalis *L.*
Cliffortiana *L.*
coronopifolia *L.*
debilis *L.*
Dortmanna *L.*
Erinoides *L.*
Erinus *L.*
fulgens *Willd.*
inflata *L.*
inundata *R. Br.*
longiflora *L.*
micrantha *Hook.*
minuta *L.*
persicifolia *Lam.*
pubescens *Ait.*
racemosa *Vert.*
Speculum *Andr.*
splendens *Willd.*
surinamensis *L.*
syphilitica *L.*
triquetra *L.*
unidentata *Ait.*
urens *L.*
zeylanica *L.*

LODDIGESIA
oxalidifolia *Sims.*

LŒFLINGIA
hispanica *L.*

LOLIUM
arvense *With.*
complanatum *Schrad.*
perenne *L.*
temulentum *L.*

LOMATIA
dentata *R. et P.*
silaifolia *Smith.*

LONICERA
alpigena *L.*
Caprifolium *L.*
cœrulea *L.*
flava *Sims.*
grata *Ait.*
japonica *Thunb.*
implexa *Ait.*
nigra *L.*
parviflora *Lam.*
Periclymenum *L.*
pubescens *Hook.*
pyrenaica *L.*
sempervirens *L.*

LONICERA
tatarica *L.*
Xylosteum *L.*

LOPEZIA
mexicana *L.*

LORANTHUS
europæus *L.*

LOROGLOSSUM
(Aceras Br.)
anthropophorum *Rich.*

LOTUS
corniculatus *L.*
creticus *L.*
depressus *Willd.*
diffusus *Smith.*
Gebelia *Vent.*
gracilis *W. et K.*
hirsutus *L.*
jacobæus *L.*
major *Scop.*
suaveolens *Pers.*
tenuis *W. et K.*
tetragonolobus *L.*

LUNARIA
canescens *Willd.*
rediviva *L.*

LUPINASTER
pentaphyllum *Mœnch.*

LUPINUS
albus *L.*
arboreus *Sims.*
hirsutus *L.*
luteus *L.*
mexicanus *Cervant.*
micranthus *Sims.*
perennis *L.*
pilosus *L.*
variegatus *Poir.*
varius *L.*

LYCHNIS
alpina *L.*
brachypetala *Fisch.*
chalcedonica *L.*
coronata *L.*
dioica *Willd.*
flos Cuculi *L.*
fulgens
sylvestris *Skhr.*
viscaria *L.*

LYCIUM
afrum *L.*
barbarum *L.*
barbatum *Thunb.*
europæum *L.*

LYCOPERSICUM
esculentum *Mill.*
pyriforme *Dun.*

LYCOPSIS
picta *Lehm.*

LYCOPUS
europæus *L.*
exaltatus *L. fil.*
virginicus *L.*

LYGEUM
Spartum *L.*

LYSIMACHIA
ciliata *L.*
Ephemerum *L.*
nemorum *L.*
Nummularia *L.*
punctata *L.*
quadrifolia *L.*
stricta *Ait.*
thyrsiflora *L.*
verticillata *Bbrst.*
vulgaris *L.*

LYTHRUM
alatum *Pursh.*
ciliatum *Sw.*
hyssopifolia *L.*
Salicaria *L.*
triflorum *L.*
verticillatum *L.*
virgatum *L.*

M

MACRADENIA
lutescens *Ker.*

MADIA
mellosa *Mol.*
viscosa *Cav.*

MAGNOLIA
acuminata *L.*
auriculata *Desrous.*
fuscata *Andr.*
glauca *L.*
grandiflora *L.*
obovata *Thunb.*
pumila *Andr.*
umbrella *Desrous.*

MAHERNIA
diffusa *Jacq.*
incisa *Jacq.*
pinnata *Cav.*
verticillata *Thunb.*

MALACHRA
capitata *L.*

MALAXIS
Correana *Bart.*
liliifolia *Ph.*
ophioglossoides *Ph.*
paludosa *Br.*

MALOPE
coccifera *L.*

MALOPE
crassifolia *L.*
lucida *Mill.*
maloccoides *L.*
nitida *L.*

MALPIGHIA
lucida *Mill.*
punicifolia *L.*
urens *L.*

MALVA
brasiliensis *Desrous.*
capensis *L.*
crispa *L.*
decumbens *Willd.*

MALVA
excelsa *Presl.*
fragrans *Jacq.*
glomerata *W. et K.*
grossulariæfolia *Cav.*
Morenii *Pollin.*
moschata *L.*
nicæensis *All.*
rotundifolia *L.*
sylvestris *L.*
Tournefortiana *L.*
tridactylites *Cav.*

MAMMEA
americana *L.*

MAMMILLARIA
prolifera *Haw.*
simplex *Haw.*

MANETTIA
Lygistum *Sw.*

MANGIFERA
indica *L.*

MANULEA
fœtida *Pers.*
viscosa *Willd.*

MARANTA
arundinacea *L.*
bicolor *B. Reg.*
gibba *Link.*
Tonchet *Aubl.*
unicolor *Ker.*
Zebrina *Sims.*

MARISCUS
paniceus *Vahl.*

MARRUBIUM
affine *Hornem.*
apulum *Tenor.*
astracanicum *Jacq.*
candidissimum *L.*
catariæfolium *Desrous.*
hirsutum *Willd.*
peregrinum *L.*
supinum *L.*
saxatile *Rafin.*
vulgare *L.*

MARTINIA
diandra *Glox.*
proboscidea *Ait.*

MASSONIA
pustulata *Jacq.*

MATRICARIA
Chamomilla *L.*

MAURANDIA
antirrhiniflora *H. et B.*
semperflorens *Jacq.*

MEDEOLA
asparagoides *L.*
virginica *L.*

MEDICAGO
aculeata *Willd.*
apiculata *Willd.*
applanata *Willd.*
arborea *L.*
arenaria *Tenor.*
caspica *Fisch.*
ciliaris *Willd.*
circinnata *L.*
denticulata *Willd.*
distans *Poir.*
Echinus *Dec.*
falcata *L.*
Gerardi *W. et K.*
glutinosa *Bbrst.*
granadensis *Willd.*
intertexta *Willd.*
laciniata *Mill.*
lupulina *L.*
maculata *Sibth.*
marginata *Willd.*
Murex *Willd.*
Muricata *With.*
ovata *H. Erf.*
præcox *Dec.*
prostrata *Jacq.*
pubescens *Hornem.*
radiata *L.*
sativa *L.*
scutellata *Lam.*
Strumaria *H. Erf.*
Terebellum *Willd.*
tribuloides *Lam.*
tuberculata *Willd.*
turbinata *Willd.*

MELALEUCA
armillaris *Smith.*
conferta
densa *R. Br.*
diosmæfolia *Andr.*
ericifolia *Smith.*
fulgens *R. Br.*
genistifolia *Smith.*
globifera *R. Br.*
hypericifolia *Smith.*
laurina *Smith.*
Leucadendrum *L.*
linarifolia *Smith.*
nereifolia *Sims.*
paludosa *R. Br.*
pendula *Hort. Lodd.*

MELALEUCA
pulchella *R. Br.*
squarrosa *Smith.*
stypheloides *Smith.*
thymifolia *Vent.*
trinervia *Smith.*

MELAMPYRUM
alpestre *Pers.*
nemorosum *L.*
vulgatum *Pers.*

MELANTHIUM
ciliatum *Thunb.*
junceum *Jacq.*
uniflorum *Curt.*

MELASTOMA
albicans *Sw.*
clavata *Pers.*
corymbosa *Vahl.*
elegans *Aubl.*
hirta *L.*
lævigata *L.*
Malabathrica *L.*
Octandra *L.*
prasina *Sw.*
purpurea *Willd.*
pyramidalis *Desrous.*
sessiliflora *Vahl.*
Tamonea *Sw.*

MELIA
Azadirachta *L.*
Azedarach *L.*
sempervirens *Sw.*

MELIANTHUS
major *L.*
minor *L.*

MELICA
altissima *L.*
Bauhini *All.*
ciliata *L.*
cœrulea *L.*
nutans *L.*
pyramidalis *Lam.*
sylvatica *Link.*
uniflora *Retz.*

MELILOTUS
cœrulea *L.*
indica *L.*
Kochiana *Heyne.*
macrorhiza *W. et K.*
messanensis *L.*
officinalis *L.*
ornithopodioides *L.*
Petitpierreana *Hayn.*

MELISSA
altissima *Lib.*
cordifolia *Pers.*
grandiflora *L.*
marifolia *Pers.*
Nepeta *L.*
officinalis *L.*

MELITTIS
grandiflora *Smith.*
Melissophyllum *L.*

MELODINUS
scandens *Forst.*

MENISPERMUM
canadense *L.*

MENTHA
aquatica *L.*
arvensis *L.*
cervina *L.*
citrata *Ehrh.*
coscinium *Coleb.*
crispa *L.*
gentilis *L.*
glabrata *Vahl.*
gratissima *Willd.*
hirsuta *L.*
nemorosa *Willd.*
piperita *L.*
Pulegium *L.*
rubra *Smith.*
rugosa *Roth.*
sativa *L.*
sylvestris *L.*
viridis *L.*

MENYANTHES
trifoliata *L.*

MENZIESIA
globularis *Salisb.*
polifolia *Juss.*

MERCURIALIS
annua *L.*
perennis *L.*
tomentosa *L.*

MESEMBRYANTHEMUM
acinaciforme *L.*
acutum *Haw.*
adscendens *Haw.*
aduncum *Willd.*
æquilaterale *Haw.*
albidum *L.*
aloides *Haw.*
anatomicum *Haw.*
anceps *Haw.*

MESEMBRYANTHEMUM
aurantium *Willd.*
aureum *L.*
australe *Ait.*
barbatum *L.*
bellidiflorum *L.*
bibracteatum *Haw.*
bicolorum *L.*
bifidum *Haw.*
blandum *Haw.*
bracteatum *Ait.*
brevifolium *Ait.*
calamiforme *L.*
caninum *Haw.*
capitatum
caulescens *Mill.*
clavellatum *Haw.*
coccineum *Haw.*
compactum *Ait.*
compressum *Haw.*
confertum *Haw.*
conspicuum *Haw.*
cordifolium *L.*
corniculatum *L.*
croceum *Haw.*
crystallinum *L.*
curvifolium *Haw.*
cymbiforme *Haw.*
decumbens *Mill.*
deflexum *Ait.*
deltoides *Haw.*
densum *Haw.*
denticulatum *Haw.*
difforme *L.*
dilatatum *Haw.*
diminutum *Haw.*
diversifolium *Haw.*
dolabriforme *L.*
dubium *Haw.*
echinatum *Lam.*
edule *L.*
emarginatum *L.*
falciforme *Haw.*
fastigiatum *Haw.*
felinum *Haw.*
filamentosum *L.*
filicaule *Haw.*
fissum *Haw.*
flexuosum *Haw.*
floribundum *Haw.*
geniculiflorum *L.*
glaucescens *Haw.*
glaucum *L.*
glomeratum *L.*
Haworthii *Donn.*
heteropetalum *Haw.*
hirsutum *Haw.*
hirtellum *Haw.*
hispidum *L.*
horizontale *Haw.*

MESEMBRYANTHEMUM
imbricatum *Haw.*
inclandens *Haw.*
lacerum *Haw.*
læve *Ait.*
lævigatum *Haw.*
latum *Haw.*
linguiforme *L.*
longum *Haw.*
loreum *L.*
lucidum *Mill.*
maximum *Haw.*
micans *L.*
microphyllum *Haw.*
minimum *Haw.*
minutum *Haw.*
muricatum *Haw.*
murinum *Haw.*
mutabile *Haw.*
noctiflorum *L.*
obconellum *Haw.*
obcordellum *Haw.*
pallens *Ait.*
parviflorum *Haw.*
perfoliatum *Haw.*
perviride *Haw.*
pinnatifidum *L. fil.*
polyanthum *Haw.*
pugioniforme *L.*
pulchellum *Willd.*
pulverulentum *Haw.*
radiatum *Haw.*
ramulosum *Haw.*
reflexum
retroflexum *Haw.*
rigidum *Haw.*
rostratum *L.*
rubricaule *Willd.*
rubrocinctum *Haw.*
sarmentosum *Haw.*
scabrum *L.*
scalpratum *Haw.*
serrulatum *Haw.*
speciosum *Haw.*
spectabile *Haw.*
spiniforme *Haw.*
spinuliferum *Haw.*
splendens *L.*
stellatum *Haw.*
stelligerum *Haw.*
stipulaceum *L.*
stramineum *Willd.*
striatum *Haw.*
subulatum *Haw.*
tenellum *Haw.*
teretifolium *Haw.*
tigrinum *Haw.*
tricolor *Willd.*
Tripolium *L.*
truncatellum *Haw*

MESEMBRYANTHEMUM
tuberosum *L.*
tumidulum *Haw.*
umbellatum *L.*
uncinatum *L.*
vaginatum *Haw.*
variabile *Haw.*
verruculatum *L.*
villosum *L.*
virgatum *Haw.*
viride *Haw.*
viridiflorum *Ait.*
vulpinum *Haw.*

MESPILUS
axillaris *Pers.*
chamæmespilus *L.*
cordata *Mill.*
Cotoneaster *L.*
germanica *L.*
grandiflora *Smith.*
Japonica *Thunb.*
tanacetifolia *Poir.*

METROSIDEROS
citrina *Desf.*
floribunda *Smith.*
linearis *Smith.*
saligna *Smith.*
speciosa *Sims.*

MEUM
athamanticum *Jacq.*
Fœniculum *Spreng.*
heterophyllum *Mœnch.*
inundatum *Spreng.*
Mutellina *Gært.*
sibiricum *Spreng.*

MICROLOMA
lineare *R. Br.*

MIKANIA
guaco *H. et B.*
scandens *L.*

MILIUM
cœrulescens *Schousb.*
effusum *L.*
lendigerum *L.*
microspermum *Lagas.*
paradoxum *Scop.*
vernale *Bbrst.*
villosum *Sw.*

MIMETES
hirta *L.*

MIMOSA
adenanthera *Zeyh.*

MIMOSA
asperata *L.*
campeachiana *Mill.*
concinna *Willd.*
lucida *Vahl.*
pigra *L.*
polystachya *Jacq.*
pudica *L.*
rubricaulis *Lam.*
rutæfolia (*Nois.*)
sensitiva *L.*

MIMULUS
glutinosus *Wendl.*
luteus *L.*
ringens *L.*

MIMUSOPS
Elengi *L.*

MINUARTIA
dichotoma *L.*

MIRABILIS
Jalapa *L.*
longiflora *L.*

MIRBELIA
reticulata *Vent.*

MITCHELLA
repens *L.*

MITELLA
diphylla *L.*
nuda *L.*

MŒHRINGIA
muscosa *L.*

MŒNCHIA
glauca *Pers.*

MOLLUGO
pentaphylla *L.*
triphylla *Lour.*

MOMORDICA
Elaterium *L.*
muricata *Willd.*
operculata *L.*

MONARDA
altissima *Willd.*
ciliata *L.*
clinopodia *L.*
didyma *L.*
fistulosa *L.*
hirsuta *Pursh.*
Kalmiana *Pursh.*

MONARDA
media *Willd.*
mollis *Willd.*
oblongata *Ait.*
punctata *L.*
purpurea *Pursh.*
rugosa *Ait.*
Russelliana *Nutt.*

MONSONIA
Filia *L. fil.*
speciosa *L.*

MONTIA
minor *Gmel.*
rivularis *Gmel.*

MONTINIA
acris *L. fil.*

MORÆA
chinensis *Thunb.*
gladiata *Thunb.*
iridioides *L.*
Northiana *Andr.*
plicata *Sw.*

MORINDA
bracteata *Roxb.*

MORUS
alba *L.*
indica *L.*
nigra *L.*
rubra *L.*

MURRAYA
exotica *L.*

MURUCUJA
aurantia *Forst.*
ocellata *Pers.*

MUSA
coccinea *Andr.*
paradisaica *L.*
rosacea *Jacq.*
sapientum *L.*

MYAGRUM
sativum *L.*

MYOPORUM
debile *R. Br.*
ellipticum *R. Br.*
parvifolium *R. Br.*
viscosum *R. Br.*

MYOSOTIS
alpestris *Lehm.*

MYOSOTIS
arvensis *Sibth.*
deflexa *Wahl.*
Lappula *L.*
nana *Vill.*
palustris *With.*
peduncularis *Lehm.*
sparsiflora *Mik.*
sylvatica *Ehrh.*
versicolor *Roth.*

MYOSURUS
minimus *L.*

MYRICA
carolinensis *Mill.*
cerifera *L.*

MYRICA
cordifolia *L.*
Faya *Ait.*
Gale *L.*
quercifolia *L.*
serrata *Lam.*

MYRIOPHYLLUM
spicatum *L.*
verticillatum *L.*

MYRRHIS
aromatica *L.*
aurea *L.*
Bunium *Spr.*
canadensis *Pers.*
colorata *L.*

MYRRHIS
hirsuta *L.*
maculata *Willd.*
odorata *Scop.*
sylvestris *Spreng.*
temula *L.*

MYRSINE
africana *L.*
retusa *Ait.*

MYRTUS
communis *L.*
distycha *Sw.*
Pimenta *L.*
tomentosa *Ait.*
virgultosa *Sw.*

N

NAMA
Jamaicensis *L*

NANDINA
domestica *Thunb.*

NAPÆA
lævis *L.*
scabra *L.*

NARAVELIA
Zeylanica *Dec.*

NARCISSUS
angustifolius *Willd.*
biflorus *Curt.*
Bulbocodium *L.*
calathinus *L.*
cernuus *Roth.*
compressus *Haw.*
incomparabilis *Curt.*
Jonquilla *L.*
major *Curt.*
minor *L.*
moschatus *L.*
odorus *L.*
papyraceus *Gawl.*
poeticus *L.*
Pseudo-Narcissus *L.*
Tazetta *L.*
tenuior *Haw.*
tortuosus *Haw.*
triandrus *L.*
trilobus *L.*

NARDUS
stricta *L.*

NARTHECIUM
ossifragum *Smith.*

NAUCLEA
cordifolia *Roxb.*
orientalis *L.*

NELUMBIUM
luteum *Willd.*
speciosum *Willd.*

NEMESIA
chamædrifolia *Vent.*

NEOTTIA
acaulis *Smith.*
æstivalis *Dec.*
cernua *Willd.*
elata *Sw.*
orchioides *Sw.*
picta *Sw.*
procera *Ker.*
speciosa *Sw.*
spiralis *Sw.*

NEPENTHES
distillatoria *L.*

NEPETA
amethystina *Desf.*

NEPETA
Cataria *L.*
cærulea *Ait.*
colorata *Willd.*
grandiflora *Bbrst.*
graveolens *Vill.*
incana *Ait.*
italica *L.*
lamiifolia *Willd.*
latifolia *Dec.*
longiflora *Vent.*
macroura *Bergh.*
marrubioides *Willd.*
melissæfolia *Lam.*
multibracteata *Desf.*
multifida *L.*
Mussini *Spreng.*
Nepetella *L.*
nuda *L.*
pannonica *L.*
reticulata *Desf.*
Scordotis *L.*
suaveolens *Ræmer.*
tuberosa *L.*
ucranica *L.*
violacea *L.*

NERIUM
grandiflorum *Desf.*
odorum *Ait.*
Oleander *L.*
splendens *Breit.*
tinctorium *Rottl.*

NICOTIANA
angustifolia *R. et P.*
bonariensis *Lehm.*
cerinthoides *Hornem.*
chinensis *Fisch.*
decurrens *Agardh.*
fruticosa *L.*
glutinosa *L.*
humilis *Desf.*
Langsdorfii *Weinm.*
latissima *Mill.*
paniculata *L.*
plumbaginifolia *Willd.*
quadrivalvis *Pursh.*
rustica *L.*
Tabacum *L.*
undulata *Vent.*
ybarrensis *H. et B.*

NIGELLA
damascena *L.*

NIGELLA
hispanica *L.*

NISSOLIA
fruticosa *L.*

NIVENIA
spathulata *Thunb.*

NOLANA
prostrata *L.*

NUTTALLIA
digitata *Dick.*
pedata *Dick.*

NYCTANTHES
arbor-tristis *L.*

NYMPHÆA
advena *Ait.*
alba *L.*
cærulea *Savig.*
Kalmiana *Sims.*
Lotus *L.*
lutea *L.*
minima *Willd.*
odorata *Ait.*
pygmæa *Ait.*
rubra *Andr.*
stellata *Willd.*
versicolor *Sims.*

NYSSA
aquatica *L.*
candicans *Poir.*
denticulata *Ait.*

O

OCHNA
obtusata *Dec.*

OCHROMA
Lagopus *Sw.*

OCYMUM
americanum *L.*
gratissimum *L.*
inodorum *Burm.*
monachorum *L.*
pilosum *Jacq.*
sanctum *L.*
scutellarioides *L.*
thrysiflorum *L.*

ŒDERA
prolifera *Thunb.*

ŒNANTHE
apiifolia *Brot.*
crocata *L.*
fistulosa *L.*
globulosa *L.*
Phellandrium *Lam.*
pimpinelloides *L.*

ŒNOTHERA
acaulis *Cav.*
biennis *L.*
cæspitosa *Sims.*

ŒNOTHERA
corymbosa *Lam.*
cruciata *Nutt. mss.*
Fraseri *Pursh.*
fruticosa *L.*
gauroides *Hornem.*
glauca *Mich.*
grandiflora *Lam.*
longiflora *L.*
macrocarpa *Pursh.*
mollissima *L.*
muricata *L.*
nocturna *Jacq.*
odorata *Jacq.*
parviflora *L.*
pumila *L.*
purpurea *Curt.*
Romansovii *C.*
rosea *Ait.*
salicifolia *Desf.*
serrulata *Nutt.*
sinuata *L.*
speciosa *Nutt.*
spectabilis *Bernh.*
suaveolens *Desf.*
tenella *Cav.*
tetragona *Roth.*
tetraptera *L.*
triloba *Nutt.*
undulata *Ait.*

OLAX
scandens *Roxb.*

OLEA
capensis *L.*
europæa *Lin.*
excelsa *Ait.*
fragrans *Thunb.*

OLYRA
paniculata *Sw.*

OMPHALODES
linifolia *L.*
nitida *Willd.*
verna *Mœnch.*

ONCYDIUM
altissimum *Br.*
bifolium *Curt.*
carthaginense *Br.*
flexuosum *Br.*
luridum *Ker.*

ONONIS
antiquorum *L.*
columnæa *All.*
crispa *L.*
hircina *Jacq.*

ONONIS
Natrix *L.*
pallida *Willd.*
parviflora *Thunb.*
repens *L.*
rotundifolia *L.*
spinosa *L.*
striata *Gouan.*
variegata *L.*

ONOPORDUM
Acanthium *L.*
arabicum *L.*
macrocanthum *Schousb.*
tauricum *Willd.*
virens *Dec.*
viscosum *Schrad.*

ONOSMA
arenaria *W. et K.*
echioides *Smith.*
sericea *Willd.*
stellulata *W. et K.*

ONOSMODIUM
hispidum *Mich.*

OPHIOXYLON
serpentinum *L.*

OPHRYS
anthropophora *Willd.*
apifera *Smith.*
aranifera *Smith.*
lutea *Link.*
myodes *Jacq.*

OPUNTIA
brasiliensis *Willd.*
coccinellifera *L.*
curassavica *L.*
decumana *Willd.*
elatior *Mill.*
elongata *Willd.*
ferox *Willd.*
ficus indica *L.*
humilis *Haw.*
lanceolata *Haw.*
nigricans *Haw.*
polyantha *Dec.*
pusilla *Haw.*
speciosa *Bonpl.*
spinosissima *Lam.*
stricta *Haw.*
triacantha *Willd.*
Tuna *L.*
vulgaris *Mill.*

ORCHIS
fusca *Curt.*

ORCHIS
hircina *Br.*
latifolia *L.*
longicornis *Poir.*
militaris *L.*
maculata *L.*
mascula *L.*
Morio *L.*
orbicularis *Ph.*
pyramidalis *L.*
spectabilis *L.*
tridentata *Mhlbg.*
viridiflora *Ph.*

ORIGANUM
Majorana *L.*
sipileum *L.*
smyrnæum *L.*
syriacum *L.*
vulgare *L.*

ORMOSIA
dasycarpa *Jacks.*

ORNITHIDIUM
coccineum *Br.*

ORNITHOCEPHALUS
gladiatus *Hook.*

ORNITHOGALUM
arabicum *L.*
aureum *Willd.*
gramineum *Curt.*
lacteum *Jacq.*
luteum *L.*
narbonnense *L.*
niveum *Ait.*
nutans *L.*
pyramidale *L.*
rupestre *Thunb.*
umbellatum *L.*

ORNITHOPUS
compressus *L.*
durus *Cav.*
perpusillus
scorpioides *L.*
serrata *Roxb.*

ORNITHROPHE
serrata

OROBANCHE
cærulea *Vill.*
elatior *Sutt.*
major *L.*
minor *Sm.*
ramosa *L.*
rubra *Sm.*

OROBUS
albus *L.*
angustifolius *L.*
hirsutus *L.*
lævigatus *W. et K.*
lathyroides *L.*
luteus *L.*
niger *L.*
ochroleucus *W. et K.*
pauciflorus *H. Pest.*
sylvaticus *L.*
tuberosus *L.*
variegatus *Lapeyr.*
varius *Sims.*
vernus *L.*

ORONTIUM
aquaticum *L.*
japonicum *Thunb.*

ORYZA
sativa *L.*

OSBECKIA
nepalensis *Hook.*
stellata *Sm.*

OSTEOSPERMUM
corymbosum *L.*
pisiferum *L.*
spinosum *L.*

OSTRYA
vulgaris *Willd.*

OTHONNA
abrotanifolia *L.*
Athanasia *Thunb.*
cheirifolia *L.*
coronopifolia *L.*
denticulata *Thunb.*
frutescens *L.*
pectinata *L.*

OXALIS
Acetosella *L.*
asinia *Jacq.*
corniculata *L.*
filifolia *Jacq.*
hirta *L.*
lobata *Curt.*
Plumieri *Jacq.*
rosacea *Jacq.*
rubella *Jacq.*
stricta *L.*
tenella *Jacq.*
undulata *Jacq.*
versicolor *L.*

OXYLOBIUM
cordifolium *R. Br.*

P

PACHYSANDRA
coriacea *Hook.*
procumbens *Mich.*

PÆONIA
albiflora *Pall.*
anomala *L.*
corallina *Retz.*
dahurica *Andr.*
humilis *Retz.*
Moutan *Sims.*
officinalis *Pall.*
tenuifolia *L.*

PALIURUS
australis *Gært.*

PANAX
aculeata *Ait.*
arboreum *Forst.*
fruticosum *L.*
quinquefolium *L.*
trifolium *L.*

PANCRATIUM
amboinense *L.*
americanum *Mill.*
amœnum *Salisb.*
caribæum *L.*
distichum *Sims.*
fragrans *Salisb.*
illyricum *L.*
littorale *Jacq.*
longiflorum *Ker.*
maritimum *L.*
rotatum *Curt.*
speciosum *L.*

PANDANUS
integrifolius *Lour.*
odoratissimus *L. fil.*
reflexus
spiralis *R. Br.*
utilis *Bong.*

PANICUM
brizoides *L.*
clandestinum *L.*
colonum *L.*
coloratum *L.*
crus-corvi *L.*
crus-galli *L.*
glaucum *L.*
lanceolatum *Retz.*

PANICUM
latifolium *L.*
maximum *Jacq.*
miliaceum *L.*
plicatum *Lam.*
proliferum *Lam.*
setarium *Lam.*
uliginosum *Roth.*

PAPAVER
Argemone *L.*
bracteatum *Lind.*
cambricum *L.*
caucasicum *Börst.*
dubium *L.*
nudicaule *L.*
orientale *L.*
Rhœas *L.*
somniferum *L.*

PARIETARIA
cretica *L.*
lusitanica *L.*
officinalis *L.*
pensylvanica *Muhlbg.*

PARIS
quadrifolia *L.*

PARKINSONIA
aculeata *L.*

PARNASSIA
caroliniana *Mich.*
palustris *L.*

PARTHENIUM
integrifolium *L.*

PASPALUM
filiforme *Flüg.*
scrobiculatum *L.*
virgatum *L.*

PASSERINA
capitata *L.*
filiformis *L.*
grandiflora *L. fil.*
spicata *L. fil.*

PASSIFLORA
albida *Brot.*
ciliata *Ait.*
cœrulea *L.*

PASSIFLORA
fœtida *L.*
glauca *Ait.*
herbertiana *B. R.*
holosericea *C.*
incarnata *L.*
laurifolia *L.*
lunata *Smith.*
lutea *L.*
maliformis *L.*
minima *L.*
peltata *Cav.*
punctata *L.*
quadrangularis *L.*
racemosa *Brot.*
rubra *L. fil.*
serrata *L.*
suberosa *L.*
vespertilio *L.*
vitifolia *H. et B.*

PASTINACA
lucida *L.*
sativa *L.*

PATERSONIA
glabrata *R. Br.*

PATRINIA
rupestris *Vahl.*

PAVONIA
præmorsa *Willd.*
spinifex *Cav.*
urens *Cav.*

PAULLINIA
pinnata *L.*

PECTIS
humifusa *Sw.*

PEDICULARIS
comosa *L.*
palustris *L.*
sylvatica *L.*

PEDILANTHUS
Tithymaloides *Nech.*
carinata *Haw.*
(*crepidaria Haw.*)

PEGANUM
Harmala *L.*

PELARGONIUM
abrotanifolium *L. fil.*
acerifolium *Herit.*
adulterinum *Ait.*
alchemilloides *L.*
ardens *Voigt.*
australe *Willd.*
betulinum *L.*
bicolor *Jacq.*
capitatum *L.*
carnosum *L.*
ceratophyllum *Herit.*
citriodorum *Hortul.*
cordatum *Ait.*
crispum *L.*
cucullatum *L.*
echinatum *Curt.*
extipulatum *Cav.*
flavum *L.*
fulgidum *L.*
gibbosum *L.*
glaucum *L. fil.*
glutinosum *Jacq.*
grandiflorum *Andr.*
grossularoides *L.*
hybridum *L.*
ignescens
inquinans *L.*
lateripes *Ait.*
lobatum *L.*
monstrum *Ait.*
odoratissimum *L.*
ovale *Burm.*
oxalidifolium *Andr.*
papillionaceum *L.*
penicellatum *Willd.*
pictum *Andr.*
pinnatum *L.*
pulchellum *Sims.*
pumilum *Willd.*
punctatum *Andr.*
quercifolium *L.*
Radula *Cav.*
rubens *Willd.*
scabrum *L.*
ternatum *L.*
tetragonum *L.*
tricolor *Curt.*
triphyllum *Jacq.*
vitifolium *L.*
zonale *L.*

PELIOSANTHES
Teta *Andr.*

PELTARIA
alliacea *L.*

PENÆA
mucronata *L.*
squamosa *L.*

PENNISETUM
macrochæton *Jacq.*

PENTAPETES
ovata *Lam.*
phœnicea *L.*

PENTHORUM
sedoides *L.*

PEPLIS
Portula *L.*

PERESKIA
aculeata *Mill.*

PERILLA
ocymoides *L.*

PERIPLOCA
græca *L.*

PERSOONIA
ferruginea *Smith.*
linearis *Andr.*

PETIVIERA
alliacea *L.*

PETROPHILA
pulchella *R. Br.*

PEUCEDANUM
alpestre *L.*
arenarium *W. et K.*
gallicum *Pers.*
officinale *L.*
ruthenicum *Börst.*

PHACA
alpina *Willd.*
australis *L.*

PHALARIS
aquatica *L.*
arundinacea *L.*
bulbosa *Willd.*
canariensis *L.*
capensis *Thunb.*
commutata *Rets.*
minor *Retz.*
nitida *Prest.*
paradoxa *L.*
quadrivalvis *Lus.*

PHARNACEUM
incanum *L.*

PHARUS
latifolius *L.*

PHASEOLUS
alatus *L.*
Caracalla *L.*
coccineus *Lam.*
lathyroides *L.*
lunatus *L.*
semierectus *L.*
sphærospermus *L.*
vexillatus *L.*
vulgaris *L.*

PHELYPÆA
lutea *Desf.*

PHILADELPHUS
coronarius *L.*
grandiflorus *Willd.*
inodorus *L.*

PHILLYRÆA
angustifolia *L.*
latifolia *L.*
media *L.*

PHILYDRUM
lanuginosum *Gært.*

PHLEUM
alpinum *L.*
arenarium *L.*
Asperum *Jacq.*
Bœhmeri *Willd.*
cuspidatum *Willd.*
echinatum *Host.*
Michelii *All.*
pratense *L.*

PHLOMIS
ferruginea *Tenor.*
fruticosa *L.*
Herba venti *L.*
laciniata *L.*
Leonurus *L.*
nepetifolia *L.*
pungens *Willd.*
Samia *L.*
tuberosa *L.*

PHLOX
acuminata *Pursh.*
aristata *Mich.*
carolina *L.*
divaricata *L.*
glaberrima *L.*
maculata *L.*
ovata *L.*
paniculata *L.*
pilosa *L.*
pyramidalis *Smith.*
reptans *Mich.*

PHLOX
setacea *L.*
suaveolens *Ait.*
subulata *L.*
suffruticosa *Vent.*
undulata *Ait.*

PHŒNIX
dactylifera *L.*

PHOLIDOTA
imbricata *Hook.*

PHORMIUM
tenax *L.*

PHRYMA
leptostachya *L.*

PHYLICA
buxifolia *L.*
cylindracea *Wendl.*
eriophora *Ait.*
plumosa *L.*

PHYLLANTHUS
cantonensis *Willd.*
Epiphyllanthus *L.*
falcatus *Pers.*
latifolius *L.*
Niruri *L.*

PHYLLIS
Nobla *L.*

PHYSALIS
Alkekingi *L.*
edulis *Sims.*
flexuosa *L.*
fœtidissima *Lagas.*
peruviana *L.*
pubescens *L.*

PHYTEUMA
betonicæfolia *Vill.*
campanuloides *Bbrst.*
canescens *W. et K.*
Charmelii *Vill.*
comosa *L.*
cordata *Balb.*
orbicularis *L.*
Scheuchzeri *All.*
scorzonerifolia *Vill.*
spicata *L.*
virgata *Willd.*

PHYTOLACCA
decandra *L.*

PICRIDIUM
albidum *Dec.*
hispanicum *Vent.*
tingitanum *Desf.*

PICRIS
dahurica *Hort.*
Kamstchatica *Ledeb.*
pauciflora *Willd.*
Rhagadiolus *Pers.*
Sprengeriana *Pers.*

PIMELEA
linifolia *Smith.*
rosea *R. Br.*

PIMPINELLA
dioica *L.*
magna *L.*
Saxifraga *L.*

PINGUICULA
alpina *Wahlb.*
edentula *Hook.*
grandiflora *Lam.*
lusitanica *L.*
vulgaris *L.*

PINUS
Abies *L.*
alba *Ait.*
balsamea *L.*
Banksiana *Lam.*
canadensis *Ait.*
Cedrus *L.*
cembra *L.*
clambrasiliana *Hort. Belv.*
Damara *Lamb.*
halepensis *Mill.*
inops *Ait.*
lanceolata *Lamb.*
Larix *L.*
lutea *Walt.*
maritima *Mill.*
microcarpa *Lamb.*
Mughus *Jacq.*
nigra *Ait.*
orientalis *Ait.*
palustris *Mill.*
pendula *Lamb.*
Picea *L.*
Pinaster *Ait.*
Pinea *L.*
pumilio *Hænke.*
resinosa *Ait.*
rigida *Mill.*
Strobus *L.*
sylvestris *L.*
uncinata *Dec.*

PIPER
acuminatum *L.*
aduncum *L.*
aromaticum *Willd.*
Betle *L.*
blandum *Jacq.*
capense *L.*
clusiæfolium *Jacq.*
decumanum *L.*
discolor *Sw.*
inæqualifolium *R. et P.*
maculosum *L.*
magnoliæfolium *Jacq.*
nigrum *L.*
obtusifolium *L.*
pellucidum *L.*
pereskiæfolium *Jacq.*
polystachyum *Ait.*
pubescens *Haw.*
pulchellum *Ait.*
serpens *Sw.*
stellatum *Sw.*
talinifolium *Link.*
umbellatum *L.*

PISONIA
nigricans *Sw.*

PISTACIA
Terebinthus *L.*

PISUM
maritimum *L.*
sativum *L.*

PITCAIRNIA
angustifolia *Ait.*
broomeliæfolia *Ait.*
integrifolia *Sims.*
latifolia *Ait.*

PITTOSPORUM
capense *Hort.*
coriaceum *Ait.*
expense (*Nois.*)
ferrugineum *Ait.*
Tobira *Ait.*
undulatum *Andr.*

PLANTAGO
alpina *L.*
altissima *L.*
amplexicaulis *Cav.*
arenaria *W. et K.*
asiatica *L.*
atrata *Hop. Lapeyr.*
Cornuti *Gouan.*
Coronopus *L.*
crassifolia *Forst.*
Cynops *L.*

PLANTAGO
depressa *Willd.*
diffusa *Presl.*
divaricata *Zucc.*
hirsuta *Thunb.*
Jacquini *R. et S.*
Isphaghul *Roxb.*
lanceolata *L.*
Lœflingii *L.*
lusitanica *L.*
major *L.*
maritima *L.*
media *L.*
Psyllium *L.*
pumila *L.*
salsa *Bbrst.*
saxatilis *Bbrst.*
sericea *W. et K.*
serraria *L.*
subulata *L.*
virginica *L.*
Wulfeni *Bernh.*

PLATANUS
acerifolia *Willd.*
occidentalis *L.*
orientalis *L.*

PLATYLOBIUM
formosum *Smith.*
parviflorum *Smith.*
triangulare *R. Br.*

PLECTRANTHUS
Forsköhlei *Vahl.*
fruticosus *Herit.*
parviflorus *Spreng.*
punctatus *Herit.*
ternatus *Sims.*

PLECTRONIA
ventosa *L.*

PLEUROTHALLIS
coccinea.

PLUMBAGO
capensis *Thunb.*
europæa *L.*
rosea *L.*
zeylanica *L.*

PLUMIERIA
obtusa *L.*
rubra *L.*

POA
ægyptiaca *Willd.*
alpina *L.*
anceps *Forst.*
annua *L.*
aquatica *L.*
badensis *Hænk.*
bulbosa *L.*
cæsia *Smith.*
caroliniana *Spreng.*
cenisia *All.*
chinensis *L.*
compressa *L.*
cynosuroides *Retz.*
debilis *Thuil.*
decumbens *Scop.*
depauperata *Kit.*
diandra *R. Br.*
distans *L.*
elongata *Willd.*
Eragrostis *L.*
festucæformis *Host.*
festucoides *Lam.*
filiformis *Thunb.*
flexuosa *Smith.*
fluitans *Scop.*
gracilis *H. Par.*
humilis *Ehrh.*
laxa *Hænke.*
maritima *Huds.*
megastachya *Kœl.*
mexicana *Lagas.*
Molinerii *Balb.*
nemoralis *L.*
β firmula *Gaud.*
δ glauca *Gaud.*
nervata *Willd.*
nigricans *H. et B.*
plumosa *Retz.*
pratensis *L.*
procumbens *Smith.*
punctata *L.*
purpurascens *Spreng.*
rigida *L.*
sterilis *Bbrst.*
sudetica *Hænke.*
tenella *L.*
trivialis *L.*
verticillata *Cav.*

PODALYRIA
australis *L.*
biflora *Lam.*
hirsuta *Ait.*
myrtillifolia *Retz.*
sericea *Andr.*
styracifolia *Sims.*

PODOCARPUS
elongatus *Herit.*

PODOPHYLLUM
peltatum *L.*

POGONIA
ophioglossoides *Br.*

POGOSTEMUM
plectranthroides *Desf.*

POLEMONIUM
cœruleum *L.*
gracile *Willd.*
mexicanum *Cervant.*
reptans *L.*

POLIANTHES
tuberosa *L.*

POLYCNEMUM
oppositifolium *Pall.*

POLYGALA
bracteolata *L.*
Chamæbuxus *L.*
cordifolia *Thunb.*
Heisteria *L.*
latifolia *Ker.*
micrantha *Thunb.*
mixta *Thunb.*
myrtifolia *L.*
oppositifolia *L.*
paniculata *L.*
purpurea *Ait.*
speciosa *Ait.*
spinosa *L.*
stipulacea *L.*
virgata *Thunb.*
vulgaris *L.*

POLYGONUM
alpinum *L.*
amphibium *L.*
arenarium *W. et K.*
aviculare *L.*
Bellardi *All.*
convolvulus *L.*
divaricatum *L.*
dumetorum *L.*
elegans *Tenor.*
emarginatum *Roth.*
Fagopyrum *L.*
frutescens *L.*
glabrum *Willd.*
Hydropiper *L.*
lapathifolium *L.*
Laxmanni *Lepech.*
maritimum *L.*
minus *Ait.*
ocreatum *L.*
orientale *L.*
patulum *Bbrst.*
Persicaria *L.*
undulatum *Murr.*
virginianum *L.*
viviparum *L.*

POLYPOGON
fasciculatus *Pers.*
monspeliensis *Desf.*

POLYPREMUM
apetala *Labil.*

POLYSTACHYA
lutea *Hook.*

PONTEDERIA
cordata *L.*

POPULUS
alba *L.*
angulata *Ait.*
balsamifera *L.*
candicans *Ait.*
canescens *Dec.*
dilatata *Ait.*
lævigata *Ait.*
monilifera *Ait.*
nigra *L.*
tremula *L.*

PORTLANDIA
grandiflora *Sw.*

PORTULACA
halimoides *L.*
pilosa *L.*

PORTULACARIA
afra *Jacq.*

POTAMOGETON
compressum *L.*
crispum *L.*
densum *L.*
fluitans *Roth.*
heterophyllum *Schreb.*
lucens *L.*
natans *L.*
perfoliatum *L.*
pusillum *L.*

POTENTILLA
agrimonoides *Bbrst.*
alba *L.*
anserina *L.*
argentea *L.*
astracanica *Jacq.*
aurea *L.*
bifurca
bithynica *Horn.*
calabra *Tenor.*
canescens *Bess.*
Clusiana *Jacq.*
collina *Wibel.*
fragariastrum *Ehrh.*
fragarioides *L.*

POTENTILLA
fruticosa *L.*
geoides *Bbrst.*
grandiflora *L.*
Guntheri *Spreng.*
hirsuta *Mich.*
hirta *L.*
incisa *Desf.*
intermedia *L.*
laciniosa *W. et K.*
multifida *L.*
nepalensis *Hook.*
norwegica *L.*
obscura *Willd.*
opaca *L.*
pedata *Willd.*
pensylvanica *L.*
recta *L.*
reptans *L.*
rupestris *L.*
ruthenica *Willd.*
sericea *L.*
simplex *Mich.*
supina *L.*
Tormentilla *Schrank.*
tridentata *Ait.*
verna *L.*
viscosa *Donn.*

POTERIUM
caudatum *Ait.*
hybridum *L.*
polygamum *W. et K.*
Sanguisorba *L.*

POTHOS
acaulis *L.*
cannæfolius *Sims.*
cordata *L.*
crassinervia *Jacq.*
lanceolata *L.*
macrophylla *Sw.*
pentaphylla *Willd.*
violacea *Sw.*

PRENANTHES
alba *L.*
hieracifolia *Willd.*
muralis *L.*
purpurea *L.*
racemosa *Mich.*

PRIMULA
acaulis *Jacq.*
Auricula *L.*
cortusoides *L.*
dentata *Donn.*
elatior *Jacq.*
farinosa *L.*
helvetica *Donn.*

PRIMULA
inflata *Lehm.*
integrifolia *L.*
intermedia *Ledeb.*
longiflora *All.*
longifolia *Curt.*
marginata *Curt.*
minima *L.*
mistassinica *Mich.*
nivalis *Pall.*
Palinuri *Pentag.*
scotica *Hook.*
Veris *L.*
villosa *Jacq.*

PRINOS
glaber *L.*
verticillatus *L.*

PRIVA
leptostachya *Juss.*

PROSTRANTHERA
Lasianthos *Labil.*

PROTEA
acerosa *R. Br.*
coccinea *R. Br.*
cynaroides *L.*
formosa *R. Br.*
grandiflora *Thunb.*
humilis *R. Br.*
longiflora *Lam.*
melaleuca *R. Br.*
mellifera *Thunb.*
mucronifolia *R. Br.*
obovata *Andr.*
Scolymus *Thunb.*
speciosa *L.*
rubra *Andr.*
β speciosa

PRUNELLA
grandiflora *L.*
hirta *Bergh.*
hyssopifolia *L.*
laciniata *All.*
pensylvanica *Willd.*
vulgaris *L.*

PRUNUS
Avium *L.*
caroliniana *Ait.*
Cerasus *L.*
depressa *Pursh.*
domestica *L.*
Laurocerasus *L.*
lusitanica *L.*
Mahaleb *L.*
nigra *Ait.*

PRUNUS
Padus *L.*
pendula *Desf.*
pumila *L.*
serotina *Ehrh.*
sinensis *Desf.*
virginica *L.*

PSIDIUM
Catleyanum *Lindl.*
guyanense *Rich.*
pomiferum *L.*
pyriferum *L.*

PSORALEA
aculeata *L.*
aphylla *L.*
bituminosa *L.*
divaricata *H. et B.*
pinnata *L.*

PTELEA
trifoliata *L.*

PTEROCARPUS
Ebenus *Pers.*
lunatus *L. fil.*
Marsupium *Roxb.*

PTEROCARPUS
santalinus *L. fil.*

PTEROSPERMUM
acerifolium *Willd.*

PULMONARIA
angustifolia *L.*
maritima *L.*
officinalis *L.*
paniculata *Ait.*
virginica *L.*

PULTENÆA
daphnoides *Wendl.*
linophylla *Schrad.*
obcordata *Ait.*
paleacea *Willd.*
retusa *Smith.*
stipularis *Smith.*
stricta *Sims.*
villosa *Willd.*

PUNICA
Granatum *L.*
nana *L.*

PYCNANTHEMUM
lanceolatum *Willd.*
verticillatum *Mich.*
virginicum *Mich.*

PYROLA
asarifolia *Mich.*
maculata *L.*
media *Sw.*
minor *L.*
rotundifolia *L.*
secunda *L.*
umbellata *L.*
uniflora *L.*

PYRUS
Amalanchier *L.*
arbutifolia *Willd.*
baccata *L.*
Botryapium *L. fil.*
communis *L.*
Malus *L.*
ovalis *Willd.*
Pollveria *L.*
prunifolia *Willd.*
spectabilis *Ait.*

Q

QUERCUS
alba *L.*
ambigua *H. et B.*
aquatica *Walt.*
Catesbæi *Mich.*
Cerris *L.*
coccifera *L.*
coccinea *Wnghm.*
discolor *Willd.*
Ilex *L.*

QUERCUS
nigra *L.*
palustris *Mich.*
pedunculata *Willd.*
Phellos *L.*
prinoides *Willd.*
Prinus *L.*
Robur *Willd.*
rubra *L.*
spicata *H. et B.*

QUERCUS
stellata *Willd.*
Suber *L.*
tinctoria *Willd.*
virens *Ait.*

QUISQUALIS
indica *L.*

QUIVISIA
heterophylla *Cav.*

R

RADIOLA
Millegrana *Smith.*

RAFNIA
retusa *Vent.*

RAMONDIA
pyrenaica *Pers.*

RANDIA
latifolia *Lam.*

RANUNCULUS
abortivus *L.*
aconitifolius *L.*
acris *L.*
alpestris *L.*

RANUNCULUS
amplexicaulis *L.*
aquatilis *L.*
arvensis *L.*
asiaticus *L.*
auricomus *L.*
bulbosus *L.*
cassubicus *L.*
cymbalaria *Pursh.*
dissectus *Bbrst.*
flammula *L.*
graminetus *L.*
hederaceus *L.*
hirtus *Banks.*
Lingua *L.*
millefoliatus *Vahl.*
muricatus *L.*
napellifalius *Dec.*
nemorosus *Dec.*
ophioglossifolius *Vill.*
oxyspermus *Willd.*
parviflorus *L.*
pedatus *W. et K.*
pensylvanicus *L. fil.*
Philonotis *Retz.*
polyanthemus *L.*
pyrenæus *L.*
reptans *L.*
sceleratus *L.*
Thora *L.*
trifoliatus *Desf.*
trilobus *Desf.*
tuberculatus *Dec.*
tuberosus *Lapeyr.*

RAPHANUS
maritimus *Smith.*
Raphanistrum *L.*
sativus *L.*

RAUWOLFIA
tomentosa *L.*

REAUMUREA
hypericoides *Willd.*

RESEDA
alba *L.*
lutea *L.*
Luteola *L.*
odorata *L.*
Phyteuma *L.*
sesamoides *L.*
undata *L.*
virescens *Hornem.*

RHAGADIOLUS
edulis *Gært.*
stellatus *Gært.*

RHAMNUS
Alaternus *L.*
alnifolius *Pursh.*
alpinus *L.*
catharticus *L.*
frangula *L.*
infectorius *L.*
latifolius *Herit.*
prinoides *Herit.*
rupestris *Scop.*
saxatilis *L.*
tinctorius *W. et K.*

RHAPONTICUM
scariosum *Lam.*

RHEUM
compactum *L.*
hybridum *Ait.*
palmatum *L.*
Rhaponticum *L.*
tataricum *L. fil.*
undulatum *L.*

RHEXIA
mariana *L.*
virginica *L.*

RHINANTHUS
Crista galli *L.*

RHIPSALIS
Cassutha *Gært.*
fasciculata *Haw.*
parasitica *Haw.*
salicornioides.

RHODIOLA
rosea *L.*

RHODODENDRUM
arboreum *Smith.*
azaleoides *Desf.*
catawbiense *Mich.*
caucasicum *Pall.*
Chamæcystus *L.*
chrysanthum *L.*
dauricum *L.*
ferrugineum *L.*
hirsutum *L.*
maximum *L.*
ponticum *L.*
punctatum *C.*

RHODORA
canadensis *L.*

RHUS
angustifolia *L.*
copallina *L.*

RHUS
Cotinus *L.*
glabra *L.*
javanica *L.*
juglandifolia *Willd.*
lucida *L.*
Toxicodendrum *L.*
typhina *L.*
vernix *L.*

RHYNCHOSPORA
alba *L.*
fusca *L.*

RIBES
alpinum *L.*
aureum *Pursh.*
diacanthum *L. fil.*
floridum *Herit.*
glandulosum *R. et P.*
Grossularia *L.*
grossularioides *Mich.*
nigrum *L.*
oxyacanthoides *L.*
petræum *Jacq.*
procumbens *Pall.*
prostratrum *Herit.*
reclinatum *L.*
rubrum *L.*
sanguineum *Pursh.*
triste *Pall.*
uva crispa *L.*

RICINUS
communis *L.*

RIVINA
humilis *L.*
lævis *L.*
purpurascens *Schrad.*

ROBINIA
Altagana *Herit.*
candida *Zeyh.*
Caragana *L.*
Chamlagu *Herit.*
frutescens *L*
grandiflora *Bbrst.*
hispida *L*
inermis *Desf.*
Pseudacacia *L.*
spinosa *L.*
viscosa *Vent.*

RODRIGUEZIA
lanceolata *Lodd.*
secunda *H. et B.*

ROELLA
ciliata *L.*

RONDELETIA
hirta *Sw.*

ROSA
alba *L.*
alpina *Desv.*
altaica *Willd.*
arvensis *Dec.*
Banksiæ *Ait.*
berberifolia *Pall.*
blanda *Ait.*
bracteata *Wendl.*
camtschatica *Vent.*
canina *Desv.*
carolina *L.*
caucasica *Bbrst.*
chinensis *Jacq.*
cinnamomea *Sw.*
collina *Jacq.*
damascena *Ait.*
Eglanteria *L.*
ferox *Lour.*
gallica *L.*
provincialis *Ait.*
gemella *Willd.*
hibernica *Smith.*
indica *L.*
involuta *Smith.*
lucida *Ehrh.*
microcarpa *Thunb.*
moschata *Ait.*
multiflora *Red.*
muscosa *Ait.*
nivea *Dec.*
Noisettiana *Red.*
palustris *Donn.*
pendulina *L.*
pimpinellifolia *L.*
polyphylla *Willd.*
pomponia *Red.*
pumila *L.*
rubiginosa *Desv.*
rubrifolia *Vill.*
semperflorens *Curt.*
sempervirens *L.*
suavis *Willd.*
sulphurea *Ait.*
taurica *Bbrst.*
tomentosa *Smith.*
turbinata *Ait.*
villosa *L.*
villosa *Wood.*

ROSCOEA
purpurea *Smith.*

ROSMARINUS
officinalis *L.*

ROTTBÖLLIA
incurvata *L.*
monandra *Cav.*
pannonica *Host.*
perforata *Roxb.*

ROXBURGHIA
gloriosa *Willd.*

ROYENA
glabra *L.*
lucida *L.*
polyandra *L. fil.*

RUBIA
cordifolia *L.*
fruticosa *Ait.*
peregrina *L.*
tinctorum *L.*

RUBUS
arcticus *L.*
cæsius *L.*
Chamæmorus *L.*
corylifolius *Smith.*
cuneifolius *Pursh.*
fruticosus *L.*
hispidus *L.*
idæus *L.*
moluccanus *L.*
occidentalis *L.*
odoratus *L.*
pistillatus *Smith.*
rosæfolius *Smith.*
saxatilis *L.*
stellatus *Smith.*
suberectus *G. Anders.*

RUDBECKIA
amplexifolia *Jacq.*
digitata *Mill.*
fulgida *Ait.*
hirta *L.*
laciniata *L.*
pinnata *Vent.*
purpurea *L.*
triloba *L.*

RUELLIA
clandestina *L.*
elegans *Poir.*
infundibuliformis *Andr.*
lactea *Cav.*
ovata *Cav.*

RUELLIA
pubescens *Pers.*
strepens *L.*
tuberosa *L.*

RUIZIA
variabilis *Willd.*

RUMEX
abyssinicus *Jacq.*
Acetosa *L.*
Acetosella *L.*
acutus *L.*
ægyptiacus *L.*
alpinus *L.*
aquaticus *L.*
condylodes *Bbrst.*
confertus *Willd.*
cordifolius *Hornem.*
crispus *L.*
crispatulus *Mich.*
dentatus *L.*
digynus *L.*
divaricatus *L.*
Lunaria *L.*
luxurians *L.*
maritimus *L.*
Nemolapathum *L.*
obtusifolius *L.*
orientalis *Bernh.*
palustris *Smith.*
Patientia *L.*
pulcher *L.*
purpureus *Poir.*
sanguineus *L.*
scutatus *L.*
spinosus *L.*
tuberosus *L.*
ucranicus *Besser.*
verticillatus *L.*
vesicarius *L.*

RUSCUS
aculeatus *L.*
androgynus *L.*
Hypoglossum *L.*
Hypophyllum *L.*
laxus *Smith.*
racemosus *L.*

RUTA
albiflora *Hook.*
angustifolia *Pers.*
chalepensis *L.*
divaricata *Tenor.*
graveolens *L.*
montana *Ait.*
tuberculata *Forsk.*

S

SACCHARUM
officinarum *L.*

SAGINA
apetala *L.*
maritima *Smith.*
procumbens *L.*

SAGITTARIA
graminea *Mich.*
lancifolia *L.*
obtusifolia *L.*
sagittifolia *L.*

SAGUS
Rumphii *Willd.*

SALICORNIA
arabica *L.*
herbacea *L.*

SALIX
acuminata *Smith.*
acutifolia *Willd.*
adscendens *Smith.*
alba *L.*
ambigua *Pursh.*
amygdalina *L.*
Andersoniana *Smith.*
aquatica *Smith.*
arbuscula *L.*
arenaria *L.*
argentea *Smith.*
atrovirens *Schl.*
aurita *L.*
australis *Schl.*
babylonica *L.*
bicolor *Ehrh.*
candida *Fluig.*
canescens *Willd.*
caprea *L.*
carinata *Smith.*
carpinifolia *Schl.*
cinerea *L.*
cœrulea *Smith.*
conifera *Mhlbg.*
cotinifolia *Smith.*
Croweana *Smith.*
cydoniifolia *Schl.*
decipiens *Smith.*
decumbens *Schl.*
Dicksoniana *Smith.*
discolor *Mühlbg.*
elæagnoides *Willd.*
fagifolia *W. et K.*

SALIX
foliolosa *Willd.*
Forbyana *Smith.*
formosa *Willd.*
Forsteriana *Smith.*
fragilis *L.*
fusca *L.*
glabrata *Schl.*
glauca *L.*
hastata *L.*
Helix *L.*
herbacea *L.*
hermaphrodita *L.*
heterophylla *Deb.*
hirta *Smith.*
holosericea *Willd.*
Hoppeana *Willd.*
humilis *Willd.*
incanescens *Schl.*
incubacea *L.*
Lambertiana *Smith.*
lanata *L.*
lanceolata *Smith.*
laurina *Smith.*
leucophylla *Willd.*
longifolia *Mhlbg.*
mollissima *Ehrh.*
monandra *Aid.*
murina *Schl.*
myrsinites *L.*
myrtilloides *L.*
nervosa *Schl.*
nigra *Mhlbg:*
nigricans *Mhlbg.*
oleifolia *Smith.*
pallescens *Schl.*
pallida *Schl.*
pannosa *Schl.*
parvifolia *Smith.*
patula *Ser.*
pedicellaris *Pursh.*
pentandra *L.*
persicifolia *Schl.*
petiolaris *Smith.*
Pontederiana *Willd.*
præcox *Hop.*
prinoides *Pursh.*
prostrata *Smith.*
proteæfolia *Schl.*
prunifolia *Smith.*
recurvata *Schleict.*
repens *L.*
reticulata *L.*
retusa *L.*
riparia *Willd.*

SALIX
rosmarinifolia *L.*
rubra *Smith.*
rupestris *Smith.*
Russeliana *Smith.*
sericea *Vill.*
spathulata *Willd.*
sphacelata *Smith.*
stipularis *Smith.*
strepida *Schl.*
stylosa *Dec.*
subalpina *Schl.*
tetrandra *Willd.*
triandra *L.*
uliginosa *Willd.*
undulata *Ehrh.*
vacciniifolia *Smith.*
venulosa *Smith.*
viminalis *L.*
weigeliana.
wulfeniana.

SALSOLA
Kali *L.*
laniflora *L. fil.?*
rosacea *L.*
Tragus *L.*

SALVIA
africana *L.*
amplexicaulis *Lam.*
applanata *Willd.*
aurea *L.*
aurita *Thunb.*
austriaca *L.*
Boosiana *Jacq.*
campestris *Bbrst.*
ceratophylla *L.*
clandestina *L.*
coccinea *L.*
cretica *L.*
disermas *L.*
dominica *L.*
Forskalei *Vahl.*
gigantea *Desf.*
grandiflora *Ettling.*
Habliziana *Willd.*
Horminum *L.*
interrupta *Schousb.*
leonuroides *Glox.*
lusitanica *Poir.*
lyrata *L.*
mexicana *L.*
mollis *Donn.*
napifolia *Ait.*
nemorosa *L.*

SALVIA
nilotica *Murr.*
oblongata *Vahl.*
occidentalis *Sw.*
odorata *Willd.*
officinalis *L.*
patula *Desf.*
pomifera *L.*
pratensis *L.*
prismatica *Cav.*
runcinata *L. fil.*
scabiosæfolia *Lam.*
Sclarœa *L.*
spinosa *Mœnch.*
splendens.
sylvestris *L.*
Tenorii *Spreng.*
triloba *L. fil.*
variegata *W. et K.*
verbenaca *L.*
verticillata *L.*
virgata *Ait.*
viridis *L.*
viscosa *Jacq.*

SAMBUCUS
canadensis *L.*
Ebulus *L.*
nigra *L.*
pubescens *Pers.*
racemosa *L.*

SAMOLUS
littoralis *R. Br.*
Valerandi *L.*

SAMYDA
serrulata *L.*

SANGUINARIA
canadensis *L.*

SANGUISORBA
canadensis *L.*
media *L.*
officinalis *L.*

SANICULA
europœa *L.*
marilandica *L.*

SANSEVIERA
carnea *Andr.*
grandicuspis *Haw.*
guineensis *Willd.*
lætevirens *Haw.*
zeylanica *Willd.*

SANTALUM
myrtifolium *L.*

SANTOLINA
Chamœcyparissus *L.*
maritima *Smith.*
pinnata *Vivian.*
squarrosa *Willd.*
viridis *Willd.*

SANVITALIA
procumbens *Willd.*

SAPINDUS
rubiginosa *Roxb.*
Saponaria *L.*

SAPIUM
Hippomane *Meyer.*

SAPONARIA
glutinosa *Bbrst.*
ocymoides *L.*
officinalis *L.*

SARCANTHUS
præmorsus *Hort. Soc. L.*

SARCOCEPHALUS
esculentus *Sims.*

SARRACENIA
flava *L.*
minor *Walt.*
purpurea *C.*

SATUREJA
græca *L.*
hortensis *L.*
nervosa *Willd.*
tenuifolia *Tenor.*
Thymbra *L.*

SAURURUS
cernuus *L.*
lucidus *Donn.*

SAUSSUREA
alata *Dec.*
alpina *Wil.*

SAXIFRAGA
adscendens *Willd.*
aizoides *L.*
Aizoon *Jacq.*
ajugifolia *L.*
ambigua *Dec.*
androsacea *L.*
angustifolia *Haw.*
aspera *L.*
autumnalis *L.*
bryoides *L.*
cæsia *L.*
cæspitosa *Whlbg.*

SAXIFRAGA
ceratophylla *Ait.*
cernua *L.*
cordifolia *Haw.*
crassifolia *L.*
cuneifolia *L.*
dahurica *Willd.*
decipiens *Ehrh.*
densa *Haw.*
dentata *Haw.*
elongella *Haw.*
erosa *Pursh.*
geranioides *L.*
Geum *L.*
granulata *L.*
hieracifolia *W. et K.*
Hirculus *L.*
hirsuta *L.*
hirta *Haw.*
hypnoides *L.*
irrigua *Bbrst.*
lingulata *Bellar.*
longifolia *Lapeyr.*
mutata *L.*
nervosa *Lapeyr.*
nivalis *L.*
oppositifolia *L.*
palmata *Lap.*
pedatifida *Smith.*
pensylvanica *L.*
petrœa *L.*
pilosa *Haw.*
platypetala *Smith.*
polita *Haw.*
punctata *L.*
pygmœa *Haw.*
quinquefida *Haw.*
rivularis *L.*
rotundifolia *L.*
sarmentosa *L.*
serrata *Haw.*
spathulata
stellaris *L.*
Sternbergii *Willd.*
tridactylites *L.*
umbrosa *L.*
virginiensis *Mich.*

SCABIOSA
agrestis *W. et K.*
amœna *Jacq. fil.*
argentea *L.*
atropurpurea *L.*
australis *Wulf.*
bannatica *W. et K.*
Biebersteinii *R. et S.*
canescens *W. et K.*
caucasica *Bbrst.*
centauroides *Mill.*
columbaria *L.*

SCABIOSA
Columnæ *Tenor.*
elegans *Spreng.*
glabrata *Schott.*
graminifolia *L.*
grammuntia *L.*
grandiflora *Scop.*
incana *Schult.*
isetensis *L.*
lucida *Vill.*
lutea *Fisch.*
maritima *L.*
micrantha *Desf.*
mollis *Schleich.*
neglecta *Hornem.*
palestina *L.*
pyrenaica *All.*
rutæfolia *Vahl.*
setifera *Lam.*
stellata *L.*
succisa *L.*
ucranica *L.*
Webbiana *Ker.*

SCÆVOLA
lævigata *Pers.*

SCANDIX
Pecten *L.*

SCHINUS
dentata *Andr.*
Molle *L.*

SCHIZANTHUS
pinnatus *R. et P.*
porrigens *Hook.*

SCHIZOPETALON
Walkeri *Sims.*

SCHŒNUS
compressus *L.*
nigricans *L.*
rufus *Huds.*

SCHOLLERA
hispidula *L.*
macrocarpa *Ait.*
Oxycoccos *L.*

SCHOTIA
speciosa *Jacq.*

SCHRANKIA
uncinata *Willd.*

SCHULTZIA
crinita *Spreng.*

SCHWÆGRICHENIA
flavida *Spr.*

SCILLA
amœna *L.*
autumnalis *L.*
bifolia *L.*
campanulata *Willd.*
italica *L.*
maritima *L.*
peruviana *Link.*
Sibirica *Andr.*
verna *Ait.*

SCIRPUS
articulatus *L.*
Bœothryon *L.*
cæspitosus *L.*
lacustris *L.*
maritimus *L.*
mucronatus *L.*
quinquangularis *Vahl.*
triqueter *L.*

SCLERANTHUS
annuus *L.*
perennis *L.*

SCLEROXYLUM
melanophleum *Willd.*

SCOLYMUS
grandiflorus *Desf.*
hispanicus *L.*

SCOPARIA
dulcis *L.*

SCORPIURUS
sulcata *L.*
vermiculata *L.*

SCORZONERA
angustifolia *L.*
calcitrapifolia *Vahl.*
hispanica *L.*
laciniata *L.*
muricata *Balb.*
rosea *W. et K.*

SCROPHULARIA
aquatica *L.*
Balbisii *Willd.*
betonicæfolia *L.*
biserrata *Willd.*
canina *L.*
filicifolia *Mill.*
hirsuta *Schott.*
marilandica *L.*
mellifera *Vahl.*
nodosa *L.*
orientalis *L.*
peregrina *L.*
sambucifolia *L.*
trifoliata *L.*
vernalis *L.*

SCUTELLARIA
albida *L.*
alpina *L.*
altaica *Fisch.*
altissima *L.*
galericulata *L.*
hyssopifolia *L.*
lateriflora *L.*
lupulina *L.*
minor *L.*
orientalis *L.*
peregrina *L.*
rubicunda *Willd.*
scordifolia *Fisch.*
verna *Bess.*

SECALE
cereale *L.*

SECURIDACA
paniculata *Lam.*
volubilis *L.*

SECURINEGA
nitida *Willd.*

SEDUM
acre *L.*
Aizoon *L.*
album
altissimum *Poir.*
Anacampseros *L.*
anglicum *Huds.*
Cepæa *L.*
dasyphyllum *L.*
dentatum *Hortul.*
Forsterianum *Smith.*
glaucum *W. et K.*
hybridum *L.*
malacophyllum *Fisch.*
monregalense *Balb.*
nudum *Ait.*
pallidum *Bbrst.*
populifolium *L.*
quadrifidum *Pall.*
reflexum *L.*
rupestre *L.*
saxatile *L.*
sempervirens *Fisch.*
sexangulare *L.*
spathulatum *W. et K.*
spinosum *Willd.*

SEDUM
spurium *Bbrst.*
stellatum *L.*
Telephium *L.*
ternatum *Mich.*
triphyllum
verticillatum *L.*
villosum *L.*
virens *Ait.*

SELAGO
corymbosa *L.*
fasciculata *L.*

SELINUM
austriacum *Jacq.*
decipiens *Schr. et Wendl.*
palustre *L.*
peucedanoides *Desf.*
polymorphum *Spr.*

SEMECARPUS
Anacardium *L.*

SEMPERVIVUM
arachnoideum *L.*
arboreum *L.*
aureum *Buchan.*
canariense *L.*
ciliatum *Willd.*
glandulosum *Ait.*
globiferum *L.*
glutinosum *Ait.*
hirtum *L.*
monanthos *Ait.*
montanum *L.*
sempervivoides *Fisch.*
soboliferum *Sims.*
stellatum *Smith.*
tectorum *L.*
tortuosum *Ait.*
villosum *Ait.*

SENEBIERA
Coronopus *Pers.*
didyma *Pers.*

SENECIO
abrotanifolius *L.*
aquaticus *Smith.*
arabicus *L.*
aureus *L.*
cernuus *L.*
chrysanthemifolius *Poir.*
coriaceus *Ait.*
coronopifolius *Willd.*
Doria *L.*
elegans *L.*
erucæfolius *L.*
glaucus *L.*

SENECIO
hieracifolius *L.*
Jacobæa *L.*
leucophyllus *Dec.*
macrophyllus *Bbrst.*
paludosus *L.*
Pseudo-China *L.*
saracenicus *L.*
speciosus *Willd.*
sylvaticus *L.*
triflorus *L.*
umbrosus *W. et K.*
venustus *Ait.*
verbenæfolius *Jacq.*
vernus *Biv.*
viscosus *L.*
vulgaris *L.*

SEPTAS
capensis *L.*

SERAPIAS
cordigera *Sw.*
Lingua *Sw.*

SERIPHIUM
cinereum *L.*

SERISSA
fœtida *Willd.*

SERRATULA
alata *Willd.*
centauroides *L.*
coronata *L.*
cyanoides *Gært.*
quinquefolia *Bbrst.*
tinctoria *L.*

SERRURIA
phylicoides *R. Br.*
triternata *Thunb.*

SESAMUM
indicum *L.*

SESBANIA
aculeata *Pers.*
coccinea *L.*
grandiflora *L.*
picta *Cav.*

SESELI
Ammoides *L.*
crassifolium *Schrad.*
dichotomum *Bbrst.*
dubium *Schkr.*
glaucum *L.*
gracile *W. et K.*
Hippomarathrum *L.*

SESELI
leucospermum *W. et K.*
Lobelianum *H. Dorp.*
montanum *L.*
Pallasii *Besser.*
pimpinelloides *L.*
rigidum *W. et K.*
tortuosum *L.*

SESLERIA
cærulea *Ard.*
elongata *Hort.*

SETARIA
glauca *L.*
italica *L.*
setosa *Sw.*
verticillata *L.*
viridis *L.*

SHERARDIA
arvensis *L.*

SIBBALDIA
procumbens *L.*

SIBTHORPIA
europæa *L.*

SIDA
Abutilon *L.*
alnifolia *L.*
angustifolia *Mill.*
arborea *L.*
carpinifolia *L.*
crenatiflora *Pers.*
cristata *L.*
Dilleniana *Willd.*
glauca *Cav.*
humilis *Cav.*
indica *L.*
mauritiana *Herit.*
mollis *Orteg.*
multiflora *Cav.*
nudiflora *Herit.*
nutans *Herit.*
paniculata *L.*
periplocifolia *L.*
rhombifolia *L.*
rhomboidea *Roxb.*
tomentosa *Cav.*
umbellata *L.*
vesicaria *Cav.*

SIDERITIS
candicans *Ait.*
cretica *L.*
hyssopifolia *L.*
lanata *L.*
scordioides *L.*

SIDEROXYLUM
cinereum *L.*
inerme *L.*

SIEGESBECKIA
flosculosa *Herit.*

ILENE
acaulis *L.*
alpestris *Jacq.*
angustifolia *Bbrst.*
apetala *Willd.*
bellidifolia *Jacq.*
bifida *Retz.*
bipartita *Desf.*
bupleuroides *L.*
chlorœfolia *Smith.*
compacta *Bbrst.*
conoidea *L.*
flavescens *W. et K.*
fruticosa *L.*
gigantea *L.*
glauca *Spreng.*
glutinosa *Pers.*
inaperta *L.*
infracta *W. et K.*
italica *Pers.*
jeniseensis *Willd.*
livida *Willd.*
longiflora *Ehrh.*
multiflora *Pers.*
Muscipula *L.*
Mussini *Hort.*
mutabilis *L.*
nemoralis *W. et K.*
noctiflora *L.*
nocturna *L.*
nutans *L.*
obtusifolia *Willd.*
parviflora *Pers.*
polyphylla *L.*
pseudo-atocion *Desf.*
quadridentata *Pers.*
quinquevulnera *L.*
regia *Sims.*
rubella *L.*
saponariœfolia *Schott.*
saxatilis *Bbrst.*
Saxifraga *L.*
scabra *Fisch.*
sibirica *Pursh.*
spergulœfolia *Schott.*
stricta *L.*
supina *Bbrst.*
trinervis *Seb. et Maur.*
virginica *L.*
viridiflora *L.*
viscosa *Pers.*

SILER
aquilegifolium *Gært.*
caucasicum *Spreng.*

SILPHIUM
Asteriscus *L.*
connatum *L.*
laciniatum *L.*
perfoliatum *L.*
teribinthaceum *L. fil.*
trifoliatum *L.*

SINAPIS
alba *L.*
arvensis *L.*
cernua *Thumb.*
chinensis *L.*
disserta *Lagas.*
geniculata *Desf.*
nigra *L.*
pubescens *L.*
ramosa *Roxb.*
retrohirsuta *Besser.*

SIPHONANTHUS
indica *L.*

SIPHONIA
Cahuchu *Rich.*

SISON
Anisum *Spreng.*
aureum *Spreng.*
Podagraria *Spr.*
rotundifolium *Spreng.*

SISYMBRIUM
amphibium *L.*
contortum *Desf.*
eckartbergense *Willd.*
fugax *Lagas.*
hispanicum *Jacq.*
Irio *L.*
nitidum *Zea.*
obtusangulum *Schleich.*
orientale *L.*
palustre *Roth.*
pannonicum *Ait.*
pyrenaicum *L.*
Sophia *L.*
Tillieria *Bellar.*

SISYRINCHIUM
anceps *Lam.*
Bermudianum *L.*
collinum *Curt.*
convolutum *Nocca.*
iridifolium *H. et B.*
luteum *Fisch.*
palmifolium *L.*
striatum *Smith.*
tenuifolium *H. et B.*

SIUM
angustifolium *L.*
cicutæfolium *Gmel.*
Falcaria *L.*
lancifolium *Bbrst.*
latifolium *L.*
peucedanoides *Spr.*
repens *L.*
Sisarum *L.*
verticillatum *Lam.*

SMILAX
aspera *L.*
excelsa *L.*
longifolia *Rich.*
Pseudo-China *L.*
quadrangularis *W.*
rotundifolia *L.*
Sarsaparilla *L.*
tamnoides *L.*

SMITHIA
sensitiva *Salisb.*

SMYRNIUM
Dioscoridis *Spreng.*
nudicaule *Bbrst.*
Olusatrum *L.*

SOLANANDRA
cordifolia *Vent.*

SOLANDRA
grandiflora *Sw.*

SOLANUM
argenteum
astroides *Jacq.*
auriculatum *Ait.*
bahamense *L.*
brasilianum *Dun.*
Dulcamara *L.*
fastigiatum *Willd.*
ferox *L.*
hirsutum *Pers.*
hirtum *Vahl.*
jamaicense *Sw.*
laciniatum *R. Br.*
lanceolatum *Cav.*
macrocarpum *L.*
mammosum *L.*
nigrum *L.*
ovigerum *Dun.*
Pseudocapsicum *L.*
pyracanthos *Jacq.*

SOLANUM
scandens *L. fil.*
Seaforthianum *Andr.*
sodomæum *L.*
Tegore *Aubl.*
tuberosum *L.*
undatum *Lam.*
verbascifolium *L.*
Villosum *Lam.*
volubile *Sw.*

SOLDANELLA
alpina *L.*
minima *Hop.*
montana *Willd.*
pusilla *Baumg.*

SOLIDAGO
alpestre *W. et K.*
altissima *L.*
angustifolia *Nutt.*
arguta *Ait.*
bicolor *L.*
cambrica *Huds.*
elliptica *Ait.*
lævigata *Ait.*
lanceolata *Ait.*
latifolia *L.*
mexicana *L.*
multiradiata *Ait.*
puberula *Nutt.*
sempervirens *L.*
serotina *Ait.*
Virgaurea *L.*

SONCHUS
acuminatus *Willd.*
alpinus *Fl. Dan.*
arvensis *L.*
flexuosus *Ledeb.*
floridanus *L.*
lapponicus *Frœl.*
leucophæus *Willd.*
lyratus *Willd.*
oleraceus *L.*
palustris *L.*
Plumieri *L.*
sibiricus *L.*

SOPHORA
japonica *L.*
microphylla *Ait.*
tetraptera *Ait.*
tomentosa *L.*

SORBUS
Aria *Crantz.*
aucuparia *L.*
domestica *L.*
hybrida *L.*
intermedia *Pers.*
torminalis *Crantz.*

SOWERBEA
juncea *Smith.*

SPARGANIUM
natans *L.*
ramosum *Smith.*
simplex *Smith.*

SPARMANNIA
africana *L. fil.*

SPARTIUM
junceum *L.*
linifolium *Desf.*
radiatum *L.*
Scoparium *L.*
spinosum *L.*

SPATALLA
incurva *Thunb.*

SPATHELIA
simplex *L.*

SPATHODEA
longiflora *Vent.*

SPERGULA
arvensis *L.*
glabra *Willd.*
nodosa *L.*
subulata *Sw.*

SPERMACOCE
adscendens *Willd.*
stricta *L. fil.*
teres *Roxb.*
verticillata *L.*

SPHÆROLOBIUM
minus *Labil.*

SPIELMANNIA
africana *Lam.*

SPIGELIA
anthelmia *L.*
marilandica *L.*

SPILANTHUS
albus *Herit.*
oleraceus *L.*

SPINACIA
glabra *Mill.*
spinosa *Mœnch.*

SPIRÆA
alpina *Pall.*
Aruncus *L.*

SPIRÆA
chamædrifolia *L.*
digitata *Willd.*
filipendula *L.*
hypericifolia *L.*
lævigata *L.*
lobata *Murr.*
opulifolia *L.*
palmata *Thunb.*
salicifolia *L.*
sibirica *Nois.*
sorbifolia *L.*
stipulata *Mhlbg.*
thalictroides *Pall.*
tomentosa *L.*
trifoliata *L.*
triloba *L.*
ulmaria *L.*
ulmifolia *Scop.*

SPONDIAS
Mangifera *Willd.*
Myrobalanus *L.*

SPRENGELIA
incarnata *Smith.*

STAAVIA
radiata *Thunb.*

STACHYS
alpina *L.*
ambigua *Smith.*
arvensis *L.*
aspera *Mich.*
circinnata *Herit.*
coccinea *Jacq.*
germanica *L.*
iberica *Bbrst.*
intermedia *Ait.*
lanata *Ait.*
maritima *L.*
nepetifolia *Desf.*
recta *L.*
scordifolia *Willd.*
sylvatica *L.*

STACHYTARPHETA
angustifolia *Mill.*
jamaicensis *L.*
mutabilis *Jacq.*

STAPELIA
ambigua *Mass.*
anguinea *Schult.*
articulata *Ait.*
Asterias *Mass.*
barbata *Mass.*
Bufonia *Jacq.*
cæspitosa *Mass.*

STAPELIA
campanulata *Jacq.*
clavigera *Jacq.*
clypeata *Jacq.*
compacta *Schult.*
concinna *Mass.*
conspurcata *Willd.*
crispa *Hortul.*
Curtisii *Schult.*
decora *Mass.*
deflexa *Jacq.*
divaricata *Mass.*
geminata *Mass.*
gemmiflora *Haw.*
glanduliflora *Haw.*
glauca *Jacq.*
glomerata *Hortul.*
grandiflora *Mass.*
guttata *Mass.*
hamata *Jacq.*
hirsuta *L.*
humilis *Mass.*
irrorata *Mass.*
lævigata *Hortul.*
lepida *Jacq.*
maculosa *Donn.*
moschata *Donn.*
normalis *Jacq.*
orbicularis *Donn.*
picta *Donn.*
planiflora *Jacq.*
pruinosa *Mass.*
pulchella *Mass.*
pulchra *Schult.*
pulvinata *Mass.*
quinquenervia *Schult.*
radiata *Sims.*
reclinata *Mass.*
reflexa *Haw.*
reticulata *Mass.*
retusa *Schult.*
revoluta *Mass.*
roriflua *Jacq.*
rufa *Mass.*
stellaris *Haw.*
trisulca *Donn.*
tubata *Jacq.*
tuberculata *Hortul.*
venusta *Mass.*
verrucosa *Mass.*
vetula *Mass.*
Woodfordiana *Hortul.*

STAPHYLEA
pinnata *L.*
trifolia *L.*

STARKEA
umbellata *Willd.*

STATICE
alpina
Armeria *Sib. et Sm.*
bellidifolia *Gouan.*
Caroliniana *Walt.*
cephalotes *Ait.*
denticulata
fasciculata *Vent.*
flexuosa *L.*
globulariæfolia *Desf.*
Gmelini *Willd.*
graminifolia *Ait.*
incana *L.*
latifolia *Smith.*
Limonium *L.*
monopetala *L.*
mucronata *L.*
oleifolia *Pour.*
pectinata *Ait.*
reticulata *L.*
scorzonerifolia *Link.*
sinuata *L.*
spathulata *Desf.*
speciosa *L.*
tatarica *L.*

STAUNTONIA
chinensis *Dec.*

STELIS
micrantha *Sm.*
ophioglossoides *Lodd.*

STELLARIA
aquatica *Pers.*
graminea *L.*
Holostea *L.*
nemorum *L.*
palustris *Retz.*
scapigera *Willd.*

STENOCHILUS
glaber *R. Br.*
maculatus *Ker.*

STERCULIA
Balanghas *L.*
colorata *Roxb.*
platanifolia *L.*

STEVIA
Eupatoria *Willd.*
ivæfolia *Willd.*
linearis *Cav.*
ovata *Willd.*
pedata *Cav.*
purpurea *Willd.*
serrata *Willd.*
viscida *H. et B.*

STEWARTIA
Malachodendrum *L.*

STILAGO
Bunias *L.*

STIPA
Aristella *L.*
capillata *L.*
juncea *L.*
pennata *L.*
tortilis *Desf.*

STIZOLOBIUM
pruriens *L.*
urens *L.*

STRATIOTES
Aloides *L.*

STRELITZIA
angusta *Thunb.*
humilis *Hort. Angl.*
juncea *Andr.*
ovata *Donn.*
parvifolia *Ait.*
Reginæ *Ait.*

STROPHANTHUS
dichotomus *Dec.*

STRUTHIOLA
erecta *L.*
glauca (*Nois.*)
juniperina *Retz.*
ovata *Thunb.*
striata *Lam.*
virgata *Thunb.*

STRYCHNOS
colubrina *L.*
nux vomica *L.*

STYLIDIUM
fruticosum *R. Br.*
graminifolium *Sw.*
laricifolium *Rich.*

STYPHELIA
triflora *Andr.*

STYRAX
lævigatum *Ait.*

SUBULARIA
aquatica *L.*

SWAINSONIA
coronillæfolia *Salisb.*

SWERTIA
perennis *L.*

SWIETENIA
Mahogani *L.*

SYMPHORICARPUS
vulgaris *Mich.*

SYMPHYTUM
asperrimum *Bbrst.*
cordatum *W. et K.*
officinale *L.*

SYMPHYTUM
tauricum *Willd.*
tuberosum *L.*

SYMPLOCOS
Sinensis *Ker.*

SYRINGA
chinensis *Willd.*
α integrifolia
β laciniata
persica *L.*
vulgaris *L.*

T

TABERNÆMONTANA
cymosa *L.*

TACCA
integrifolia *Gaud.*
pinnatifida *L. fil.*

TAGETES
clandestina *Lagas.*
erecta *L.*
lucida *Cav.*
patula *L.*

TALINUM
cuneifolium *Vahl.*
patens *Jacq.*

TAMARINDUS
indica *L.*

TAMARIX
dioica *Roth.*
gallica *L.*
germanica *L.*

TAMUS
communis *L.*

TANACETUM
myriophyllum *Willd.*
suffruticosum *L.*
vulgare *L.*

TARCHONANTHUS
camphoratus *L.*

TAXODIUM
distychum *Rich.*

TAXUS
baccata *L.*
canadensis *Willd.*

TECOMA
australis *Ait.*
pentaphylla *L.*

TECTONA
grandis *L. fil.*

TEEDIA
lucida *Rudol.*

TEESDALIA
nudicaulis *R. Br.*

TELEPHIUM
Imperati *L.*

TERAMNUS
uncinatus *Sw.*

TERMINALIA
angustifolia *Jacq.*
arbuscula *Sw.*
catappa *L.*
chebula *Retz.*

TETRAGONOTHECA
helianthoides *L.*

TEUCRIUM
abutiloides *Herit.*
campanulata *L.*
capitatum *L.*
chamædrys *L.*
flavum *L.*
hyrcanicum *L.*
laxmanni *Cav.*
lucidum *L.*
Marum *L.*
montanum *L.*
multiflorum *L.*
orientale *L.*
Polium *L.*
pyrenaicum *L.*
regium *Schreb.*
Scorodonia *L.*

THALIA
dealbata *Fras.*

THALICTRUM
acuminatum *Spreng.*
alpinum *L.*
anemonoides *Mich.*
angustifolium *L.*
aquilegifolium *L.*
concinnum *Willd.*
diffusum *Schrad.*
dioicum *L.*
discolor *Willd.*
divaricatum *Spreng.*
elatum *Murr.*
flavum *L.*
flexuosum *H. Vind.*
fœtidum *Dec.*
glaucescens *Dec.*
glaucum *Desf.*
majus *Jacq.*
minus *L.*
nigricans *Jacq.*
nutans *Desf.*
petaloideum *L.*
purpurascens *L.*
revolutum *Dec.*
rugosum *Ait.*
saxatile *Schleich.*
sibiricum *L.*
squarrosum *Stephan.*
trigynum *Fisch.*
tuberosum *L.*

THAPSIA
villosa *L.*

THEA
Bohea *L.*
viridis *L.*

THEOBROMA
Cacao *L.*

THLASPI
alliaceum *L.*
arvense *L.*
bursa pastoris *L.*

THLASPI
Buxbaumii *Fisch.*
campestre *L.*
hirtum *L.*
saxatile *L.*

THRINCIA
hirta *Roth.*
hispida *Roth.*

THUIA
cupressoides *L.*
occidentalis *L.*
orientalis *L.*

THUNBERGIA
angulata *Hels. et Boj.*
grandiflora *Sims.*

THYMUS
ericæfolius *Roth.*
fruticulosus *Bertol.*
grandiflorus *Sims.*
graveolens *Sib. et Sm.*
lanuginosus *Mill.*
Marschallianus *Willd.*
Mastichina *L.*
montanus *W. et K.*
Serpyllum *L.*
vulgaris *L.*
Zygis *L.*

THYSANOTHUS
junceus *R. Br.*

TIARELLA
cordifolia *L.*

TIARIDIUM
indicum *Lehm.*

TIGRIDIA
Pavonia *Pers.*

TILIA
alba *Ait.*
americana *L.*
europæa *Willd.*
parvifolia *Hoffm.*
pubescens *Ait.*
muscosa *L.*

TILLANDSIA
anceps *Lodd.*
bulbosa *Hook.*
coarctata *Gill. Mss.*
compressa *Gill. Mss.*
flexuosa *Sw.*
gracilis *Gill. Mss.*
pulchella *Hook.*
ramosa *Gill. Mss.*
rigida *Gill. Mss.*

TOFIELDIA
palustris *Huds.*

TOLPIS
barbata *Gært.*

TORDYLIUM
maximum *L.*

TORILIS
anthriscus *Gmel.*

TOURNEFORTIA
gnaphalodes *R. Br.*
volubilis *L.*

TRACHELIUM
cœruleum *L.*

TRADESCANTIA
crassifolia *Cav.*
discolor *Smith.*
erecta *Cav.*
rosea *Vent.*
subaspera *Gawl.*
virginica *L.*
zanonia *Sw.*

TRAGIUM
aromaticum *Spr.*
Broteri *Spr.*
Columnæ *Spr.*
peregrinum *Spr.*

TRAGOPOGON
angustifolius *Beltar.*
dubius *Hornem.*
major *Jacq.*
orientalis *L.*
parviflorus *Hornem.*
porrifolius *L.*
pratensis *L.*

TREWIA
nudiflora *L.*

TRICHERA
arvensis *L.*
integrifolia *L.*
montana *Bbrst.*
pubescens *W. et K.*
sylvatica *L.*

TRICHILIA
capensis *Pers.*

TRICHODESMA
africana *L.*
zeylanica *L.*

TRICHODIUM
alpinum *L.*
caninum *Schrad.*

TRICHODIUM
decumbens *Mich.*
elegans *Thore.*
setaceum *Smith.*

TRICHOSTEMMA
dichotoma *L.*

TRIENTALIS
europæa *L.*

TRIFOLIUM
agrarium *L.*
albidum *Retz.*
alexandrinum *L.*
alpestre *L.*
alpinum *L.*
angulatum *W. et K.*
angustifolium *L.*
aristatum *Balb.*
arvense *L.*
badium *Schreb.*
bracteatum *Schousb.*
canescens *Willd.*
clypeatum *L.*
diffusum *Ehrh.*
echinatum *Bbrst.*
elegans *Savi.*
filiforme *L.*
flexuosum *Jacq.*
formosum *Savi.*
fragiferum *L.*
gemellum *Pour.*
globosum *L.*
glomeratum *L.*
hamosum *Bbrst.*
hispidum *Desf.*
hybridum *L.*
incarnatum *L.*
leucanthum *Bbrst.*
ligusticum *Savi.*
maritimum *Smith.*
Michelianum *Savi.*
ochroleucum *L.*
pannonicum *L.*
plicatum *Presl.*
pratense *L.*
procumbens *L.*
reflexum *L.*
repens *L.*
resupinatum *L.*
rubens *L.*
scabrum *L.*
sebastiani *Savi.*
squarrosum *L.*
stellatum *L.*
strictum *L.*
subterraneum *L.*
supinum *Savi.*
uniflorum *L.*
vesiculosum *Savi.*

TRIGLOCHIN
maritimum *L.*
palustre *L.*

TRIGONELLA
ægyptiaca *Poir.*
cancellata *Desf.*
fœnum græcum *L.*
hamosa *L.*
indica *L.*
polycerata *L.*
spinosa *L.*

TRILLIUM
cernuum *L.*
erythrocarpum *Mich.*
grandiflorum *Pursh.*
sessile *L.*

TRIOSTEUM
angustifolium *L.*
perfoliatum *L.*

TRIPSACUM
dactyloides

TRISETUM
airoides *Kœl.*
distichophyllum *Vill.*
flavescens *L.*
micranthum *R. et S.*
neglectum *Savi.*
pubescens *L.*

TRITICUM
æstivum *L.*
atratum *Host.*
campestre *Kit.*
caninum *L.*
compositum *L.*

TRITICUM
cristatum *Schreb.*
gærtnerianum *Lagas.*
hybernum *L.*
imbricatum *Bbrst.*
junceum *L.*
maritimum *L.*
platystachyum *Lag.*
polonicum *L.*
prostratum *L. fil.*
repens *L.*
rigidum *Schrad.*
sibiricum *Willd.*
Spelta *L.*
squarrosum *Roth.*
turgidum *L.*
variegatum *Fisch.*
villosum *Beauv.*

TRIUMFETTA
Bartramia *L.*
Lappula *L.*
rhombæfolia *Sw.*

TRIXIS
senecioides *Hook.*

TROLLIUS
asiaticus *L.*
europæus *L.*
patulus *Salisb.*

TROPÆOLUM
majus *L.*
minus *L.*
pinnatum *Ait.*

TULBAGIA
alliacea *Jacq.*

TULIPA
Gesneriana *L.*
Oculus Solis *Sims.*
suaveolens *Roth.*
sylvestris *L.*

TUPISTRA
squalida *Ker.*

TURNERA
cuneiformis *Juss.*
ulmifolia *L.*

TURRITIS
alpestris *Schleich.*
alpina *L.*
glabra *L.*
hirsuta *L.*
stenopetala *Willd.*

TUSSILAGO
alba *L.*
alpina *L.*
Anandria *L.*
Farfara *L.*
fragrans *Vill.*
nivea *Hop.*
nutans *L.*
petasites *L.*
hybrida *L.*
spuria *Willd.*

TYPHA
angustifolia *L.*
latifolia *L.*
media *Dec.*

U

ULEX
europæus *L.*
nanus *Smith.*

ULMUS
americana *L.*
campestris *L.*
pumila *Willd.*
scabra *Mill.*
suberosa *Ehrh.*

UNIOLA
latifolia *Mich.*

URANIA
speciosa *Willd.*

URENA
lobata *L.*
sinuata *L.*

URTICA
æstuans *L.*
angustifolia *Fisch.*
baccifera *L.*
balearica *L.*
canabina *L.*
canadensis *L.*
dioica *L.*
Dodartii *L.*
grandifolia *L.*
nivea *L.*
pentandra *Roxb.*

URTICA
pilulifera *L.*
reticulata *Sw.*
scrabrella *Hort. Belv.*
urens *L.*

UVARIA
velutina *Dec.*

UVULARIA
amplexifolia *L.*
chinensis *Gawl.*
grandiflora *Smith.*
perfoliata *L.*
sessilifolia *L.*

V

VACCINIUM
amænum *Ait.*
arctostaphylos *L.*
brachygerum *Mich.*
corymbosum *L.*
crassifolium *Andr.*
diffusum *Ait.*
frondosum *L.*
fuscatum *Ait.*
Myrtillus *L.*
nitidum *Sims.*
tenellum *Ait.*
uliginosum *L.*
Vitis idæa *L.*

VALERIANA
dioica *L.*
montana *L.*
officinalis *L.*
Phu *L.*
pyrenaica *L.*
sambucifolia *Mikan.*
tripteris *L.*

VANDA
Roxburgii *Ker.*
teretifolia *Ker.*
rostrata *Hort. Soc. L.*

VANGUERIA
edulis *Vahl.*

VANILLA
aromatica *Sw.*
planifolia *Andr.*

VELLA
annua *L.*
Pseudo-Cytisus *L.*

VELLEJA
lyrata *R. Br.*

VELTHEIMIA
glauca *Jacq.*
sarmentosa *Andr.*
uvaria *L.*
viridifolia *Jacq.*

VENANA
madagascariensis *Laur.*

VERATRUM
album *L*
nigrum *L.*
viride *Ait.*

VERBASCUM
angustifolium *Tenor.*
Blattaria *L.*
condensatum *Schrad.*
cuspidatum *Schrad.*
ferrugineum *Mill.*
floccosum *W. et K.*
longifolium *Tenor.*
Lychnitis *L.*
macranthum *Hffmsg.*
montanum *Schrad.*
nemorosum *Schrad.*
nigrum *L.*
phlomoides *L.*
phœniceum *L.*
pulverulentum *Bbrst.*
pyramidatum *Bbrst.*
rotundifolium *Tenor.*
speciosum *Schrad.*
thapsiforme *Schrad.*
Thapsus *L.*
undulatum *Lam.*
virgatum *With.*

VERBENA
aubletia *L.*
bracteata *Cav.*
bracteosa *Mich.*
canescens *H. et B.*
caroliniana *L.*
erinoidea *Lam.*
hastata *L.*
Lamberti *B. M.*
officinalis *L.*
paniculata *Lam.*
stricta *Vent.*
supina *L.*
triphylla *Herit.*
urticæfolia *L.*

VERBESINA
alata *L.*
calendulacea *L.*
coreopsis *Mich.*
serrata *Cav.*

VERNONIA
anthelmintica *Willd.*

VERONICA
agrestis *L.*
Allioni *Vill.*
alpina *L.*
ambigua *Martin.*
amœna *Steven.*
Anagallis *L.*
aphylla *L.*
arguta *Schrad.*
arvensis *L.*
austriaca *L.*
azurea *Schott.*
Beccabunga *L.*
bellidioides *L.*
brevifolia *Link.*
caucasica *Bbrst.*
chamædrys *L.*
complicata *Hoffm.*
crassifolia *Ait.*
crista galli *Stev.*
cymbalaria *Bertol.*
decussata *Ait.*
dentata *Schrad.*
elatior *Ehrh.*
filiformis *Smith.*
foliosa *Kit.*
fruticulosa *L.*
gentianoides *Vahl.*
glabra *Schrad.*
gracilis *R. Br.*
hederæfolia
hirsuta *Hopk.*
hybrida *L.*
incana *L.*
incisa *Ait.*
labiata *R. Br.*
laciniata *Ait.*
latifolia *L.*
longibracteata *Link.*
longifolia *L.*
maritima *L.*
media *Schrad.*
menthæfolia *Schott.*
micrantha *Hffmsg.*
mollis *Willd.*
mollissima *H. Belv.*
montana *L.*
multifida *L.*
neglecta *Vahl.*
nitida *Poir.*
Nummularia *Gouan.*
officinalis *L.*
orchidea *Crantz.*
orientalis *Ait.*
pallida *Hornem.*
paniculata *Pallas.*

VERONICA
parviflora *Vahl.*
perfoliata *R. Br.*
pinnata *L.*
prostrata *L.*
pulchella *Bernh.*
ruthenica *H. Vind.*
saxatilis *L.*
scutellata *L.*
serpyllifolia *L.*
sibirica *L.*
spicata *L.*
spuria *L.*
taurica *Willd.*
Teucrium *L.*
urticæfolia *L.*
verna *L.*
villosa *Schrad.*
virginica *L.*
waldsteiniana *Schott.*

VIBURNUM
cassinoides *L.*
chinense *Zeyh.*
dentatum *L.*
Lantana *L.*
lantanoides *Mich.*
Lentago *L.*
nudum *L.*
Opulus *L.*
prunifolium *L.*
pyrifolium *Desf.*
Tinus *L.*
villosum *Sw.*

VICIA
abbreviata *Fisch.*
alba *Mœnch.*
angustifolia *Roth.*
benghalensis *L.*
Cracca *L.*
dumetorum *L.*
Faba *L.*
gracilis *Loisl.*
grandiflora *Scop.*
hybrida *L.*

VICIA
longifolia *Poir.*
lutea *L.*
megalosperma *Bbrst.*
monantha *Desf.*
nissoliana *L.*
onobrychioides *L.*
pilosa *Bbrst.*
pisiformis *L.*
polyphylla *Desf.*
sativa *L.*
sepium *L.*
serratifolia *Murr.*
sordida *W. et K.*
striata *Bbrst.*
sylvatica *L.*

VIEUSSEUXIA
fugax *Delar.*
pavonia *Dec.*

VILLARSIA
indica *L.*
nymphoides *L.*
ovata *L.*
parnassifolia
sarmentosa *Sims.*

VINCA
herbacea *W. et K.*
major *L.*
minor *L.*
rosea *L.*

VIOLA
altaica *Ker.*
amœna *Dum.*
arborescens *L.*
biflora *L.*
blanda *Willd.*
calcarata *L.*
canina *L.*
chrysantha *Schrad.*
cornuta *L.*
cucullata *Ait.*
debilis *Mich.*
digitata *Pursh.*

VIOLA
glauca *Bbrst.*
grandiflora *L.*
hirta *L.*
Hornemanniana *R. et S.*
lanceolata *L.*
lutea *Smith.*
montana *L.*
odorata *L.*
Pallasii *Fisch.*
palmata *L.*
palustris *L.*
papilionacea *Pursh.*
pedata *L.*
primulifolia *L.*
pubescens *Ait.*
pygmæa *Juss.*
rothomagensis *Thuil.*
Ruppii *All.*
sagittata *Ait.*
stricta *Ait.*
tricolor *L.*
Zoysii *Jacq.*

VIRGILIA
capensis *Lam.*

VISCUM
album *L.*

VITEX
agnus castus *L.*
alata *Rottler.*
incisa *Lam.*
ovata *Thunb.*
triflora *Vahl.*

VITIS
vinifera *L.*
vulpina *L.*

VOLKAMERIA
heterophylla *Vent.*
inermis *L.*
ligustrina *Jacq.*
odoratissima *Fisch.*

W

WACHENDORFFIA
thyrsiflora *L*

WALDSTEINIA
geoides *Willd.*

WALTHERIA
elliptica *Cav.*

WESTRINGIA
rosmariniformis *Smith.*

WILLDENOVIA
teres *Thunb.*

WITSENIA
corymbosa *Smith.*
maura *Thunb.*

WULFENIA
carinthiaca *Jacq.*

X

XANTHOCHYMUS
tinctorius *Roxb.*

XANTHORRHŒA
hastilis *R. Br.*
minor *R. Br.*

XERANTHEMUM
annuum *L.*

XERANTHEMUM
orientale *Willd.*

XEROPHYLLUM
setifolium *Mich.*

XEROTES
rigida *Labil.*

XIPHIDIUM
floribundum *Sw.*

XYRIS
operculata *Labil.*

XYSMALOBIUM
undulatum *R. Br.*

Y

YUCCA
aloifolia *L.*
angustifolia *Pursh.*

YUCCA
filamentosa *L.*
gloriosa *L.*

YUCCA
recurva *Haw.*

Z

ZAMIA
debilis *Ait.*
furfuracea *Ait.*
horrida *Ait.*
integrifolia *Ait.*
media *Jacq.*
spiralis *Salisb.*

ZANNICHELLIA
palustris *L.*

ZANTHORRHIZA
apiifolia *Herit.*

ZANTHOXYLUM
clava Herculis *L.*
fraxineum *Willd.*

ZAPANIA
nodiflora *Pers.*

ZEA
Mays *L.*

ZIERIA
Smithii *Andr.*

ZINGIBER
Cassumunar *Roxb.*
officinale *Bosc.*
Zerumbet *Bosc.*

ZINNIA
elegans *Jacq.*
pauciflora *L.*

ZIZANIA
aquatica *L.*

ZIZIPHORA
capitata *L.*
media *Link.*
tenuior *L.*

ZIZYPHUS
Jujuba *L.*
vulgaris *Lam.*

ZORNIA
pulchella *L.*
strobilifera *L.*

ZOSTERA
marina *L.*

ZYGOPHYLLUM
Fabago *L.*
Morgsana *L.*

LIST OF FERNS,

WITH THE GENERA SYSTEMATICALLY ARRANGED.

EQUISETUM sylvaticum.
arvense.
palustre.
fluviatile.
limosum.
hyemale.
variegatum.
filiforme.
scirpoides.

Onoclea sensibilis.
struthiopteris.
Ophioglossum vulgatum.
Botrychium Lunaria.
fumarioides.
dissectum.
virginicum.
Lygodium scandens.
circinnatum?

Osmunda regalis.
cinnamomea.
claytoniana.
interrupta.
spectabilis.
Lycopodium clavatum.
selaginoides.
inundatum.
Selago.
annotinum.
alpinum.
denticulatum.
complanatum.
dendroideum.
Psilotum triquetrum.
Acrostichum alcicorne.
Hemionitis rufa.
palmata.
Grammitis Cetarach.
australis *R. Br.*
Pteris longifolia.
aquilina.
grandifolia.
caudata.
serrulata.
atropurpurea.
arguta.
crispa.
pedata.
palmata.
hastata.
Blechnum occidentale.
boreale.
australe.
Woodwardia radicans.
virginica.
Doodia aspera.
Asplenium præmorsum.
Nidus.
rhizophyllum.
trichomanes.
viride.
ebeneum.
marinum.
septentrionale.
alternifolium.
ruta-muraria.
Adiantum nigrum.
lanceolatum.
melanocaulon.
Zamiifolium.
Scolopendrium officinarum
Diplazium grandifolium.
plantaginifolium.
Diplazium barbadense.
Polypodium pertusum.
vulgare.
cambricum.
pectinatum.
aureum.
Phegopteris.
Dryopteris.
calcareum.
effusum.
virginicum.
Woodsia hyperborea.
ilvensis.
Aspidium trifoliatum.
auriculatum.
dentatum.
bulbiferum.
fragile.
regium.
Lonchites.
exaltatum.
patens.
atomarium.
oreopteris.
marginale.
cristatum.
aculeatum.
lobatum.
spinulosum.
Filix Mas.
goldianum.
Thelypteris.
fontanum.
rhæticum.
nove boracense.
Filix Femina.
molle.
acrostichoides.
æmulum.
Adiantum reniforme.
trapeziforme.
tenerum.
pedatum.
Capillus Veneris.
Cheilanthes vestita.
microphylla.
Davallia pyxidata.
canariensis.
Dicksonia arborescens.
pilosiuscula.
Hymenophyllum tunbridgense.
Pilularia globulifera.
Isoetes lacustris.

APPENDIX.

Achillæa decolorans *Schrad.*
lingulata *W. et K.*
valesiaca *Suter.*
Acynos patavinus *Jacq.*
Agrostemma parviflora *Cav.*
Androsace maxima *L.*
Anemone multifida *Poir.*
Arenaria recurva *All.*
Artemisia laciniata *W.*
Redowskii *Ledeb.*
Astragalus ægyceras *W.*
annularis *Forsk.*
cymbicarpus *Brot.*
Epiglottis *L.*
pentaglottis *L.*
scorpioides *Pour.*
Atriplex Halimus *L.*
Bidens chinensis *W.*
Bupthalmum aquaticum *L.*
Cactus corrugatus *Gill. Mss.*
foliosus *Gill. Mss.*
ovatus *Gill. Mss.*
Campanula americana *L.*
falcata *R. et S.*
macrostachya *W. et K.*
Cardamine græca *L.*
Carduus rigens *Ait.*
Centaurea americana *Nutt.*
collina *L.*
romana *L.*
sonchifolia *L.*
sordida *W.*
tricocephala *Bbr.*
Cerastium manticum *L.*
sylvaticum *W. et K.*
Chrysanthemum Broussonetii *Balb.*
Chrysurus cynosuroides *Pers.*
Cichorium pumilum *Jacq.*
Dactylis glauca *Roth.*
Danthonia calycina *R. et S.*
strigosa *R. et S.*
Dracocephalum montanum *L.*
Dryas integrifolia *Vahl.*
Festuca varia *Hænke.*
Galactites tomentosa *Mœnch.*
Galium filiforme *R. S.*
hispidum *Gært.*
spurium *L.*
Mimosa spiralis *Gill. Mss.*
Myagrum rugosum *L.*
Phaca astragalina *Dl.*
Picridium vulgare *Desf.*

FINIS.

3 2044 102 799 442